

Ministry of Jobs, Tourism and Innovation
BRIEFING NOTE FOR MINISTER

Ref #: 61119

FOR INFORMATION

Date: May 16, 2011

Title: China Bamboo Paper Holding Group - follow-up with Mr. NI Ritao, Chairman, China Bamboo Paper Holding Group as requested by Minister Bell.

Issue:

-

s.13

Participants:

- Mr. NI Ritao, Chairman, China Bamboo Paper Holding Group
- Mr. HOU Wei, Vice-President, China Bamboo Paper Holding Group
- Mr. ZHANG Peng, Assistant to Chairman, China Bamboo Paper Holding Group
- Ms. Sophie Liu, Assistant and Interpreter
- Mr. William J. Belsey, Sino Energy Group
- Mr. Kevin Tsui, Managing Director, B.C. Trade and Investment Office
- Mr. Benjamin Karl, Assistant, B.C. Trade and Investment Office

Background:

Following the formal meeting on April 7, 2011, the B.C. Trade and Investment Office has had three more formal interactions to clarify and request additional information with several subsequent telephone conversations.

s.13, s.16, s.17, s.21

s.13, s.16, s.17, s.21

s.13, s.16, s.17, s.21 Excerpts of this report were also extracted from a Canadian Embassy Briefing Note prepared by Francis Dorsemayne from the Trade Section.

Executive Summary:

s.13, s.17, s.21

s.13, s.17, s.21

Highlights of the Last Few Years:

-

s.13, s.16, s.17, s.21

-

- In February 2008, the Prince Rupert Government terminated the contract with the company and requested tax payment based on a property evaluation by the B.C. Government

s.13 s.16 s.17 s.21

s.13, s.16, s.17, s.21

-

-

s.13, s.16, s.17, s.21

-

- March 2011, Minister Pat Bell met with representatives of China Bamboo Paper Holding Group in Beijing.
- Two trials have been scheduled in June 2011 to address the issues between the China Bamboo Paper Holding Group and the City of Prince Rupert.

Stakeholder Impact:

Challenges

-

s.13, s.16, s.17, s.21

- Property and assets of New Skeena Forest Products had been purchased through receivers declared by the British Columbia Supreme Court (Ernst & Young and Maynards Industries) after New Skeena declared bankruptcy, s.13, s.16, s.17, s.21

s.13, s.16, s.17, s.21

-

-

-

s.13, s.16, s.17, s.21

-

Future Plans

-

-

s.13, s.16, s.17, s.21

Mr. Ni's Proposal for Resolution

-

s.13, s.16, s.17, s.21

-

s.13, s.16, s.17

s.22

s.22

s.13, s.16

s.13, s.16

Addendum:

- China Bamboo Paper Holding Group Profile: Is a trading and investment company with primary focus on pulp and paper, logistics and resources sector. s.21

s.21

Discussion:

s.13, s.16, s.17, s.21

s.13, s.16, s.17, s.21

Associated Documents:

A –

s.21

B – Maynards Industries Ltd. flyer for “Bankruptcy Sale Entire Pulp Mill Assets New Skeena Forest Products Inc.”

C –

s.21

D –

s16, s17, s21

E –

F –

G –

H –

s21

J –

Contact: Kevin Tsui, Managing Director, B.C. Trade & Investment Office, North China

Janet Cho, Manager, China - International Relations and Business Development Branch

Telephone: s.22

Approvals				
Dir: HH	ED: MEJ	ADM: SS	DM:	MIN:

document2 \ Cliff #


Pages 7 through 9 redacted for the following reasons:

s21

BANKRUPTCY SALE

ENTIRE PULP MILL ASSETS

NEW SKEENA FOREST PRODUCTS INC.



Sale Conducted by
Maynards
SINCE 1902

AUCTIONS • LIQUIDATIONS • APPRAISALS


Maynards Industries Ltd.

415 West 2nd Ave., Vancouver, BC V5Y 1E3


Ph: (604) 675-2235 Fax: (604) 876-2678

VANCOUVER • TORONTO • MONTREAL • DETROIT • TOKYO, JPN

Visit Our Website:
maynards.com



KAJAANI KAPPA ANALYZER



ELECTROSTATIC PRECIPITATOR CONTROLS

CHIP HANDLING

- Reclaims - 4 reclaim, bunkers with drag chain style
- **Chip Screening:** (2) ROTEC Model 72 primary screens, bottom screening surface 80"x180"
- (3) RESCO-RETEC Chip Thickness Screens - 64 9/16" Screen width
- (3) FESCO-RECTEC LIWELL chip screens LS1.5-20DD
- (3) FESCO-RECTEC Scalping Screens - 393/8" screen width
- (3) FESCO-RECTEC Chip Slicers, Type 50
- PEERLESS Chip Truck Dumper, 75'
- PEERLESS 55' extended arm hog truck dumper
- (3) STEPHENS-ADAMSON Style 4, 36" Wide Swivel Pilers

"A" MILL

DIGESTERS

- (2) KAMYR continuous digesters, vessel sizes 15' 6" Diameter x 178' height
- **COMBINED DESIGN** 680 ADMT, now 1022 ADMT
- Controlled via a BAILEY DCS, and a MODO CHEMETICS EA Analyzer and supervisory algorithms
- Equipped for Lo Solids, intended to be commissioned on startup
- Tonnage will go up to 1058 t/d
- (2) Chip Meters - Size 5A c/w HAGGLUNDS Hydraulic Drives Model UK43-04700
- (2) Steaming Vessels - Size 5A

DIGESTERS *continued*

- (2) Low Pressure Feeders Size 6 with HAGGLUNDS Hydraulic Drives
- (2) Size 5 High Pressure Feeders c/w HAGGLUNDS Hydraulic Drives LH767-MA200
- (2) Top Separators Size 4
- (2) Outlet Device, Size 4
- BINGHAM Process Pumps & 6 Goulds Pumps

BROWNSTOCK (1050 T/D)

- INGERSOLL-RAND High Q Knotters Model B (1982) housings reconditioned 1995
- Washers: (2) INGERSOLL-RAND 13.75' x 26' Impco Coru-Dak
- INGERSOLL-RAND Decker is a single-stage drum filter Coru-Dek1, 316SS (1994) 13'6" x 26'
- SUNDS PTC60 Thick Stock Pump
- IMPCO 1200H Cloveretor Stock Pump
- BINGHAM AND GOULDS Process Pumps
- Screens Unbleached Stock: INGERSOLL-RAND Pressure Centrisorters 3 primary Model 212, 1 swing Model 212, 1 secondary Model 212, 1 tertiary Model 210
- Cleaners: 15 quaternary Hymac

BLEACH PLANT (1050 T/D)

- Design 680 ADMT, now 1050 ADMT
- Sequence: D-O/O-D-Ep-D
- Washers: 5-13.75' x 26' Impco
- Deckers: 2- 13.75' x 20' Impco
- Mixers: IMPCO, SUNDS high-shear, MC Mixer

2-STAGE OXYGEN

DELIGNIFICATION (O/O stage)

- Retention is 15 min & 30 min @ 1000 tpd
- #1A MC pump complete with standpipe system (Ahlstrom MCE 3P-100, 200hp 1800rpm, 575v)
- Heater, MP Steam O-O Stage - KOMAX 12" direct injection, in-line (Austin & Denholm)
- #2A MC pump (Ahlstrom MCA 43-6, 450 hp, 1800rpm, 2300v)
- #1A Mixer O-O Stage Ahlstrom 25-15FS, in-line, 316 SS (100hp, 1800rpm, 575v)
- #1A O₂ reactor (2000) Duplex SS2205 supplier - Arjay
- #2A Mixer O-O Stage Ahlstrom 25-15FS, in-line, 316 SS (100hp, 1800rpm, 575v)
- #2A O₂ reactor (2000) Duplex SS2205 supplier - Arjay
- O₂ Delignification yet to be commissioned


CLO₂ GENERATION SVP LITE AZKO NOBEL

- 55 mtpd SVP Lite - commissioned in August 2000
- Chlorate, Suphuric Acid & Methanol Filters 316L stainless steel housings
- CLO₂ Generator - Grade 2 Titanium Vessel & Inserts, 316 SS support ring, 12' diameter, 30' height, 19,000 gal capacity, 23,804 lb shipping weight, Pressure vessel ASME stamped 25psig/250°F


continued on next page



O₂ DELIGNIFICATION ON DIGESTERS




O₂ DELIGNIFICATION MC PUMP



KAMYR/AHLSTROM DIGESTERS



ALLEN BRADLEY MCC'S



"8" MILL

**CLO₂ GENERATION SVP LITE
AZKO NOBEL *continued***

- Circulation Pump - Generator - Grade 2 Titanium Casing & Impeller, Flowserve mechanical seal, 12,000 gpm capacity @ 17.5' head, 200 hp, 1800rpm
- Generator Reboiler Vessel - ASME Shell & Tube Heat Exchanger, 150psig/400°F, Grade 7 Titanium Tubes, Grade 1 Titanium Clad 316 SS Tubesheet, CS Shell, 3' diameter, 16' tubelength, 1356 sqft area, 12,924 shipping weight
- Acid Injection System, Condensate System, Desuperheater Assembly
- Salt Cake Filter - Grade 2 titanium for all Filter housing, Drum Assembly, Valve/Shoe & Spray & Wash Nozzles, Tantalum Filter Cloth, 155 gal cap.
- Filtrate Receiver Vessel (Gr. 2 Titanium), Redissolver Vessel (Alloy 20 Vessel), Dump Tank System (Titanium/FRP)
- CLO₂ Absorber - FRP Tower, 55', 8", Grade 2 Titanium Support Plates, Grade 2 Titanium
- Distributor and Grade 2 Titanium Redistributor, Ceramic Packing, 316 SS Supports
- Filter Ejector (Titanium), Steam Ejector (Titanium), System Condenser ASME (Titanium/316SS)
- Vent Scrubber, FRP Vessels c/w Titanium Distributor, Ceramic Packing & 316 SS Supports
- Scrubber Pump System - Pump (Titanium), Fan (FRP) & Strainer (Titanium)
- Hot Water System - ASME Heat Exchanger (SS), Pump (316SS)

**TRANE CHILLER - CHILLER #2
WATER TO CLO₂ PLANT**

- TRANE Chiller Model CHVF0650; 729 tons cooling, 600hp, 3600rpm, 2300v

**BLEACH SCREENING AND
CLEANING**

- CELLICO 1° cleaners
- NOSS 2° through 5° stage cleaners
- (2) parallel deckers, 13'6" x 22'
- BLACK CLAWSON 48NP42 Trash Screen
- ALHLSTROM Fan Pump, Type ZXX-70 (1987)

PULP MACHINE

- JOHN INGLIS Wet End
- 1987 retrofit by BLACK CLAWSON Wet End Headbox & double felted press section 1st and 3rd
- 1089 ADMT
- 232" trim, 8 bales, Fourdrinier wire width 244 inches
- FLAKT Airborne dryer
- Cutter-Layboy: LAMB-GRAYS HARBOR
- Upgrade in 1988 to overlapping layboy
- FLAKT Sheet Cooler
- LAMB GRAY Bale Line with Cranston End Folders & CRANSTON Sheet Dispensers
- Hydraulic Presses: (2) 1100-ton Washington


DIGESTERS

- (7) stainless clad batch digesters - capacity 6,500 ft³ each (#1 to 6 built 1977 by Nooter corporation, #7 added in 1988 m/lc Victoria Machinery), 15'9" i.d x 36'7" height
- (7) NELES ball valve capping valve complete with actuator
- (7) ELLETT external liquor heaters
- (7) GOULD circulation pumps
- (7) NELES auto blow ball valve
- SPROUT WALDRON Rotary knot drainer
- 1991 digester blow tank of 90 ADT
- (7) NELES liquor fill auto valve
- (7) Gamma-ray chip level sensor
- 1991 KONE 6.5 Ton Overhead Crane Mod UN2283B


**BROWNSTOCK
KNOTTING AND WASHING**

- (2) IMPCO Hi-Q pressure knotter (1988) Model B
- (4) INGERSOLL-RAND brownstock washers size = 13'6" x 20' corrugated-deck washer (1988)
- (2) JOHNSON secondary knotter
- CLOVEROTOR thick stock pump Model 1200 (capacity 700 ADT)
- Coarse Screen Secondary Knotter Model KFA-50 - Sunds Defibrator


MORE PHOTOS & DETAILS ON OUR WEBSITE: WWW.MAYNARDS.COM



CAT GENERATOR



DIESEL FIRE PUMP SYSTEM



BROWNSTOCK WASHERS ("A" MILL)

HEAT RECOVERY


- Hot water accumulator and integral primary condenser = 22' x 95'
- Secondary condenser (built by Axton 1990)
- (7) **ALFA-LAVAL** spiral heat exchangers Type 1-H (1080 sqft), 304SS (6) 1977, (1) 1988

BROWNSTOCK SCREENING AND CLEANING

- (3) **IMPCO** Centisorter primary pressurized screens Model 110B. **IMPCO** Centisorter swing pressurized screen Model 110B
- **IMPCO** Centisorter secondary pressurized screen Model 110B
- (2) Tertiary Cowans (KX-400 Model)
- **SPROUT-WALDRON** Refiner, 36-1B single disc refiner
- **DOOR-OLIVER** decker 13' 6" x 20', 316 SS
- **CLOVEROTOR** thick stock pump Model 1200, capacity 700 ADT, upgraded in 1988
- Reject thickener, screw conveyor, **BAUER** cleaning system

BLEACH PLANT

- 700 ADMT. D₂ O-OEP DED sequence
- **LAVALLEY** FRP washer 13' 6" x 20' (1987) rebuilt 1998
- **INGERSOLL-RAND** steam mixer Model 500 double shaft 316 SS belt driven, Series 500-10
- **SUNDS** Tower 10 chlorine dioxide Model SMB50 High Shear Mixer-belt driven



PULP SCREENS

2-STAGE OXYGEN

DELIGNIFICATION (O/O STAGE)

- #1B MC pump complete with standpipe system (**AHLSTROM** MCE 3P-100, 200hp 1800rpm, 575v)
- Heater, MP Steam O-O Stage - **KOMAX** 12" direct injection, in-line (Austin & Denholm)
- #2B MC pump (Ahlstrom MCA 43-6, 450 hp, 1800rpm, 2300v)
- #1B Mixer O-O Stage **AHLSTROM** 25-15FS, in-line, 316 SS (100hp, 1800rpm, 575v)
- #1B O2 reactor (2000) Duplex SS2205 supplier - PSF
- #2B Mixer O-O Stage **AHLSTROM** 25-15FS, in-line, 316 SS (100hp, 1800rpm, 575v)
- #2B O2 reactor (2000) Duplex SS2205 supplier - PSF
- **INGERSOLL-RAND** Washer 25 size = 13' 6" x 20' Coru-Dek 1988
- **CLOVEROTOR** thick stock pump Model 1200 (700 ADT) belt driven
- **INGERSOLL-RAND** Steam mixer Model 500-10 double shaft 316 stainless steel belt driven
- **SUNDS** Tower 30 chlorine dioxide Model SMB50 High Shear Mixer - belt driven
- Washer 35 = **LAVALLEY** washer (2000) 11' 6" x 20' washer
- **INGERSOLL-RAND** steam mixer Model 500-10 double shaft 316 stainless steel belt driven
- **INGERSOLL-RAND** Washer 45 size = 11' 6" x 20' washer 317 SS (1988)
- **INGERSOLL-RAND** Steam mixer Model 500 single shaft 316 stainless steel

- **INGERSOLL-RAND** Chlorine dioxide mixer single shaft, Series 500
- **INGERSOLL-RAND** Washer 55 11' 6" x 20' washer 254 SMO (1988)
- **CLOVEROTOR** thick stock pump (Impco) Model 1200 (700 ADT) belt driven
- Bleach density storage tank (250 ADT)

BLEACH SCREENING AND CLEANING


- **NOSS** 6 stage bleach cleaning system. #1 primary cleaner canister = 600 E.L.P. cones
- #2 primary cleaner canister = 450 E.L.P. cones
- Secondary cleaner canister = 400 **NOSS** cones
- Tertiary cleaner canister = 250 **NOSS** cones
- Quintenary cleaner canister = 50 **NOSS** cones
- Quintenary (5th) cleaner canister = 12 **NOSS** cones
- Sextenary cleaner canister = 4 **NOSS** cones
- (2) **INGERSOLL-RAND** bleach deckers 11' 6" x 20'
- **BLACK CLAWSON** 48NP42 Trash Screen (1988)

KRAFT MILL CONTROL SYSTEM


- Batch digesters controlled by a **BAILEY** Net 90 DCS with EA Analyzer and MoDo Chematics
- Supervisory control program
- Brownstock washing and cleaning and Bleaching and screening controlled by an **ABB** Symphony series DCS (2000)
- Majority of the 'B' Mill pulping group pumps are Goulds
- **KONE** 34 ton bridge traveling crane




BLEACH PLANT WASHERS ("A" MILL)



CRANSTON BALE WRAPPING SYSTEM



FOURDRINIER



PULP DRYER AND CUTTER LAYBOY SYSTEM

PULP MACHINES - B MILL

- #2 and #3 Pulp Machines are original 1950 **FLAKT** Rod & Chain type dryers w/combined cap. of 450 tpd

#3 MACHINE

- *Fourdrinier*: **BELOIT** 1935 installed 1952
- New Headbox 1978
- Wire length 70' x 152" wide
- *Press Section*: **KAMYR**
- First and second press rolls babbit bearings, third press roller bearings
- *Dryer*: **SF FLAKT** Type 'H'
- **LUNDBERG AHLEN** Vertical Extension
- *Breaker Stack*: **RICE BARTON** with 2 - 34" diameter x 148" face rolls
- *Repulper*: **VOITH MORDEN** Mod 34F in 316SS vat
- *Cutter*: **LAMB-GRAY HARBOUR** Model 'L' includes feature to cut wrap

#2 MACHINE

- *Fourdrinier*: **BELOIT** 1936 installed 1956
- Wire length 70' x 152" wide
- *Press Section*: **KAMYR**
- *Dryer*: **SF FLAKT** Type 'L'
- **SF FLAKT** Type 'L' 4 deck extension
- *Breaker Stack*: **RICE BARTON** with 2 - 34" diameter x 148" face rolls

- *Repulper*: **VOITH MORDEN** Model 34F in 316SS vat
- *Cutter*: **LAMB GRAY HARBOUR** Model 'L' size 134"
- *Bale Line*: **CRANSTON** - 2 drop tables, 1 wrapper storage conveyor, 6 swing conveyors, 16 transfer conveyors, 1 bale press belt conveyor, 1 air float conveyor system, 2 lift and turns, 1 wrapper dispenser, 1 end folder, 2 weigh scales, 1 lowerator-Stacker
- *Bale Press*: **DOMINION** 1000T pulp baling press
- **HYMAC** 835 Ton dehydrating press
- *Process Pumps*: Majority are **CANADA PUMPS**, a few **WORTHINGTON** and **GOULDS**
- **NASH** vacuum pumps - 4 CL 3002, 2 CL 2002 (1 stainless steel)

RECOVERIES & UTILITIES

POWER BOILER

- **BABCOCK & WILCOX** gas, oil wood waste, steam, lbs/hr 480,000, pressure 600 psi

RECOVERY BOILERS

- #5 Recovery - B & W - 3.6 mm lbs/day
- Major rebuild Dec. 1998
- 500 m lbs/hr @600psig


- The economizer was replaced, precipitator chamber added and original rebuilt and superheater replaced in 1998
- Auxiliary fuel is oil
- Serial No. 58550
- AWP = 650 psig Capacity = 9670 ft³

ELECTROSTATIC PRECIPITATOR FOR #5 RB IS ENVIRONMENTAL ELEMENTS CORP


- Two single chamber ESP's @70% capacity design
- 4 fields/chamber
- Dry bottom
- 4 Transformer/Rectifier sets & associated controls/precip. ash removal is drag scraper system with cross conveyor
- Auxiliary equipment includes: **FORRY** rapper panel controlling ESI rapper coils
- Data management system
- **MILLTRONIC** motion sensors
- Penthouse heater/blower system
- Rating at 419,100 ACFM @440°F with 99.8% collection efficiency
- Erected in stages - South Chamber in 1991, North Chamber 1992
- Unused since July 2001 - heaters maintained on




CHIP PROCESSING SYSTEM




PORTABLE OFFICE BUILDINGS




TRANE CHILLER




S.V.P. GENERATOR



EVAPORATORS



SALTYCAKE FILTER




TURBINE GENERATOR



REBOILER



ELECTRICAL MCC'S



PORT CLEANERS



CLO, BUILDING

#6 RECOVERY

- CE, 3.1 mm lbs/day
- Major rebuild July 2000
- 460 m lbs/hr @ 600 psig
- **FLAKT** precipitator, two chamber, dry bottom
- #6 Recovery Boiler - **FLAKT** precipitator, two chamber dry bottom
- Serial No. 7608. AWP 800 psig.
- Capacity = 4697 ft³
- Supplier: C.E.

ELECTROSTATIC PRECIPITATOR RB # 6 FLAKT SF PRECIPITATOR, TYPE 2FAA

- Two single chamber ESP's
- 4 fields/chamber
- Dry bottom
- 8 T/R sets & associated SCR controls
- Ash removal is drag scraper system
- Auxiliary equipment includes: 18 Gear motor rapper drives
- Mechanical Drop rappers
- Air flushing/heating system
- Rating at 340,000 ACFM @ 410°F with 99.79% collection efficiency
- Erected in 1978
- Unused since July 2001- heaters maintained on
- Total weights including electrical equipment but excluding dust load- all chambers 731 short tons

#4 POWER BOILER

- B & W - gas, oil, hog. 480 m lbs/hr.

EVAPORATORS

- "A" Evaps - **DOMINION BRIDGE**, forced circulation, 1800 USGPM
- 6 Effect c/w 2 **RCC** Concentrators, 600 gpm
- "B" Evaps - **GOSLIN** forced circulation, 1400 USGPM
- 6 Effect
- (2) **ENVIROTECH** Concentrators, forced circulation, 350 gpm

TURBO GENERATORS

- #3 Extraction TG
- **BROWN BOVERI** rated 32 MW. Steam inlet at 600 psig and Extraction at 175# and 75# steam for process

- Extraction Backpressure Turbine
- Turbine Serial #M 7575
- Turbine Type DEGS 2-40
- Turbine Output 38400 KW
- Turbine Speed 3600 RPM
- Generator Serial #M 42733
- Generator Type WT 622 f
- Generator Volts 13800 V
- Generator Output 38400 KVA
- Generator Current 1605 Amp. Power Factor .9

- #2TG #2 Extraction TG **WORTHINGTON**
- Rated 10 MW
- Steam inlet at 600 psig and Extraction at 175# and 75# steam for process
- Generator Serial #S#99781
- Generator Volts 13800 V
- Generator Output 11785 KVA
- Generator Current 493 A
- Power Factor .8

LIME KILNS

- #1 Kiln - 280 tpd **TRAYLOR** 12' X 325'
- #2 Kiln - 170 tpd **FL SMIDTH** 9'10" ID X 264'

CAUSTICIZERS

- **EIMCO** #12 & #15 Slakers
- Retention time and cap. 172 min. @ 1393 gpm
- White liquor pressure filter
- Clarifiers, drives and filters

EFFLUENT TREATMENT

- Primary Clarifier - One 85m diameter, 27,750m³
- **UNOX** Reactor - 55m X 85m x 6.5m, 26,130m³
- Secondary Clarifiers - 2 at 85m dia., 33,430m³
- Primary & Secondary Effluent treatment plant - 40 million gallons per day
- Sludge Presses

WET WELL PUMPING STATION

- **CAT** Diesel Generator Model 1560-48036111 Back-up Generator, 16 cylinder diesel, 1560 kw, 1950 kva, 1800 rpm, 4,124 hrs, 347/600volt c/w automatic battery charger & **ENVIRO-SAFE** 4,500 liter diesel tank
- **WESTINGHOUSE** ATS, **ROBONIC** Transfer Switch, 2000 amp, 347/600 volt for diesel genset
- (5) 450 hp vertical lift pumps

AIR COMPRESSORS

- (3) **ATLAS COPCO**, 2000 cfm. 3.9

WATER TREATMENT

- 3 organic traps
- 5 mix bed demineralizers
- 5 condensate polishers

ELECTRICAL HIGH VOLTAGE SYSTEM

- Hydro Substation
- **SEIMENS** 72.5 kv main incoming breaker SF6 1990
- **FEDERAL** 72.5 kv T1 transformer breaker oil circuit 1966 Serial no. 84882
- **SEIMENS** 72.5 kv T2 transformer breaker SF6 1990
- **FEDERAL PIONEER** 64 kv-13.8 kv T1 transformer 1966, repaired and overhauled June 1992
- **FEDERAL PIONEER** 64 kv - 13.8 kv T2 transformer 1978 Serial No.610565969
- **WESTINGHOUSE** 13.8 kv breakers VCP 1990 Bus 'F'. 4.2 13.8 kv Switchgear Room
- **WESTINGHOUSE** 13.8 kv Breaker DH4E 1966 Bus 'B' & 'D'
- **WESTINGHOUSE** 13.8 kv Breaker DHP 1978 Bus 'C' & 'E'
- **WESTINGHOUSE** 13.8 kv Breaker VCP 1988 Bus 'B'
- **WESTINGHOUSE** 13.8 kv breakers VCP 1990 bus 'F'

ELECTRIC MOTORS

- Huge inventory of motors up to 2,000 hp. List available

TRANSFORMERS


- Numerous electric transformers. List available

SCALES

- **METTLER TOLEDO INC.** Truck Scale Mod 7562A
- **METTLER TOLEDO INC.** Rail Car Scale Mod 7260, 100 lb. ARA-A

MISC. EQUIPMENT

- Large inventory of pulp mill spares, pumps, electrical, valves, reducers, etc.



SALE SITE: PRINCE RUPERT, BRITISH COLUMBIA, CANADA

AIRLINES: Hawk Air 1-866-429-5247 or Air Canada 1-888-247-2262

ACCOMMODATIONS: Howard Johnson Highliner 1-800-668-3115 or (250) 624-9060. Maynards clients will receive a preferred rate.

DRIVING DIRECTIONS: From downtown Prince Rupert take McBride St East which turns into Hwy 16. Follow east approx. 10km until Port Edward turnoff. Right toward Port Edward 3km until mill.

CAR RENTALS: National Prince Rupert (250) 624-5318

SALES CONTACT:


Dave Duncan (604) 675-2235 or (604) 813-1104

Mike Seibold (604) 675-2227 or (604) 813-1135

SITE PHONE: (250) 624-0455

SITE FAX: (250) 624-0311

TERMS & CONDITIONS: A 10% buyers premium applies to all sales. 25% deposit on all sales, balance 14 days. Full payment before removal of purchase. Everything is sold "as is, where is." All sales final. Cost and responsibility for removal of purchase remains with the purchaser. Every effort will be made to facilitate removal. While quantities and descriptions are believed to be accurate, the auctioneer, owners or counsel make no warranties or guarantees either expressed or implied as to authenticity, genuineness of, or defects in any lot and will not be held responsible for any advertising discrepancies or inaccuracies. No warranties whatsoever are made as to condition, merchantability or fitness for use of any item. May we suggest you take full advantage of the preview and inspection period. Sale subject to additions and deletions.



O₂ DELIGNIFICATION INSTALLATION

**UPCOMING AUCTION • EARLY FEBRUARY 2005
NEW SKEENA FOREST PRODUCTS INC. - CARNABY DIVISION
HAZELTON, BRITISH COLUMBIA**

Featuring: (3) SALTON Mod K95039 Dry Kilns • Thermal Oil • NICHOLSON Mod A5 Log Merchandising System • LINCK Small Log Cutting Line • (2) NEWNES 36 Bin J-Bar Sorters w/Stackers w/two 28' Line Shaft Trimmers • (2) ACME Mod F786-6 Auto Strapping Systems • Numerous ALLEN-BRADLEY MCC's • POWELL 6"x24" Cant Edger • (2) NICHOLSON Re-chippers • CAE 18'x8.5' Chip Screen • (3) SULLAIR Compressors • (2) CAE Pendulum Chip Screens • Complete Filing Room, etc. **NOTE: The above subject to prior sale. Please see www.maynards.com for further details. Detailed pictorial brochure available soon**

Sale Conducted by
Maynards
SINCE 1902
AUCTIONS • LIQUIDATIONS • APPRAISALS

Maynards Industries Ltd.

415 West 2nd Ave., Vancouver, BC V5Y 1E3

Ph: (604) 675-2235 Fax: (604) 876-2678

VANCOUVER • TORONTO • MONTREAL • DETROIT • TOKYO, JPN

Visit Our Website:
maynards.com

Pages 18 through 174 redacted for the following reasons:

s16, s17, s21

s21