

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - STRUCTURE

INCIDENT NUMBER: **DDE 2014 06 20 18 03**

Location of Incident: **4603 54TH ST
DELTA BC**

of Occupants (At time of fire): **0** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: **\$s.22**

Related to Wildland Interface Fire: **NO** Property Value: **\$ s.22** Content Value: **\$ s.22** Total Value at Risk: **\$s.22**

Code Name : Code Description

PROPERTY COMPLEX : 3400 RESIDENTIAL - SINGLE DETACHED
PROPERTY CLASSIFICATION : 9310 SHED - INCLUDES IMPLEMENT SHED AND WORKSHOP
GENERAL CONSTRUCTION : 1000 COMBUSTIBLE CONSTRUCTION - OPEN WOOD JOIST
BUILDING HEIGHT : 0010 1 STORY ABOVE GRADE
GROUND FLOOR AREA : 1000 1 TO 100M2 (1 - 1076FT2)
YEAR OF CONSTRUCTION : 1973 1973
MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION
OUTSIDE FIRE PROTECTION : 1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
SPRINKLER PROTECTION : 7000 NO SPRINKLER PROTECTION
AUTOMATIC FIRE ALARM SYSTE : 1000 NO FIRE ALARM SYSTEM
SMOKE ALARM OPERATION : 9900 NO SMOKE ALARM INSTALLED
INITIAL DETECTION : 7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
TRANSMISSION OF ALARM : 1000 911
FIRE SERVICE : 1000 CAREER FIRE DEPARTMENT ONLY
INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT
METHOD OF FIRE CONTROL : 4700 COMBINATIONS OF 38/42MM (1 1/2"/1 3/4"), 65MM (2 1/2"), 7
FIRE ORIGIN, LEVEL : 3000 GROUND FLOOR, GRADE LEVEL OR GRADE TO 3M (10FT)
FIRE ORIGIN, AREA : 4900 STORAGE AREA - UNCLASSIFIED (DESCRIBE)
EXTENT OF FIRE : 6000 EXTENDED BEYOND PROPERTY OF ORIGIN
EXTENT OF DAMAGE : 6000 EXTENDED BEYOND BUILDING OF ORIGIN
IGNITING OBJECT : 0000 CANNOT BE DETERMINED
FUEL OR ENERGY : 1000 SOLID FUEL (E.G. COAL, WOOD, PELLETS, PAPER OR WASTE USED FO
FORM OF HEAT : 0000 CANNOT BE DETERMINED
MATERIAL FIRST IGNITED : 0000 CANNOT BE DETERMINED
ACT OR OMISSION : 7700 IGNORANCE OF HAZARD (NOTE: IF ILLEGAL OPERATIONS, CLASSIFY A

Investigating Officer	L AFC Badge #	Telephone	ReportDate
CULLEN, ROBIN	2303	604-946-8541	2014-07-16

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **DDE 2014 06 20 18 03**

Remarks:

SUMMARY: FIRE CREWS WERE DISPATCHED TO A REPORT OF A STRUCTURE FIRE AT 4603 54TH STREET. ON ARRIVAL THERE WAS HEAVY SMOKE AND FLAMES COMING FROM A WOODEN GARDEN SHED SITUATED BETWEEN TWO RESIDENCES. THE FIRE FROM THE SHED WAS RAPIDLY SPREADING TO BOTH HOUSES WITH THE ADDED FUEL OF A CEDAR FENCE AND LARGE CEDAR HEDGE LOCATED TO THE NORTH SIDE OF THE SHED IN BETWEEN THE PROPERTIES. A MALE OWNER OF THE PROPERTY HAD TRIED TO EXTINGUISH THE FIRE WITH HIS GARDEN HOSE BUT THE FIRE GREW TOO INTENSE FOR EXTINGUISHMENT AND HE HAD TO STOP. HE WAS BURNED TO THE LEFT HAND AND FOREHEAD. HE WAS TREATED ON SCENE BY AMBULANCE AND THEN AT DELTA HOSPITAL. THE FIRE WAS EXTINGUISHED USING 1 1/2' HOSE LINES FROM THE FIRE APPARATUS WITH WATER AND FOAM. THE OWNER STATED TO THE BATTALION CHIEF ON SCENE THAT HE HAD BEEN SMOKING AND HAD DISCARDED HIS CIGARETTE BUTT INTO A CAN IN THE SHED APPROXIMATELY 30 MINUTES BEFORE THE FIRE WAS SPOTTED. CONCLUSION: THE FIRE CAUSE WAS DETERMINED TO BE IGNORANCE OF HAZARD. IT IS PROBABLE THAT THERE WERE ONLY THE TWO POSSIBLE IGNITION SOURCES, THE CIGARETTE BUTT OR POTTING SOIL AND FERTILIZER THAT WERE IN DIRECT SUNLIGHT THROUGH THE GLASS WINDOWS.

Investigating Officer	LAFC Badge #	Telephone	ReportDate
CULLEN, ROBIN	2303	604-946-8541	2014-07-16

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)INCIDENT NUMBER: **DDE 2014 06 20 18 03**

Name no. : 1
Name : **s.22**
Address : 0 4603 54 ST
V4K3T3

Name Status : OWNER
Phone : **s.22**

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$ **s.22**Content Loss : \$ **s.22**Total Loss : \$ **s.22**

REMARKS:

Name no. : 2
Name : **s.22**
Address : 0 4603 54 STREET
V4K3T3

Name Status : OWNER
Phone : **s.22**

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

Investigating Officer : LAFB Badge #
CULLEN, ROBIN : 2303

Telephone :
604-946-8541
ReportDate :
2014-07-16

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (CASUALTY)

INCIDENT NUMBER: **DDE 2014 06 20 18 03**

CASUALTY NO : 1

NAME : **s.22**

ADDRESS : 0 4603 54 STREET
V4K3T3

AGE : **s.22**

GENDER : M

STATUS : CIVILIAN

DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 003 - MINOR INJURY (LESS THAN ONE DAY HOSPITAL OR OFF WORK)

CONDITION OF CASUALTY : 014 - AWAKE OR NO PHYSICAL OR MENTAL IMPAIRMENT AT TIME OF FI

ACTION OF CASUALTY : 024 - VOLUNTARILY ENTERED OR REMAINED FOR FIRE FIGHTING

IGNITION OF CLOTHING : 030 - NOT APPLICABLE

TYPE OF FABRIC IGNITED : 040 - NOT APPLICABLE

CAUSE OF FAILURE TO ESCAPE : 053 - HIGH FLAME SPREAD OF COMBUSTIBLE INTERIOR FINISH OF WAL

CAUSE OF INJURY/DEATH : 101 - BURNS RESULTING FROM FIRE AND FLAMES

Investigating Officer	LAFC Badge #	Telephone	ReportDate
CULLEN, ROBIN	2303	604-946-8541	2014-07-16

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - STRUCTURE

INCIDENT NUMBER: **DDE 2014 06 20 18 04**

Location of Incident: **4603 54TH ST
DELTA BC**

of Occupants (At time of fire): **4** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: \$ **s.22**

Related to Wildland Interface Fire: **NO** Property Value: \$ **s.22** Content Value: \$ **s.22** Total Value at Risk: \$ **s.22**

Code Name : Code Description

PROPERTY COMPLEX : 3400 RESIDENTIAL - SINGLE DETACHED
PROPERTY CLASSIFICATION : 3110 YEAR-ROUND USE DWELLING - 1-FAMILY
GENERAL CONSTRUCTION : 2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST
BUILDING HEIGHT : 0020 2 STORIES ABOVE GRADE
GROUND FLOOR AREA : 2000 101 TO 500M2 (1077 - 5382FT2)
YEAR OF CONSTRUCTION : 1973 1973
MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION
OUTSIDE FIRE PROTECTION : 1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
SPRINKLER PROTECTION : 7000 NO SPRINKLER PROTECTION
AUTOMATIC FIRE ALARM SYSTE : 0000 CANNOT BE DETERMINED
SMOKE ALARM OPERATION : 0000 ALARM OPERATION CANNOT BE DETERMINED
INITIAL DETECTION : 7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
TRANSMISSION OF ALARM : 1000 911
FIRE SERVICE : 1000 CAREER FIRE DEPARTMENT ONLY
INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT
METHOD OF FIRE CONTROL : 4700 COMBINATIONS OF 38/42MM (1 1/2"/1 3/4"), 65MM (2 1/2"), 7
FIRE ORIGIN, LEVEL : 9000 EXPOSURE FIRE
FIRE ORIGIN, AREA : 7600 EXTERIOR WALL
EXTENT OF FIRE : 1000 CONFINED TO OBJECT OF ORIGIN
EXTENT OF DAMAGE : 1000 CONFINED TO OBJECT OF ORIGIN
IGNITING OBJECT : 8200 EXPOSURE, STRUCTURE DETACHED
FUEL OR ENERGY : 8000 EXPOSURE FIRE
FORM OF HEAT : 6000 HOT OBJECT - DIRECT HEAT BY CONDUCTION OR RADIATION, NO DIRE
MATERIAL FIRST IGNITED : 0000 CANNOT BE DETERMINED
ACT OR OMISSION : 7700 IGNORANCE OF HAZARD (NOTE: IF ILLEGAL OPERATIONS, CLASSIFY A

Investigating Officer	L AFC Badge #	Telephone	ReportDate
CULLEN, ROBIN	2303	604-946-8541	2014-07-16

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **DDE 2014 06 20 18 04**

Remarks:

SUMMARY: FIRE CREWS WERE DISPATCHED TO A REPORT OF A STRUCTURE FIRE AT 4603 54TH STREET. ON ARRIVAL THERE WAS HEAVY SMOKE AND FLAMES COMING FROM A WOODEN GARDEN SHED SITUATED BETWEEN TWO RESIDENCES. THE FIRE FROM THE SHED WAS RAPIDLY SPREADING TO BOTH HOUSES WITH THE ADDED FUEL OF A CEDAR FENCE AND LARGE CEDAR HEDGE LOCATED TO THE NORTH SIDE OF THE SHED IN BETWEEN THE PROPERTIES. A MALE OWNER OF THE PROPERTY HAD TRIED TO EXTINGUISH THE FIRE WITH HIS GARDEN HOSE BUT THE FIRE GREW TOO INTENSE FOR EXTINGUISHMENT AND HE HAD TO STOP. HE WAS BURNED TO THE LEFT HAND AND FOREHEAD. HE WAS TREATED ON SCENE BY AMBULANCE AND THEN AT DELTA HOSPITAL. THE FIRE WAS EXTINGUISHED USING 1 1/2' HOSE LINES FROM THE FIRE APPARATUS WITH WATER AND FOAM. THE OWNER STATED TO THE BATTALION CHIEF ON SCENE THAT HE HAD BEEN SMOKING AND HAD DISCARDED HIS CIGARETTE BUTT INTO A CAN IN THE SHED APPROXIMATELY 30 MINUTES BEFORE THE FIRE WAS SPOTTED. CONCLUSION: THE FIRE CAUSE WAS DETERMINED TO BE IGNORANCE OF HAZARD. IT IS PROBABLE THAT THERE WERE ONLY THE TWO POSSIBLE IGNITION SOURCES, THE CIGARETTE BUTT OR POTTING SOIL AND FERTILIZER THAT WERE IN DIRECT SUNLIGHT THROUGH THE GLASS WINDOWS.

Investigating Officer	LAFC Badge #	Telephone	ReportDate
CULLEN, ROBIN	2303	604-946-8541	2014-07-16

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)INCIDENT NUMBER: **DDE 2014 06 20 18 04**

Name no. : 1
Name : **s.22**
Address : 0 4603 54 ST
V4K3T3

Name Status : OWNER
Phone : **s.22**

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$ **s.22**Content Loss : \$ **s.22**Total Loss : \$ **s.22**

REMARKS:

Investigating Officer : LAFC Badge #
CULLEN, ROBIN : 2303

Telephone :
604-946-8541
ReportDate :
2014-07-16

