

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
5	79	4	829	-838	443	-457
5	79	4.5	502	-496	334	-351
5	79	5	602	-606	517	-526
5	79	5.5	883	-900	757	-761
5	79	6	1472	-1478	567	-588
5	79	6.5	1523	-1542	190	-209
5	79	7	948	-954	-349	329
5	79	7.5	338	-338	-430	420
5	79	8	204	-217	-278	266
5	79	8.5	93	-94	-293	276
5	79	9	-14	10	-211	184
5	79	9.5	-290	289	-162	140
5	79	10	-460	453	-416	392
5	79	10.5	367	-372	11	-19
5	79	11	451	-459	123	-125
5	79	11.5	-169	164	-63	27
5	79	12	-107	105	7	-59
5	79	12.5	-98	90	12	-66
5	79	13	-74	72	45	-102
5	79	13.5	-65	63	70	-108
5	79	14	-86	77	-2	-12
5	79	14.5	-61	58	-132	82
5	79	15	-39	36	-173	112
5	79	15.5	-42	28	-160	119
5	79	16	-52	48	-113	76
5	79	16.5	-99	94	-47	32
5	79	17	-102	97	92	-120
5	79	17.5	84	-87	174	-220
5	79	18	330	-331	107	-124
5	79	18.5	309	-318	-111	62
5	79	19	136	-145	-57	12
5	79	19.5	75	-82	3	-52
5	79	20	64	-72	-19	-23
5	79	20.5	175	-184	-81	24
5	79	21	118	-119	-97	41
5	79	21.5	105	-116	-39	13
5	79	22	131	-135	73	-102
5	79	22.5	114	-122	162	-195
5	79	23	84	-90	139	-144
5	79	23.5	139	-148	-16	-21
5	79	24	54	-62	-18	-23
5	79	24.5	12	-9	8	-47
5	79	25	-69	59	47	-104
5	79	25.5	-85	76	118	-151

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
5	79	26	-117	114	70	-87
5	79	26.5	-181	173	-79	37
5	79	27	-168	163	-115	56
5	79	27.5	-136	141	-104	67
5	79	28	-93	87	-111	54
5	79	28.5	-105	98	-100	40
5	79	29	-155	148	-84	35
5	79	29.5	-203	196	-83	36
5	79	30	-248	245	-49	0
5	79	30.5	-217	208	-96	43
5	79	31	-134	130	-119	61
5	79	31.5	-168	166	-133	88
5	79	32	-203	195	-202	175
5	79	32.5	-228	221	-282	223
5	79	33	-176	169	-272	224
5	79	33.5	-142	140	-284	228
5	79	34	-108	105	-261	203
5	79	34.5	-73	68	-222	162
5	79	35	-57	50	-216	185
5	79	35.5	-24	15	-251	195
5	79	36	-42	41	-203	158
5	79	36.5	-98	100	-262	227
5	79	37	-55	48	-311	255
5	79	37.5	-71	65	-297	290
4	80	0.5	767	-792	131	-164
4	80	1	488	-482	281	-295
4	80	1.5	-15	8	521	-547
4	80	2	-373	363	562	-583
4	80	2.5	-326	325	445	-500
4	80	3	-320	313	492	-560
4	80	3.5	-268	263	531	-606
4	80	4	-231	225	543	-615
4	80	4.5	-203	195	551	-627
4	80	5	-171	158	566	-631
4	80	5.5	-192	186	579	-634
4	80	6	-218	211	543	-619
4	80	6.5	-154	143	544	-620
4	80	7	-102	95	501	-577
4	80	7.5	-57	48	479	-550
4	80	8	-16	8	458	-536
4	80	8.5	4	-9	484	-548
4	80	9	-138	129	438	-509
4	80	9.5	-171	162	457	-531
4	80	10	-163	160	457	-528

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	80	10.5	-175	166	478	-555
4	80	11	-210	201	510	-576
4	80	11.5	-288	281	533	-584
4	80	12	-333	326	480	-530
4	80	12.5	-331	331	472	-517
4	80	13	-350	349	423	-475
4	80	13.5	-289	280	346	-401
4	80	14	-41	41	303	-356
4	80	14.5	290	-305	426	-465
4	80	15	221	-226	390	-457
4	80	15.5	27	-33	318	-405
4	80	16	-24	20	313	-394
4	80	16.5	-37	30	331	-417
4	80	17	-39	34	360	-430
4	80	17.5	-25	19	394	-444
4	80	18	1	-5	362	-434
4	80	18.5	-2	2	378	-439
4	80	19	24	-21	406	-448
4	80	19.5	45	-55	473	-527
4	80	20	-37	33	513	-573
4	80	20.5	-7	7	468	-509
4	80	21	96	-105	386	-398
4	80	21.5	34	-34	272	-326
4	80	22	-121	113	353	-396
4	80	22.5	-79	76	458	-521
4	80	23	-58	49	479	-544
4	80	23.5	-68	60	442	-487
4	80	24	-63	56	502	-545
4	80	24.5	-23	22	473	-541
4	80	25	12	-18	489	-551
4	80	25.5	37	-46	491	-556
4	80	26	31	-32	476	-550
4	80	26.5	16	-21	461	-507
4	80	27	-15	7	546	-596
4	80	27.5	-115	121	527	-601
4	80	28	-156	148	511	-592
4	80	28.5	-135	127	516	-586
4	80	29	-119	113	503	-549
4	80	29.5	-190	185	422	-481
4	80	30	-161	150	367	-420
4	80	30.5	-223	218	361	-405
4	80	31	-228	221	387	-438
4	80	31.5	-210	202	437	-484
4	80	32	-210	210	482	-551

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	80	32.5	-235	233	451	-496
4	80	33	-179	175	467	-495
4	80	33.5	-191	185	451	-506
4	80	34	-266	259	467	-514
4	80	34.5	-340	330	487	-545
4	80	35	-365	363	490	-546
4	80	35.5	-354	351	467	-522
4	80	36	-334	327	512	-553
4	80	36.5	-329	320	464	-534
4	80	37	-303	298	412	-478
4	80	37.5	-288	283	347	-418
4	80	38	-267	259	300	-361
4	80	38.5	-230	222	233	-304
4	80	39	-178	175	245	-297
4	80	39.5	-188	182	235	-310
4	80	40	-213	201	205	-276
4	80	40.5	-166	163	236	-290
4	80	41	-129	125	274	-282
2	80	0.5	-48	36	-232	201
2	80	1	-49	11	-221	217
2	80	1.5	-7	-2	-184	168
2	80	2	-11	13	-183	157
2	80	2.5	4	-12	-205	157
2	80	3	5	-14	-203	100
2	80	3.5	57	-14	-233	132
2	80	4	74	-86	-192	167
2	80	4.5	100	-251	-158	135
2	80	5	127	-147	-151	129
2	80	5.5	140	-182	-174	161
2	80	6	123	-137	-208	151
2	80	6.5	167	-132	-170	145
2	80	7	87	-115	-128	121
2	80	7.5	95	-224	-91	59
2	80	8	70	-115	-80	53
2	80	8.5	124	-144	-76	25
2	80	9	93	-106	-14	-24
2	80	9.5	106	-107	13	-112
2	80	10	88	-93	68	-81
2	80	10.5	118	-146	54	-103
2	80	11	116	-114	-73	3
2	80	11.5	37	-45	-119	27
2	80	12	-9	12	-127	6
2	80	12.5	-78	17	-106	62
2	80	13	-2	-108	-17	11

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	80	13.5	105	-133	112	-124
2	80	14	88	-115	207	-239
2	80	14.5	167	-208	190	-200
2	80	15	145	-154	43	-27
2	80	15.5	147	-154	-231	146
2	80	16	209	-184	-450	441
2	80	16.5	126	-230	-464	456
2	80	17	-182	184	-421	443
2	80	17.5	-381	406	-282	170
2	80	18	-157	170	-190	89
2	80	18.5	-19	23	-132	101
2	80	19	9	18	-197	175
2	80	19.5	42	-63	-197	184
2	80	20	-27	-22	-174	156
2	80	20.5	-14	6	-184	146
2	80	21	-35	-60	-128	109
2	80	21.5	-103	22	-139	86
2	80	22	-20	45	-169	72
2	80	22.5	-9	-3	-90	28
2	80	23	-19	9	-74	-26
2	80	23.5	28	-9	-118	35
2	80	24	12	53	-70	-12
2	80	24.5	-59	66	-216	116
2	80	25	-252	240	-195	177
2	80	25.5	-259	211	-185	117
2	80	26	-126	170	-139	75
2	80	26.5	-24	-38	-94	76
2	80	27	-116	123	-132	80
2	80	27.5	-215	175	-105	0
2	80	28	-79	59	-114	34
2	80	28.5	47	-39	-132	141
2	80	29	0	26	-253	226
2	80	29.5	-55	85	-287	242
2	80	30	-119	139	-200	163
2	80	30.5	-188	157	-136	119
2	80	31	-246	196	-118	65
2	80	31.5	-251	244	-145	111
2	80	32	-312	285	-123	91
2	80	32.5	-337	321	-132	114
2	80	33	-286	264	-112	86
2	80	33.5	-151	181	-106	53
2	80	34	-136	89	-206	122
2	80	34.5	-101	103	-199	163
2	80	35	-134	114	-213	178

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	80	35.5	-167	129	-194	181
2	80	36	-151	154	-214	149
2	80	36.5	-141	177	-291	195
2	80	37	-126	136	-311	215
2	80	37.5	-109	93	-239	214
2	80	38	-72	22	-262	241
2	80	38.5	-20	79	-284	240
2	80	39	-131	123	-330	299
2	80	39.5	-184	188	-354	325
2	80	40	-193	203	-365	329
2	80	40.5	-147	164	-398	354
2	80	41	-118	86	-404	373
2	80	41.5	-67	43	-442	361
2	80	42	19	-28	-385	361
2	80	42.5	-35	32	-411	342
2	80	43	-50	12	-372	347
2	81	0.5	-31	41	-230	200
2	81	1	-52	20	-241	207
2	81	1.5	2	8	-194	159
2	81	2	-13	13	-196	153
2	81	2.5	-111	4	-203	203
2	81	3	7	-16	-232	196
2	81	3.5	67	-32	-267	182
2	81	4	95	-139	-213	199
2	81	4.5	133	-149	-182	126
2	81	5	127	-141	-169	135
2	81	5.5	144	-132	-214	120
2	81	6	188	-151	-204	141
2	81	6.5	-3	-109	-176	99
2	81	7	63	-47	-117	112
2	81	7.5	101	-123	-93	-11
2	81	8	82	-96	-70	17
2	81	8.5	195	-64	-91	-13
2	81	9	88	-68	-2	-23
2	81	9.5	156	-139	-12	-67
2	81	10	74	-162	108	-65
2	81	10.5	135	-168	33	-93
2	81	11	-14	-77	-76	-7
2	81	11.5	37	-22	-106	42
2	81	12	-78	8	-103	55
2	81	12.5	-68	7	-72	40
2	81	13	13	-20	-23	14
2	81	13.5	103	-92	110	-113
2	81	14	89	-84	216	-267

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	81	14.5	85	-108	230	-201
2	81	15	158	-193	-30	-27
2	81	15.5	126	-253	-142	152
2	81	16	209	-233	-452	443
2	81	16.5	245	-192	-488	451
2	81	17	-287	212	-417	398
2	81	17.5	-386	404	-290	192
2	81	18	-145	156	-174	108
2	81	18.5	-57	20	-127	88
2	81	19	9	-70	-184	191
2	81	19.5	66	-38	-208	162
2	81	20	30	-15	-216	158
2	81	20.5	-6	23	-191	123
2	81	21	-89	36	-156	101
2	81	21.5	-14	30	-116	101
2	81	22	-138	57	-108	78
2	81	22.5	-102	-21	-47	-5
2	81	23	-59	21	-66	69
2	81	23.5	-57	6	-27	9
2	81	24	-12	9	-25	5
2	81	24.5	-83	73	-124	117
2	81	25	-287	238	-186	167
2	81	25.5	-241	221	-124	124
2	81	26	-151	200	-112	28
2	81	26.5	-49	38	-99	63
2	81	27	-97	102	-117	92
2	81	27.5	-212	227	-43	6
2	81	28	-49	55	-90	33
2	81	28.5	62	-59	-165	163
2	81	29	8	10	-283	233
2	81	29.5	-55	73	-264	283
2	81	30	-141	144	-191	152
2	81	30.5	-197	173	-135	88
2	81	31	-243	154	-115	114
2	81	31.5	-193	228	-151	112
2	81	32	-314	291	-128	78
2	81	32.5	-329	317	-120	95
2	81	33	-254	275	-122	86
2	81	33.5	-201	197	-53	104
2	81	34	-223	162	-154	126
2	81	34.5	-81	95	-229	192
2	81	35	-148	137	-248	176
2	81	35.5	-189	129	-247	181
2	81	36	-166	152	-228	166

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	81	36.5	-196	139	-226	177
2	81	37	-171	137	-248	200
2	81	37.5	-90	117	-263	240
2	81	38	-37	72	-283	235
2	81	38.5	-64	80	-288	274
2	81	39	-144	135	-328	300
2	81	39.5	-159	156	-378	321
2	81	40	-213	205	-358	316
2	81	40.5	-142	171	-402	371
2	81	41	-71	83	-419	384
2	81	41.5	-78	53	-417	387
2	81	42	-10	-21	-392	374
2	81	42.5	-30	25	-409	350
2	81	43	-45	8	-363	357
4	81	0.5	773	-788	137	-169
4	81	1	477	-483	290	-301
4	81	1.5	-31	30	525	-552
4	81	2	-367	359	566	-578
4	81	2.5	-329	327	460	-497
4	81	3	-319	314	498	-563
4	81	3.5	-271	265	538	-603
4	81	4	-232	228	547	-614
4	81	4.5	-201	194	556	-625
4	81	5	-170	162	557	-630
4	81	5.5	-191	185	581	-633
4	81	6	-221	212	547	-617
4	81	6.5	-150	145	547	-616
4	81	7	-100	101	503	-572
4	81	7.5	-53	48	476	-547
4	81	8	-15	11	462	-534
4	81	8.5	4	-9	486	-548
4	81	9	-139	133	443	-512
4	81	9.5	-170	163	462	-531
4	81	10	-163	160	462	-527
4	81	10.5	-178	167	481	-555
4	81	11	-208	201	507	-575
4	81	11.5	-288	280	537	-578
4	81	12	-335	327	486	-534
4	81	12.5	-330	327	477	-514
4	81	13	-355	353	439	-474
4	81	13.5	-280	286	359	-396
4	81	14	-44	37	318	-353
4	81	14.5	294	-307	434	-463
4	81	15	217	-218	401	-451

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	81	15.5	26	-27	332	-402
4	81	16	-27	22	319	-393
4	81	16.5	-37	31	345	-415
4	81	17	-38	31	358	-429
4	81	17.5	-27	17	401	-442
4	81	18	4	-9	376	-433
4	81	18.5	-3	-2	383	-439
4	81	19	26	-29	412	-459
4	81	19.5	45	-48	476	-528
4	81	20	-32	33	527	-567
4	81	20.5	0	3	483	-507
4	81	21	97	-108	400	-396
4	81	21.5	27	-21	280	-322
4	81	22	-124	115	367	-400
4	81	22.5	-80	76	465	-522
4	81	23	-57	52	489	-535
4	81	23.5	-67	62	450	-488
4	81	24	-62	57	511	-547
4	81	24.5	-27	22	482	-540
4	81	25	9	-17	493	-545
4	81	25.5	32	-44	497	-553
4	81	26	30	-40	489	-540
4	81	26.5	20	-22	470	-500
4	81	27	-15	14	546	-594
4	81	27.5	-119	117	555	-602
4	81	28	-156	149	523	-590
4	81	28.5	-137	131	516	-580
4	81	29	-122	115	506	-546
4	81	29.5	-191	188	426	-459
4	81	30	-162	152	369	-414
4	81	30.5	-221	217	343	-404
4	81	31	-229	221	373	-436
4	81	31.5	-208	203	432	-483
4	81	32	-209	212	485	-538
4	81	32.5	-236	232	454	-494
4	81	33	-181	177	470	-492
4	81	33.5	-190	186	449	-503
4	81	34	-265	265	470	-519
4	81	34.5	-342	334	489	-545
4	81	35	-363	359	487	-545
4	81	35.5	-356	345	471	-520
4	81	36	-332	329	514	-553
4	81	36.5	-328	324	466	-520
4	81	37	-300	299	413	-470

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	81	37.5	-291	281	350	-410
4	81	38	-266	261	294	-355
4	81	38.5	-230	224	238	-300
4	81	39	-180	177	258	-293
4	81	39.5	-187	183	238	-305
4	81	40	-211	203	203	-273
4	81	40.5	-167	163	238	-289
4	81	41	-129	123	283	-275
2	82	0.5	-44	42	-230	203
2	82	1	-6	-2	-229	209
2	82	1.5	-11	6	-195	156
2	82	2	-6	-1	-200	155
2	82	2.5	-1	-5	-205	160
2	82	3	4	-11	-219	169
2	82	3.5	28	-31	-226	181
2	82	4	72	-77	-194	181
2	82	4.5	114	-120	-175	134
2	82	5	131	-136	-176	131
2	82	5.5	128	-135	-178	136
2	82	6	131	-138	-199	145
2	82	6.5	116	-122	-177	136
2	82	7	93	-99	-129	111
2	82	7.5	97	-101	-96	53
2	82	8	104	-109	-75	35
2	82	8.5	100	-105	-44	2
2	82	9	110	-115	-14	-20
2	82	9.5	114	-118	25	-64
2	82	10	97	-105	67	-83
2	82	10.5	135	-141	48	-63
2	82	11	115	-118	-43	6
2	82	11.5	34	-36	-77	34
2	82	12	-20	18	-102	52
2	82	12.5	-34	28	-98	57
2	82	13	-2	-3	-17	10
2	82	13.5	108	-110	118	-131
2	82	14	124	-130	221	-238
2	82	14.5	108	-113	198	-206
2	82	15	150	-153	17	-33
2	82	15.5	160	-169	-132	147
2	82	16	203	-210	-443	444
2	82	16.5	178	-179	-476	449
2	82	17	-179	168	-426	420
2	82	17.5	-383	379	-254	236
2	82	18	-175	172	-152	121

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	82	18.5	-34	36	-146	111
2	82	19	13	-15	-182	168
2	82	19.5	49	-60	-199	163
2	82	20	9	-18	-193	155
2	82	20.5	-13	8	-172	133
2	82	21	-23	18	-148	113
2	82	21.5	-37	31	-137	88
2	82	22	-75	61	-103	87
2	82	22.5	-25	26	-45	26
2	82	23	-31	25	-64	23
2	82	23.5	-17	14	-48	7
2	82	24	1	-3	-40	18
2	82	24.5	-81	76	-156	130
2	82	25	-238	237	-198	166
2	82	25.5	-240	237	-135	125
2	82	26	-164	161	-98	55
2	82	26.5	-45	43	-93	63
2	82	27	-114	105	-103	90
2	82	27.5	-193	192	-50	1
2	82	28	-54	52	-66	36
2	82	28.5	58	-60	-152	141
2	82	29	-9	-1	-267	239
2	82	29.5	-94	84	-257	244
2	82	30	-146	136	-185	161
2	82	30.5	-187	183	-142	97
2	82	31	-208	202	-124	86
2	82	31.5	-244	238	-121	111
2	82	32	-294	289	-129	90
2	82	32.5	-334	333	-128	96
2	82	33	-267	277	-112	79
2	82	33.5	-188	188	-110	72
2	82	34	-147	147	-153	128
2	82	34.5	-117	113	-194	180
2	82	35	-130	129	-212	178
2	82	35.5	-145	143	-216	179
2	82	36	-161	160	-222	180
2	82	36.5	-164	161	-231	187
2	82	37	-146	143	-251	211
2	82	37.5	-113	106	-249	234
2	82	38	-65	65	-264	237
2	82	38.5	-79	77	-290	259
2	82	39	-131	129	-321	298
2	82	39.5	-166	162	-366	324
2	82	40	-205	203	-360	328

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	82	40.5	-154	150	-390	374
2	82	41	-85	86	-395	365
2	82	41.5	-53	51	-413	388
2	82	42	18	-21	-402	372
2	82	42.5	-26	27	-388	384
2	82	43	-44	29	-362	362
4	82	0.5	801	-802	130	-162
4	82	1	484	-488	289	-299
4	82	1.5	-12	16	515	-534
4	82	2	-370	364	569	-584
4	82	2.5	-326	321	474	-501
4	82	3	-317	310	527	-564
4	82	3.5	-267	262	547	-606
4	82	4	-230	232	555	-614
4	82	4.5	-199	202	558	-628
4	82	5	-163	162	566	-631
4	82	5.5	-184	181	582	-637
4	82	6	-218	215	547	-618
4	82	6.5	-154	146	547	-614
4	82	7	-103	97	509	-573
4	82	7.5	-56	51	473	-549
4	82	8	-16	12	472	-535
4	82	8.5	6	-11	490	-551
4	82	9	-124	126	459	-513
4	82	9.5	-169	169	474	-532
4	82	10	-162	164	475	-526
4	82	10.5	-170	165	487	-556
4	82	11	-204	206	512	-576
4	82	11.5	-282	278	537	-588
4	82	12	-328	325	488	-558
4	82	12.5	-329	323	476	-524
4	82	13	-353	347	439	-482
4	82	13.5	-290	284	363	-408
4	82	14	-52	52	317	-352
4	82	14.5	289	-299	436	-456
4	82	15	231	-234	404	-459
4	82	15.5	37	-36	334	-404
4	82	16	-23	19	327	-393
4	82	16.5	-38	34	345	-416
4	82	17	-38	35	365	-430
4	82	17.5	-22	25	404	-444
4	82	18	4	-4	378	-433
4	82	18.5	-1	2	392	-439
4	82	19	25	-25	418	-459

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	82	19.5	54	-55	478	-516
4	82	20	-35	30	526	-569
4	82	20.5	-10	6	481	-509
4	82	21	97	-99	405	-419
4	82	21.5	33	-38	283	-325
4	82	22	-119	114	359	-391
4	82	22.5	-83	79	469	-516
4	82	23	-57	48	492	-540
4	82	23.5	-59	63	454	-490
4	82	24	-63	53	511	-546
4	82	24.5	-27	25	483	-543
4	82	25	11	-18	500	-548
4	82	25.5	39	-48	501	-556
4	82	26	35	-39	492	-540
4	82	26.5	18	-19	472	-510
4	82	27	-14	9	547	-587
4	82	27.5	-120	118	530	-604
4	82	28	-156	146	522	-593
4	82	28.5	-133	129	520	-582
4	82	29	-117	116	506	-550
4	82	29.5	-189	184	427	-466
4	82	30	-157	154	373	-417
4	82	30.5	-217	217	363	-403
4	82	31	-226	222	384	-440
4	82	31.5	-206	208	437	-481
4	82	32	-216	210	484	-537
4	82	32.5	-233	230	454	-495
4	82	33	-179	180	468	-495
4	82	33.5	-191	185	450	-506
4	82	34	-258	260	472	-514
4	82	34.5	-337	335	490	-546
4	82	35	-358	366	486	-545
4	82	35.5	-352	347	472	-523
4	82	36	-334	331	514	-551
4	82	36.5	-329	320	477	-514
4	82	37	-308	301	416	-464
4	82	37.5	-288	283	349	-411
4	82	38	-267	260	299	-358
4	82	38.5	-232	222	242	-308
4	82	39	-184	177	251	-292
4	82	39.5	-180	179	239	-313
4	82	40	-212	205	224	-276
4	82	40.5	-164	165	249	-287
4	82	41	-128	128	274	-274

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	83	0.5	809	-814	145	-184
4	83	1	480	-489	282	-303
4	83	1.5	-34	29	515	-543
4	83	2	-374	373	558	-579
4	83	2.5	-325	328	459	-498
4	83	3	-315	311	496	-563
4	83	3.5	-268	262	534	-606
4	83	4	-231	228	547	-615
4	83	4.5	-195	195	555	-628
4	83	5	-164	166	566	-632
4	83	5.5	-185	185	580	-636
4	83	6	-208	216	544	-620
4	83	6.5	-151	148	544	-615
4	83	7	-100	97	506	-576
4	83	7.5	-52	53	475	-548
4	83	8	-14	9	460	-535
4	83	8.5	7	-8	492	-549
4	83	9	-135	131	441	-513
4	83	9.5	-169	163	458	-532
4	83	10	-162	161	459	-525
4	83	10.5	-174	170	482	-549
4	83	11	-204	198	505	-576
4	83	11.5	-280	282	544	-585
4	83	12	-327	331	489	-546
4	83	12.5	-331	325	483	-520
4	83	13	-343	353	435	-480
4	83	13.5	-287	285	361	-404
4	83	14	-50	47	312	-353
4	83	14.5	294	-300	436	-460
4	83	15	228	-227	401	-460
4	83	15.5	33	-33	335	-406
4	83	16	-23	22	327	-393
4	83	16.5	-35	32	342	-414
4	83	17	-38	34	369	-429
4	83	17.5	-22	20	403	-443
4	83	18	4	-9	375	-432
4	83	18.5	-1	0	389	-437
4	83	19	25	-26	414	-459
4	83	19.5	51	-55	477	-525
4	83	20	-33	30	524	-573
4	83	20.5	-6	7	480	-507
4	83	21	100	-98	399	-413
4	83	21.5	39	-33	280	-324
4	83	22	-109	111	356	-393

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	83	22.5	-81	79	472	-513
4	83	23	-56	53	489	-542
4	83	23.5	-64	61	452	-488
4	83	24	-59	58	511	-543
4	83	24.5	-24	26	480	-539
4	83	25	12	-14	494	-551
4	83	25.5	40	-41	500	-556
4	83	26	34	-38	488	-546
4	83	26.5	18	-23	473	-509
4	83	27	-9	9	547	-589
4	83	27.5	-119	115	529	-597
4	83	28	-154	149	524	-593
4	83	28.5	-131	133	518	-585
4	83	29	-117	117	503	-549
4	83	29.5	-186	188	432	-475
4	83	30	-157	153	367	-420
4	83	30.5	-216	217	360	-402
4	83	31	-227	222	382	-439
4	83	31.5	-208	207	433	-477
4	83	32	-216	210	481	-550
4	83	32.5	-230	231	451	-500
4	83	33	-182	183	467	-491
4	83	33.5	-186	184	448	-506
4	83	34	-260	262	472	-518
4	83	34.5	-335	334	488	-548
4	83	35	-362	361	490	-545
4	83	35.5	-352	348	472	-521
4	83	36	-335	327	514	-553
4	83	36.5	-323	321	464	-526
4	83	37	-303	303	414	-478
4	83	37.5	-286	283	347	-421
4	83	38	-257	266	293	-363
4	83	38.5	-220	229	247	-308
4	83	39	-172	185	252	-296
4	83	39.5	-181	184	237	-307
4	83	40	-210	206	216	-272
4	83	40.5	-168	169	236	-286
4	83	41	-127	128	250	-269
2	84	0.5	-26	59	-231	191
2	84	1	-15	17	-245	193
2	84	1.5	6	16	-191	150
2	84	2	16	5	-201	154
2	84	2.5	-41	1	-179	161
2	84	3	17	24	-252	173

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	84	3.5	69	-21	-242	177
2	84	4	87	-70	-204	188
2	84	4.5	133	-116	-153	133
2	84	5	165	-161	-174	151
2	84	5.5	162	-97	-176	151
2	84	6	113	-121	-195	150
2	84	6.5	134	-122	-179	134
2	84	7	101	-62	-143	110
2	84	7.5	111	-90	-101	70
2	84	8	123	-75	-86	31
2	84	8.5	85	-58	-44	3
2	84	9	92	-76	-12	-31
2	84	9.5	145	-104	-1	-71
2	84	10	99	-84	67	-86
2	84	10.5	166	-121	39	-69
2	84	11	111	-105	-35	26
2	84	11.5	49	-13	-74	35
2	84	12	10	43	-103	56
2	84	12.5	-12	49	-103	53
2	84	13	36	12	-19	3
2	84	13.5	119	-95	129	-131
2	84	14	143	-112	208	-223
2	84	14.5	131	-90	213	-209
2	84	15	165	-134	45	-28
2	84	15.5	169	-166	-141	149
2	84	16	205	-147	-437	441
2	84	16.5	188	-150	-479	451
2	84	17	-162	218	-428	412
2	84	17.5	-368	390	-254	243
2	84	18	-142	211	-143	121
2	84	18.5	-37	94	-145	119
2	84	19	39	-25	-175	166
2	84	19.5	50	-49	-184	160
2	84	20	14	-19	-197	164
2	84	20.5	-17	14	-182	149
2	84	21	-11	54	-148	76
2	84	21.5	-42	52	-137	94
2	84	22	-58	109	-103	72
2	84	22.5	-29	40	-43	35
2	84	23	-22	39	-65	25
2	84	23.5	5	29	-36	51
2	84	24	15	-3	-34	34
2	84	24.5	-27	96	-157	125
2	84	25	-220	266	-179	160

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	84	25.5	-212	272	-141	116
2	84	26	-141	157	-117	76
2	84	26.5	-32	86	-107	58
2	84	27	-90	127	-121	91
2	84	27.5	-208	195	-40	18
2	84	28	-58	91	-69	35
2	84	28.5	72	-36	-156	139
2	84	29	10	14	-277	232
2	84	29.5	-63	92	-260	244
2	84	30	-127	140	-200	145
2	84	30.5	-142	222	-131	96
2	84	31	-183	225	-131	77
2	84	31.5	-221	256	-125	106
2	84	32	-279	306	-124	92
2	84	32.5	-318	350	-127	94
2	84	33	-238	292	-115	73
2	84	33.5	-149	202	-108	81
2	84	34	-114	163	-151	123
2	84	34.5	-139	143	-183	174
2	84	35	-111	132	-222	181
2	84	35.5	-171	152	-221	187
2	84	36	-163	181	-231	180
2	84	36.5	-143	185	-231	194
2	84	37	-146	165	-248	212
2	84	37.5	-110	128	-246	235
2	84	38	-47	82	-273	235
2	84	38.5	-29	94	-306	257
2	84	39	-111	144	-336	297
2	84	39.5	-127	216	-360	325
2	84	40	-184	219	-375	315
2	84	40.5	-122	178	-400	375
2	84	41	-68	88	-415	365
2	84	41.5	-34	65	-406	369
2	84	42	37	24	-408	363
2	84	42.5	4	72	-396	338
2	84	43	-27	33	-374	363
4	84	0.5	813	-805	158	-197
4	84	1	496	-504	283	-305
4	84	1.5	-26	18	495	-537
4	84	2	-381	379	559	-571
4	84	2.5	-318	325	447	-497
4	84	3	-316	312	493	-564
4	84	3.5	-267	262	534	-606
4	84	4	-226	227	547	-614

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	84	4.5	-198	192	555	-628
4	84	5	-166	158	557	-633
4	84	5.5	-186	185	581	-637
4	84	6	-220	212	546	-619
4	84	6.5	-153	145	546	-618
4	84	7	-105	98	502	-572
4	84	7.5	-56	52	474	-549
4	84	8	-9	10	459	-534
4	84	8.5	4	-12	483	-549
4	84	9	-133	127	440	-512
4	84	9.5	-171	162	459	-530
4	84	10	-164	159	462	-527
4	84	10.5	-170	165	477	-554
4	84	11	-203	196	505	-574
4	84	11.5	-282	276	535	-588
4	84	12	-329	322	484	-560
4	84	12.5	-330	323	476	-526
4	84	13	-354	349	436	-481
4	84	13.5	-292	282	362	-407
4	84	14	-66	63	308	-350
4	84	14.5	285	-298	432	-458
4	84	15	234	-239	404	-469
4	84	15.5	37	-41	332	-408
4	84	16	-28	20	322	-393
4	84	16.5	-30	31	341	-416
4	84	17	-40	34	355	-429
4	84	17.5	-21	23	396	-444
4	84	18	7	-11	389	-429
4	84	18.5	0	0	385	-436
4	84	19	18	-25	413	-457
4	84	19.5	55	-58	473	-517
4	84	20	-36	26	522	-577
4	84	20.5	-13	3	478	-510
4	84	21	97	-103	407	-418
4	84	21.5	41	-43	280	-322
4	84	22	-118	112	352	-383
4	84	22.5	-84	78	466	-512
4	84	23	-57	56	486	-547
4	84	23.5	-67	62	445	-491
4	84	24	-63	54	507	-542
4	84	24.5	-30	23	478	-542
4	84	25	12	-15	493	-550
4	84	25.5	41	-44	503	-555
4	84	26	35	-39	488	-548

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	84	26.5	19	-23	468	-511
4	84	27	-14	4	545	-586
4	84	27.5	-121	115	528	-604
4	84	28	-155	144	524	-593
4	84	28.5	-126	130	519	-585
4	84	29	-118	112	507	-559
4	84	29.5	-189	182	428	-490
4	84	30	-157	152	371	-423
4	84	30.5	-217	213	360	-400
4	84	31	-226	221	380	-441
4	84	31.5	-208	206	429	-473
4	84	32	-218	213	481	-553
4	84	32.5	-235	228	452	-503
4	84	33	-190	184	464	-491
4	84	33.5	-188	183	449	-505
4	84	34	-257	258	471	-514
4	84	34.5	-335	334	488	-546
4	84	35	-363	360	485	-546
4	84	35.5	-352	344	475	-520
4	84	36	-334	327	513	-550
4	84	36.5	-327	319	464	-531
4	84	37	-310	296	414	-481
4	84	37.5	-290	285	348	-421
4	84	38	-269	263	295	-365
4	84	38.5	-232	226	240	-309
4	84	39	-186	183	256	-294
4	84	39.5	-186	176	237	-309
4	84	40	-213	214	221	-272
4	84	40.5	-173	169	244	-284
4	84	41	-126	124	270	-306
2	85	0.5	-43	28	-255	207
2	85	1	-5	16	-214	227
2	85	1.5	-12	11	-220	108
2	85	2	-5	8	-208	138
2	85	2.5	13	-7	-217	141
2	85	3	4	-4	-221	260
2	85	3.5	16	-29	-241	175
2	85	4	76	-106	-206	165
2	85	4.5	112	-121	-188	131
2	85	5	133	-161	-183	116
2	85	5.5	135	-136	-188	123
2	85	6	128	-145	-222	137
2	85	6.5	116	-119	-180	139
2	85	7	86	-88	-133	103

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	85	7.5	90	-96	-106	125
2	85	8	100	-96	-91	33
2	85	8.5	100	-102	-67	-11
2	85	9	106	-105	-25	-34
2	85	9.5	64	-126	35	-89
2	85	10	88	-115	84	-79
2	85	10.5	163	-134	37	-71
2	85	11	104	-116	-50	-5
2	85	11.5	49	-36	-72	29
2	85	12	-21	22	-103	60
2	85	12.5	-62	28	-102	41
2	85	13	-2	-14	-16	15
2	85	13.5	98	-107	103	-141
2	85	14	121	-142	215	-264
2	85	14.5	90	-118	177	-194
2	85	15	142	-158	14	-49
2	85	15.5	157	-174	-161	149
2	85	16	196	-219	-415	431
2	85	16.5	170	-187	-478	429
2	85	17	-192	182	-438	405
2	85	17.5	-379	366	-257	266
2	85	18	-184	163	-158	144
2	85	18.5	-41	47	-144	77
2	85	19	9	19	-184	151
2	85	19.5	45	-59	-196	156
2	85	20	17	1	-199	159
2	85	20.5	-9	-1	-179	121
2	85	21	-28	-10	-138	142
2	85	21.5	-47	30	-139	92
2	85	22	-70	68	-108	81
2	85	22.5	-33	27	14	9
2	85	23	-20	14	-68	5
2	85	23.5	-36	2	-71	-32
2	85	24	-3	-18	-54	19
2	85	24.5	-97	69	-137	164
2	85	25	-235	219	-198	166
2	85	25.5	-230	224	-144	87
2	85	26	-149	159	-86	59
2	85	26.5	-53	38	-123	54
2	85	27	-107	104	-129	71
2	85	27.5	-209	189	4	-13
2	85	28	-45	50	-61	22
2	85	28.5	35	-75	-170	135
2	85	29	-6	4	-284	226

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	85	29.5	-87	85	-270	245
2	85	30	-142	135	-201	147
2	85	30.5	-189	182	-150	77
2	85	31	-207	200	-138	74
2	85	31.5	-247	232	-96	96
2	85	32	-294	276	-144	76
2	85	32.5	-339	324	-144	113
2	85	33	-275	274	-123	74
2	85	33.5	-197	172	-108	64
2	85	34	-145	149	-148	135
2	85	34.5	-117	97	-206	166
2	85	35	-146	118	-224	179
2	85	35.5	-156	148	-251	178
2	85	36	-175	152	-232	178
2	85	36.5	-177	158	-234	184
2	85	37	-145	151	-236	203
2	85	37.5	-119	103	-240	241
2	85	38	-64	69	-314	234
2	85	38.5	-80	74	-318	254
2	85	39	-140	124	-363	302
2	85	39.5	-175	159	-376	327
2	85	40	-206	222	-383	334
2	85	40.5	-151	136	-396	381
2	85	41	-84	82	-410	352
2	85	41.5	-59	44	-428	372
2	85	42	11	-32	-419	346
2	85	42.5	-23	23	-408	355
2	85	43	-48	9	-364	354
4	85	0.5	809	-821	145	-196
4	85	1	494	-502	281	-297
4	85	1.5	-32	23	497	-532
4	85	2	-384	384	556	-581
4	85	2.5	-324	323	441	-503
4	85	3	-317	311	494	-564
4	85	3.5	-260	265	535	-608
4	85	4	-228	234	546	-616
4	85	4.5	-195	195	555	-632
4	85	5	-166	160	558	-636
4	85	5.5	-188	182	581	-637
4	85	6	-214	215	546	-620
4	85	6.5	-150	146	546	-613
4	85	7	-101	96	504	-573
4	85	7.5	-56	50	474	-550
4	85	8	-16	11	460	-534

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	85	8.5	4	-8	484	-549
4	85	9	-136	130	440	-512
4	85	9.5	-166	170	460	-531
4	85	10	-161	159	462	-528
4	85	10.5	-174	168	480	-558
4	85	11	-206	199	508	-578
4	85	11.5	-287	280	536	-584
4	85	12	-331	327	486	-542
4	85	12.5	-329	326	477	-523
4	85	13	-351	350	438	-480
4	85	13.5	-289	285	363	-407
4	85	14	-58	58	311	-354
4	85	14.5	290	-297	432	-459
4	85	15	231	-238	405	-452
4	85	15.5	33	-41	334	-405
4	85	16	-25	18	322	-396
4	85	16.5	-40	33	342	-413
4	85	17	-36	34	355	-430
4	85	17.5	-19	27	398	-447
4	85	18	1	-7	376	-429
4	85	18.5	-2	0	382	-437
4	85	19	28	-25	409	-460
4	85	19.5	54	-55	473	-525
4	85	20	-34	31	526	-573
4	85	20.5	-11	8	480	-508
4	85	21	95	-97	408	-425
4	85	21.5	39	-40	280	-326
4	85	22	-118	112	356	-390
4	85	22.5	-81	81	462	-516
4	85	23	-56	50	487	-539
4	85	23.5	-66	61	443	-494
4	85	24	-60	54	507	-544
4	85	24.5	-29	27	479	-543
4	85	25	6	-16	488	-547
4	85	25.5	44	-42	498	-549
4	85	26	36	-40	494	-540
4	85	26.5	18	-19	466	-512
4	85	27	-13	5	543	-587
4	85	27.5	-119	113	530	-602
4	85	28	-154	148	523	-594
4	85	28.5	-135	132	516	-584
4	85	29	-121	117	506	-553
4	85	29.5	-184	183	428	-467
4	85	30	-154	152	368	-417

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	85	30.5	-221	216	338	-403
4	85	31	-221	221	375	-439
4	85	31.5	-207	209	429	-475
4	85	32	-215	210	483	-534
4	85	32.5	-234	226	455	-499
4	85	33	-185	181	466	-491
4	85	33.5	-188	182	456	-505
4	85	34	-263	258	463	-519
4	85	34.5	-338	335	486	-544
4	85	35	-363	356	486	-541
4	85	35.5	-350	346	466	-524
4	85	36	-335	331	506	-552
4	85	36.5	-325	320	466	-515
4	85	37	-307	297	417	-464
4	85	37.5	-289	283	350	-404
4	85	38	-266	259	295	-350
4	85	38.5	-229	225	241	-308
4	85	39	-182	180	243	-298
4	85	39.5	-188	180	240	-308
4	85	40	-214	206	206	-277
4	85	40.5	-175	167	234	-288
4	85	41	-131	124	267	-280
4	86	0.5	818	-821	147	-183
4	86	1	499	-495	286	-299
4	86	1.5	-30	34	502	-532
4	86	2	-383	385	556	-576
4	86	2.5	-318	326	446	-499
4	86	3	-314	312	495	-563
4	86	3.5	-264	263	535	-605
4	86	4	-225	231	547	-615
4	86	4.5	-196	203	556	-628
4	86	5	-157	162	563	-632
4	86	5.5	-183	183	583	-636
4	86	6	-209	216	548	-617
4	86	6.5	-149	148	549	-618
4	86	7	-100	101	504	-575
4	86	7.5	-51	52	475	-549
4	86	8	-15	12	460	-533
4	86	8.5	9	-11	486	-545
4	86	9	-132	125	442	-510
4	86	9.5	-167	165	462	-529
4	86	10	-163	166	461	-525
4	86	10.5	-174	172	480	-552
4	86	11	-202	199	507	-572

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	86	11.5	-278	285	538	-587
4	86	12	-323	328	487	-557
4	86	12.5	-330	323	477	-540
4	86	13	-342	348	440	-484
4	86	13.5	-289	287	366	-406
4	86	14	-58	60	313	-351
4	86	14.5	293	-295	431	-457
4	86	15	239	-236	407	-467
4	86	15.5	39	-41	335	-408
4	86	16	-22	19	322	-393
4	86	16.5	-35	32	341	-415
4	86	17	-38	38	355	-429
4	86	17.5	-19	27	397	-444
4	86	18	4	-4	376	-427
4	86	18.5	-1	1	385	-436
4	86	19	22	-19	412	-456
4	86	19.5	60	-55	476	-517
4	86	20	-27	37	525	-575
4	86	20.5	-7	9	481	-509
4	86	21	102	-99	408	-411
4	86	21.5	42	-40	275	-324
4	86	22	-108	115	353	-387
4	86	22.5	-80	85	464	-511
4	86	23	-55	54	490	-546
4	86	23.5	-63	64	447	-494
4	86	24	-60	58	509	-540
4	86	24.5	-28	30	483	-538
4	86	25	11	-15	491	-549
4	86	25.5	43	-37	498	-555
4	86	26	34	-36	488	-549
4	86	26.5	22	-20	467	-512
4	86	27	-8	8	546	-587
4	86	27.5	-108	118	532	-602
4	86	28	-151	150	527	-592
4	86	28.5	-135	134	521	-588
4	86	29	-116	111	509	-566
4	86	29.5	-187	190	430	-491
4	86	30	-155	159	377	-423
4	86	30.5	-218	223	347	-401
4	86	31	-226	226	382	-439
4	86	31.5	-202	207	435	-476
4	86	32	-216	212	484	-554
4	86	32.5	-231	231	453	-503
4	86	33	-178	181	467	-489

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	86	33.5	-186	187	453	-501
4	86	34	-260	262	467	-517
4	86	34.5	-337	338	493	-544
4	86	35	-359	365	488	-544
4	86	35.5	-351	348	467	-522
4	86	36	-329	330	512	-550
4	86	36.5	-319	325	467	-535
4	86	37	-306	300	415	-480
4	86	37.5	-283	284	351	-419
4	86	38	-262	262	296	-362
4	86	38.5	-224	228	247	-306
4	86	39	-175	180	256	-290
4	86	39.5	-180	182	241	-311
4	86	40	-207	209	206	-273
4	86	40.5	-170	170	235	-288
4	86	41	-125	131	248	-289
2	87	0.5	-42	54	-236	240
2	87	1	1	7	-205	221
2	87	1.5	-4	17	-167	176
2	87	2	5	8	-173	182
2	87	2.5	8	2	-173	188
2	87	3	16	-4	-188	193
2	87	3.5	37	-24	-190	195
2	87	4	83	-73	-173	184
2	87	4.5	127	-113	-150	158
2	87	5	141	-127	-145	157
2	87	5.5	140	-128	-147	160
2	87	6	137	-124	-171	174
2	87	6.5	119	-104	-149	148
2	87	7	99	-89	-102	113
2	87	7.5	105	-92	-71	81
2	87	8	113	-99	-53	60
2	87	8.5	109	-99	-18	26
2	87	9	120	-107	8	3
2	87	9.5	124	-111	50	-46
2	87	10	105	-98	82	-69
2	87	10.5	139	-124	60	-56
2	87	11	119	-105	-12	23
2	87	11.5	38	-30	-47	56
2	87	12	-13	28	-73	84
2	87	12.5	-25	37	-71	70
2	87	13	12	2	16	6
2	87	13.5	117	-100	131	-136
2	87	14	132	-118	225	-224

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	87	14.5	111	-101	217	-198
2	87	15	154	-143	45	-17
2	87	15.5	166	-157	-131	155
2	87	16	207	-197	-431	442
2	87	16.5	179	-175	-460	457
2	87	17	-164	168	-418	423
2	87	17.5	-368	389	-248	274
2	87	18	-159	214	-139	148
2	87	18.5	-32	39	-117	129
2	87	19	15	-2	-162	182
2	87	19.5	58	-54	-177	187
2	87	20	23	-13	-172	182
2	87	20.5	0	16	-149	159
2	87	21	-13	25	-124	136
2	87	21.5	-26	37	-111	119
2	87	22	-58	65	-74	82
2	87	22.5	-23	30	-31	45
2	87	23	-19	31	-40	50
2	87	23.5	-6	20	-23	33
2	87	24	9	2	-36	34
2	87	24.5	-57	71	-124	136
2	87	25	-229	244	-175	176
2	87	25.5	-234	242	-122	133
2	87	26	-163	186	-77	90
2	87	26.5	-39	55	-72	81
2	87	27	-85	106	-109	107
2	87	27.5	-190	200	-30	33
2	87	28	-43	64	-68	67
2	87	28.5	67	-35	-147	139
2	87	29	6	1	-248	251
2	87	29.5	-85	102	-253	258
2	87	30	-134	143	-172	188
2	87	30.5	-179	192	-121	128
2	87	31	-193	204	-107	116
2	87	31.5	-237	246	-107	124
2	87	32	-284	298	-106	117
2	87	32.5	-322	336	-111	121
2	87	33	-281	295	-95	105
2	87	33.5	-181	195	-89	98
2	87	34	-144	152	-148	142
2	87	34.5	-114	123	-183	195
2	87	35	-123	137	-196	207
2	87	35.5	-143	152	-201	209
2	87	36	-158	169	-199	207

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	87	36.5	-158	170	-209	217
2	87	37	-140	154	-229	238
2	87	37.5	-110	119	-224	243
2	87	38	-60	72	-247	259
2	87	38.5	-71	83	-274	282
2	87	39	-122	128	-310	315
2	87	39.5	-154	161	-338	347
2	87	40	-229	210	-372	352
2	87	40.5	-144	159	-367	387
2	87	41	-79	92	-376	389
2	87	41.5	-47	63	-398	410
2	87	42	13	8	-375	387
2	87	42.5	-22	38	-379	386
2	87	43	-19	36	-361	375
4	87	0.5	826	-825	154	-181
4	87	1	493	-506	280	-298
4	87	1.5	-34	25	497	-532
4	87	2	-387	382	555	-581
4	87	2.5	-319	322	458	-500
4	87	3	-313	310	503	-563
4	87	3.5	-265	259	535	-607
4	87	4	-228	225	551	-616
4	87	4.5	-197	191	557	-628
4	87	5	-165	162	565	-632
4	87	5.5	-184	184	583	-632
4	87	6	-213	211	546	-615
4	87	6.5	-154	142	546	-601
4	87	7	-102	96	506	-570
4	87	7.5	-53	48	473	-547
4	87	8	-15	9	467	-533
4	87	8.5	8	-14	487	-547
4	87	9	-130	125	441	-512
4	87	9.5	-170	162	459	-532
4	87	10	-162	160	465	-528
4	87	10.5	-174	165	486	-554
4	87	11	-204	199	507	-576
4	87	11.5	-286	275	537	-580
4	87	12	-331	322	485	-546
4	87	12.5	-334	330	478	-523
4	87	13	-347	345	438	-480
4	87	13.5	-289	284	367	-407
4	87	14	-64	61	311	-351
4	87	14.5	286	-296	435	-455
4	87	15	235	-244	405	-450

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	87	15.5	37	-43	333	-406
4	87	16	-26	16	324	-393
4	87	16.5	-35	28	343	-416
4	87	17	-37	35	357	-428
4	87	17.5	-20	20	397	-441
4	87	18	10	-5	392	-430
4	87	18.5	-3	-1	385	-437
4	87	19	19	-22	412	-459
4	87	19.5	54	-56	474	-515
4	87	20	-37	30	523	-571
4	87	20.5	-16	8	479	-505
4	87	21	93	-102	405	-416
4	87	21.5	42	-44	277	-323
4	87	22	-118	110	350	-385
4	87	22.5	-85	81	466	-512
4	87	23	-56	49	487	-538
4	87	23.5	-62	61	450	-494
4	87	24	-57	53	510	-536
4	87	24.5	-32	27	482	-541
4	87	25	8	-15	494	-544
4	87	25.5	42	-47	499	-547
4	87	26	32	-43	489	-539
4	87	26.5	16	-21	470	-510
4	87	27	-12	1	546	-584
4	87	27.5	-120	114	529	-602
4	87	28	-156	147	520	-593
4	87	28.5	-137	133	519	-582
4	87	29	-117	112	504	-553
4	87	29.5	-188	186	428	-467
4	87	30	-156	152	370	-415
4	87	30.5	-220	213	360	-401
4	87	31	-228	225	383	-437
4	87	31.5	-209	213	437	-477
4	87	32	-213	212	483	-533
4	87	32.5	-226	228	451	-495
4	87	33	-181	180	468	-491
4	87	33.5	-190	182	447	-505
4	87	34	-262	260	473	-519
4	87	34.5	-338	332	489	-544
4	87	35	-362	357	486	-540
4	87	35.5	-355	349	468	-524
4	87	36	-335	328	509	-550
4	87	36.5	-325	319	470	-511
4	87	37	-308	300	411	-459

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
4	87	37.5	-287	280	348	-401
4	87	38	-268	261	291	-352
4	87	38.5	-230	225	244	-305
4	87	39	-181	177	250	-293
4	87	39.5	-189	181	239	-308
4	87	40	-211	204	223	-272
4	87	40.5	-168	164	245	-282
4	87	41	-129	124	265	-294
2	88	42.5	-50	41	-400	374
2	88	43	-50	41	-364	340
2	88	0.5	-46	38	-246	210
2	88	1	-9	1	-231	207
2	88	1.5	-17	11	-203	148
2	88	2	-9	2	-211	151
2	88	2.5	-3	-8	-214	162
2	88	3	0	-13	-227	171
2	88	3.5	21	-33	-228	180
2	88	4	75	-88	-200	177
2	88	4.5	112	-125	-181	126
2	88	5	127	-140	-178	127
2	88	5.5	127	-141	-183	135
2	88	6	131	-145	-199	138
2	88	6.5	115	-121	-180	124
2	88	7	96	-105	-131	101
2	88	7.5	94	-97	-104	46
2	88	8	99	-111	-80	26
2	88	8.5	93	-105	-47	-8
2	88	9	107	-120	-10	-37
2	88	9.5	107	-118	23	-74
2	88	10	95	-109	61	-91
2	88	10.5	134	-146	37	-73
2	88	11	108	-119	-54	7
2	88	11.5	20	-39	-87	35
2	88	12	-27	16	-96	55
2	88	12.5	-34	28	-86	50
2	88	13	7	-20	-3	-10
2	88	13.5	109	-111	115	-150
2	88	14	123	-132	223	-256
2	88	14.5	107	-119	181	-198
2	88	15	146	-157	4	-31
2	88	15.5	162	-172	-166	155
2	88	16	202	-218	-456	442
2	88	16.5	162	-173	-484	439
2	88	17	-212	199	-420	397

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	88	17.5	-371	366	-252	218
2	88	18	-166	160	-151	101
2	88	18.5	-35	24	-151	104
2	88	19	10	-22	-193	168
2	88	19.5	42	-54	-209	153
2	88	20	9	-23	-197	147
2	88	20.5	-14	8	-168	125
2	88	21	-24	19	-142	102
2	88	21.5	-40	29	-124	81
2	88	22	-72	57	-96	73
2	88	22.5	-33	24	-52	18
2	88	23	-34	19	-74	15
2	88	23.5	-21	10	-50	-3
2	88	24	-5	-6	-47	8
2	88	24.5	-86	74	-163	123
2	88	25	-245	234	-193	168
2	88	25.5	-246	227	-138	116
2	88	26	-168	160	-109	52
2	88	26.5	-48	43	-112	56
2	88	27	-120	113	-115	78
2	88	27.5	-198	192	-55	0
2	88	28	-53	44	-75	45
2	88	28.5	56	-68	-163	147
2	88	29	-14	2	-285	234
2	88	29.5	-103	88	-262	228
2	88	30	-153	136	-188	145
2	88	30.5	-184	178	-143	90
2	88	31	-217	203	-136	78
2	88	31.5	-245	236	-138	103
2	88	32	-302	287	-142	83
2	88	32.5	-338	329	-145	86
2	88	33	-268	258	-122	66
2	88	33.5	-190	176	-120	76
2	88	34	-156	145	-169	123
2	88	34.5	-114	102	-209	171
2	88	35	-129	124	-227	170
2	88	35.5	-154	140	-232	171
2	88	36	-168	153	-235	178
2	88	36.5	-165	161	-242	187
2	88	37	-152	145	-263	212
2	88	37.5	-100	94	-259	226
2	88	38	-70	59	-289	240
2	88	38.5	-81	80	-311	261
2	88	39	-140	137	-350	304

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	88	39.5	-175	160	-369	323
2	88	40	-207	200	-378	333
2	88	40.5	-146	133	-404	365
2	88	41	-82	77	-418	360
2	88	41.5	-50	41	-414	366
2	88	42	33	-39	-392	370
2	89	42.5	-40	50	-400	374
2	89	43	-40	50	-364	340
2	89	0.5	-51	43	-248	209
2	89	1	-5	-6	-227	205
2	89	1.5	-15	7	-206	146
2	89	2	-7	-1	-211	149
2	89	2.5	-2	-6	-217	155
2	89	3	3	-9	-225	164
2	89	3.5	22	-25	-222	179
2	89	4	83	-91	-198	175
2	89	4.5	114	-123	-183	124
2	89	5	131	-138	-182	122
2	89	5.5	133	-140	-187	129
2	89	6	138	-144	-198	137
2	89	6.5	116	-123	-180	122
2	89	7	96	-106	-132	101
2	89	7.5	94	-105	-104	42
2	89	8	101	-106	-82	21
2	89	8.5	96	-103	-48	-11
2	89	9	111	-115	-11	-40
2	89	9.5	107	-116	22	-78
2	89	10	101	-109	62	-92
2	89	10.5	134	-139	33	-76
2	89	11	109	-116	-58	-3
2	89	11.5	22	-31	-87	27
2	89	12	-22	18	-100	48
2	89	12.5	-31	23	-88	48
2	89	13	8	-20	-1	-11
2	89	13.5	110	-119	115	-154
2	89	14	124	-130	226	-261
2	89	14.5	115	-116	176	-196
2	89	15	152	-159	4	-28
2	89	15.5	167	-173	-173	162
2	89	16	205	-218	-463	447
2	89	16.5	156	-169	-488	438
2	89	17	-220	213	-415	394
2	89	17.5	-376	364	-251	214
2	89	18	-163	156	-150	98

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	89	18.5	-32	26	-155	100
2	89	19	16	-21	-195	159
2	89	19.5	44	-54	-210	153
2	89	20	8	-20	-203	145
2	89	20.5	-15	9	-176	123
2	89	21	-24	17	-150	100
2	89	21.5	-39	27	-135	79
2	89	22	-65	65	-102	70
2	89	22.5	-31	22	-55	15
2	89	23	-30	17	-75	14
2	89	23.5	-19	16	-55	-4
2	89	24	6	2	-47	-1
2	89	24.5	-87	77	-168	125
2	89	25	-240	239	-201	167
2	89	25.5	-244	230	-138	114
2	89	26	-161	154	-106	50
2	89	26.5	-50	41	-112	58
2	89	27	-120	107	-116	80
2	89	27.5	-196	185	-55	2
2	89	28	-47	48	-75	49
2	89	28.5	57	-62	-167	143
2	89	29	-17	5	-287	231
2	89	29.5	-101	94	-261	227
2	89	30	-147	138	-192	145
2	89	30.5	-188	182	-148	88
2	89	31	-213	208	-135	77
2	89	31.5	-240	236	-137	102
2	89	32	-301	291	-140	82
2	89	32.5	-337	330	-145	87
2	89	33	-260	256	-123	66
2	89	33.5	-183	179	-122	75
2	89	34	-155	148	-169	121
2	89	34.5	-104	101	-211	169
2	89	35	-133	124	-227	172
2	89	35.5	-147	143	-232	172
2	89	36	-163	156	-236	177
2	89	36.5	-165	160	-241	188
2	89	37	-150	144	-262	211
2	89	37.5	-102	87	-261	227
2	89	38	-68	61	-288	231
2	89	38.5	-82	76	-310	257
2	89	39	-139	132	-350	298
2	89	39.5	-175	162	-371	315
2	89	40	-198	198	-376	329

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	89	40.5	-145	139	-404	363
2	89	41	-78	81	-416	357
2	89	41.5	-51	51	-422	368
2	89	42	32	-40	-384	383
2	90	0.5	-23	63	-229	233
2	90	1	25	20	-197	216
2	90	1.5	16	29	-171	173
2	90	2	25	21	-177	178
2	90	2.5	29	15	-184	186
2	90	3	36	9	-197	195
2	90	3.5	58	-12	-195	195
2	90	4	105	-63	-173	190
2	90	4.5	144	-100	-148	157
2	90	5	159	-114	-146	158
2	90	5.5	157	-115	-151	164
2	90	6	155	-110	-170	166
2	90	6.5	137	-90	-146	145
2	90	7	116	-74	-101	115
2	90	7.5	122	-76	-73	77
2	90	8	130	-84	-51	53
2	90	8.5	126	-82	-14	21
2	90	9	136	-91	12	-16
2	90	9.5	137	-90	57	-57
2	90	10	125	-82	75	-68
2	90	10.5	157	-111	49	-48
2	90	11	135	-88	-23	34
2	90	11.5	50	-9	-53	64
2	90	12	1	44	-76	83
2	90	12.5	-6	53	-66	67
2	90	13	26	17	18	6
2	90	13.5	133	-85	137	-137
2	90	14	148	-101	232	-234
2	90	14.5	131	-87	194	-183
2	90	15	171	-127	20	-13
2	90	15.5	188	-143	-151	163
2	90	16	227	-186	-440	455
2	90	16.5	186	-142	-459	461
2	90	17	-181	223	-404	417
2	90	17.5	-350	393	-229	237
2	90	18	-140	192	-128	136
2	90	18.5	-7	51	-133	133
2	90	19	42	6	-173	189
2	90	19.5	72	-29	-176	187
2	90	20	37	7	-169	183

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	90	20.5	14	34	-148	159
2	90	21	3	42	-122	134
2	90	21.5	-10	55	-110	114
2	90	22	-43	85	-74	87
2	90	22.5	-1	48	-31	47
2	90	23	-3	46	-39	51
2	90	23.5	10	37	-22	32
2	90	24	27	19	-36	37
2	90	24.5	-59	103	-143	146
2	90	25	-214	263	-171	179
2	90	25.5	-216	257	-116	131
2	90	26	-139	185	-77	87
2	90	26.5	-22	69	-76	90
2	90	27	-87	133	-94	97
2	90	27.5	-169	215	-25	33
2	90	28	-28	75	-64	74
2	90	28.5	84	-40	-148	176
2	90	29	16	28	-249	262
2	90	29.5	-69	113	-244	246
2	90	30	-119	163	-166	176
2	90	30.5	-165	209	-117	124
2	90	31	-186	231	-101	111
2	90	31.5	-219	262	-108	126
2	90	32	-271	316	-107	118
2	90	32.5	-310	356	-110	121
2	90	33	-247	294	-93	102
2	90	33.5	-164	209	-91	99
2	90	34	-126	172	-144	145
2	90	34.5	-92	136	-180	199
2	90	35	-108	154	-192	209
2	90	35.5	-125	172	-198	209
2	90	36	-140	184	-198	210
2	90	36.5	-141	187	-207	218
2	90	37	-124	170	-228	240
2	90	37.5	-86	133	-222	241
2	90	38	-43	88	-250	266
2	90	38.5	-55	101	-274	287
2	90	39	-108	150	-309	323
2	90	39.5	-140	182	-342	346
2	90	40	-179	227	-345	352
2	90	40.5	-126	169	-364	384
2	90	41	-61	108	-378	393
2	90	41.5	-28	73	-390	403
2	90	42	29	15	-377	389

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	90	42.5	-7	50	-374	382
2	90	43	-34	33	-374	369
2	91	0.5	-48	45	-249	213
2	91	1	-2	0	-227	206
2	91	1.5	-13	6	-205	145
2	91	2	-6	-1	-211	148
2	91	2.5	-1	-5	-217	159
2	91	3	2	-11	-226	173
2	91	3.5	27	-30	-224	184
2	91	4	87	-90	-201	174
2	91	4.5	115	-124	-182	121
2	91	5	132	-140	-179	120
2	91	5.5	133	-141	-186	129
2	91	6	137	-139	-191	136
2	91	6.5	117	-124	-168	125
2	91	7	98	-107	-127	100
2	91	7.5	94	-103	-94	41
2	91	8	101	-107	-66	19
2	91	8.5	96	-107	-26	-11
2	91	9	109	-118	2	-41
2	91	9.5	117	-117	39	-78
2	91	10	100	-110	63	-93
2	91	10.5	134	-145	35	-66
2	91	11	108	-111	-58	7
2	91	11.5	25	-27	-90	36
2	91	12	-23	16	-96	53
2	91	12.5	-31	33	-86	48
2	91	13	10	-24	2	-15
2	91	13.5	110	-117	120	-157
2	91	14	123	-131	230	-264
2	91	14.5	116	-120	172	-196
2	91	15	146	-156	2	-26
2	91	15.5	176	-175	-178	170
2	91	16	208	-222	-465	446
2	91	16.5	155	-162	-484	437
2	91	17	-222	219	-417	392
2	91	17.5	-372	365	-247	209
2	91	18	-160	158	-150	98
2	91	18.5	-31	26	-154	114
2	91	19	18	-23	-194	163
2	91	19.5	42	-46	-206	151
2	91	20	10	-17	-203	145
2	91	20.5	-13	7	-180	121
2	91	21	-24	18	-153	99

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	91	21.5	-39	32	-137	79
2	91	22	-67	59	-95	73
2	91	22.5	-23	25	-63	14
2	91	23	-23	20	-74	14
2	91	23.5	-17	9	-54	-5
2	91	24	-2	-5	-48	9
2	91	24.5	-88	82	-172	126
2	91	25	-242	241	-193	168
2	91	25.5	-248	231	-138	111
2	91	26	-161	148	-108	48
2	91	26.5	-48	47	-113	63
2	91	27	-123	114	-111	77
2	91	27.5	-192	185	-53	6
2	91	28	-49	43	-71	50
2	91	28.5	61	-70	-167	150
2	91	29	-17	9	-289	238
2	91	29.5	-103	94	-259	223
2	91	30	-147	137	-194	140
2	91	30.5	-187	180	-148	90
2	91	31	-218	212	-133	81
2	91	31.5	-241	240	-138	103
2	91	32	-296	294	-141	82
2	91	32.5	-333	330	-144	84
2	91	33	-264	253	-123	64
2	91	33.5	-186	176	-122	79
2	91	34	-147	145	-167	127
2	91	34.5	-108	99	-208	173
2	91	35	-130	125	-228	169
2	91	35.5	-149	143	-232	170
2	91	36	-162	157	-236	177
2	91	36.5	-167	163	-239	183
2	91	37	-151	147	-260	213
2	91	37.5	-97	87	-259	226
2	91	38	-68	61	-289	230
2	91	38.5	-86	76	-310	259
2	91	39	-143	133	-350	297
2	91	39.5	-174	164	-372	312
2	91	40	-200	202	-376	324
2	91	40.5	-131	130	-404	364
2	91	41	-83	75	-418	358
2	91	41.5	-49	40	-420	364
2	91	42	32	-39	-417	358
2	91	42.5	-33	26	-385	345
2	91	43	-43	10	-361	369

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	92	0.5	-51	39	-247	208
2	92	1	-3	-6	-233	204
2	92	1.5	-17	2	-206	142
2	92	2	1	2	-211	147
2	92	2.5	-4	-8	-217	152
2	92	3	4	-9	-229	165
2	92	3.5	23	-33	-233	173
2	92	4	81	-89	-200	173
2	92	4.5	114	-124	-185	120
2	92	5	131	-138	-179	121
2	92	5.5	130	-140	-186	127
2	92	6	137	-148	-198	132
2	92	6.5	119	-126	-179	118
2	92	7	100	-110	-134	98
2	92	7.5	93	-106	-105	39
2	92	8	103	-110	-76	19
2	92	8.5	96	-107	-44	-12
2	92	9	111	-119	-9	-41
2	92	9.5	108	-114	22	-79
2	92	10	98	-110	59	-94
2	92	10.5	133	-143	33	-76
2	92	11	107	-116	-59	3
2	92	11.5	25	-35	-89	32
2	92	12	-22	17	-101	49
2	92	12.5	-33	23	-89	47
2	92	13	14	-22	-5	-12
2	92	13.5	109	-115	116	-156
2	92	14	123	-128	223	-265
2	92	14.5	111	-123	174	-197
2	92	15	148	-159	0	-28
2	92	15.5	167	-177	-175	165
2	92	16	207	-218	-463	445
2	92	16.5	157	-166	-493	435
2	92	17	-222	216	-421	390
2	92	17.5	-376	362	-252	210
2	92	18	-166	152	-153	97
2	92	18.5	-29	22	-155	109
2	92	19	16	-23	-200	166
2	92	19.5	51	-55	-211	153
2	92	20	7	-20	-207	144
2	92	20.5	-16	11	-180	120
2	92	21	-23	19	-154	98
2	92	21.5	-38	32	-137	80
2	92	22	-69	66	-97	68

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	92	22.5	-28	21	-57	15
2	92	23	-30	18	-77	12
2	92	23.5	-17	14	-55	-4
2	92	24	-1	-6	-49	5
2	92	24.5	-90	79	-170	121
2	92	25	-243	240	-206	165
2	92	25.5	-241	225	-142	112
2	92	26	-164	152	-111	48
2	92	26.5	-42	37	-112	62
2	92	27	-120	109	-116	75
2	92	27.5	-192	189	-58	7
2	92	28	-50	41	-81	49
2	92	28.5	59	-67	-169	151
2	92	29	-18	8	-290	239
2	92	29.5	-102	94	-264	224
2	92	30	-150	137	-196	141
2	92	30.5	-191	181	-149	90
2	92	31	-212	207	-133	85
2	92	31.5	-243	232	-140	106
2	92	32	-301	294	-142	84
2	92	32.5	-334	327	-146	83
2	92	33	-263	261	-123	67
2	92	33.5	-185	173	-125	78
2	92	34	-152	144	-172	125
2	92	34.5	-111	101	-211	169
2	92	35	-134	124	-231	174
2	92	35.5	-150	142	-233	175
2	92	36	-166	154	-237	183
2	92	36.5	-163	158	-241	191
2	92	37	-150	142	-262	211
2	92	37.5	-98	89	-262	224
2	92	38	-69	64	-290	237
2	92	38.5	-82	77	-312	261
2	92	39	-141	134	-351	303
2	92	39.5	-174	161	-372	320
2	92	40	-202	208	-377	335
2	92	40.5	-141	129	-405	366
2	92	41	-84	77	-419	365
2	92	41.5	-52	41	-422	365
2	92	42	30	-39	-417	373
2	92	42.5	-35	25	-404	345
2	92	43	-33	-4	-373	362
2	94	0.5	-50	46	-251	209
2	94	1	-3	-5	-235	203

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	94	1.5	-12	8	-210	141
2	94	2	-5	3	-216	146
2	94	2.5	6	-4	-220	157
2	94	3	4	-11	-232	164
2	94	3.5	28	-30	-226	177
2	94	4	84	-89	-203	171
2	94	4.5	117	-125	-187	119
2	94	5	133	-132	-185	122
2	94	5.5	133	-135	-191	130
2	94	6	139	-141	-196	133
2	94	6.5	121	-124	-176	116
2	94	7	101	-106	-134	95
2	94	7.5	105	-100	-107	38
2	94	8	103	-108	-79	17
2	94	8.5	100	-106	-44	-15
2	94	9	110	-116	-9	-44
2	94	9.5	112	-114	24	-81
2	94	10	102	-109	57	-96
2	94	10.5	136	-135	30	-73
2	94	11	110	-111	-60	2
2	94	11.5	23	-34	-92	31
2	94	12	-23	27	-108	48
2	94	12.5	-32	27	-96	44
2	94	13	11	-19	-7	-16
2	94	13.5	114	-115	110	-159
2	94	14	126	-128	217	-267
2	94	14.5	111	-117	171	-196
2	94	15	150	-156	-1	-30
2	94	15.5	169	-172	-177	157
2	94	16	208	-218	-468	441
2	94	16.5	161	-169	-491	434
2	94	17	-215	212	-415	389
2	94	17.5	-376	368	-253	210
2	94	18	-165	164	-159	96
2	94	18.5	-31	30	-158	105
2	94	19	15	-23	-199	160
2	94	19.5	44	-52	-213	149
2	94	20	10	-18	-209	142
2	94	20.5	-13	10	-185	118
2	94	21	-20	18	-160	95
2	94	21.5	-35	34	-146	75
2	94	22	-68	63	-113	68
2	94	22.5	-28	25	-61	11
2	94	23	-28	21	-80	9

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	94	23.5	-13	12	-61	-9
2	94	24	1	-6	-54	6
2	94	24.5	-85	79	-173	120
2	94	25	-240	239	-213	163
2	94	25.5	-242	233	-149	108
2	94	26	-164	161	-116	45
2	94	26.5	-44	51	-116	53
2	94	27	-114	111	-128	74
2	94	27.5	-186	189	-59	1
2	94	28	-52	44	-84	43
2	94	28.5	63	-65	-171	143
2	94	29	-13	6	-294	229
2	94	29.5	-100	95	-267	221
2	94	30	-146	140	-200	139
2	94	30.5	-189	180	-153	86
2	94	31	-213	211	-139	73
2	94	31.5	-240	238	-143	97
2	94	32	-299	292	-145	77
2	94	32.5	-335	333	-148	80
2	94	33	-263	261	-128	59
2	94	33.5	-186	179	-129	71
2	94	34	-152	148	-177	117
2	94	34.5	-108	106	-214	165
2	94	35	-130	124	-233	167
2	94	35.5	-147	143	-238	172
2	94	36	-162	156	-240	181
2	94	36.5	-163	164	-245	178
2	94	37	-149	142	-267	207
2	94	37.5	-99	98	-266	218
2	94	38	-66	62	-292	224
2	94	38.5	-80	74	-315	251
2	94	39	-140	140	-355	291
2	94	39.5	-171	164	-375	311
2	94	40	-204	201	-382	318
2	94	40.5	-144	136	-408	358
2	94	41	-80	78	-421	353
2	94	41.5	-50	42	-430	361
2	94	42	30	-34	-419	352
2	94	42.5	-31	26	-405	345
2	94	43	-32	9	-365	368
2	95	0.5	-53	43	-251	-42
2	95	1	4	-2	-235	201
2	95	1.5	-13	6	-210	145
2	95	2	-5	6	-205	156

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	95	2.5	1	-4	-222	157
2	95	3	5	-9	-229	166
2	95	3.5	25	-30	-229	176
2	95	4	84	-90	-204	177
2	95	4.5	116	-126	-185	121
2	95	5	131	-140	-182	120
2	95	5.5	137	-143	-187	127
2	95	6	141	-147	-198	133
2	95	6.5	121	-128	-179	116
2	95	7	102	-102	-132	97
2	95	7.5	98	-104	-106	39
2	95	8	104	-105	-84	17
2	95	8.5	98	-103	-50	-13
2	95	9	110	-116	-19	-42
2	95	9.5	110	-115	17	-80
2	95	10	100	-108	59	-91
2	95	10.5	133	-145	37	-81
2	95	11	111	-118	-52	-4
2	95	11.5	25	-35	-88	25
2	95	12	-24	19	-110	47
2	95	12.5	-24	29	-94	46
2	95	13	11	-21	-3	-11
2	95	13.5	112	-115	109	-155
2	95	14	126	-132	215	-262
2	95	14.5	111	-118	176	-198
2	95	15	150	-155	3	-32
2	95	15.5	168	-176	-170	158
2	95	16	207	-217	-464	441
2	95	16.5	165	-169	-491	435
2	95	17	-214	207	-419	391
2	95	17.5	-371	369	-255	214
2	95	18	-165	159	-155	98
2	95	18.5	-34	24	-153	96
2	95	19	18	-19	-200	155
2	95	19.5	48	-50	-211	151
2	95	20	11	-14	-207	145
2	95	20.5	-15	10	-182	120
2	95	21	-24	16	-156	97
2	95	21.5	-37	29	-142	77
2	95	22	-67	61	-109	68
2	95	22.5	-26	25	-56	15
2	95	23	-30	25	-79	11
2	95	23.5	-16	12	-57	-6
2	95	24	-1	-2	-51	0

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	95	24.5	-84	74	-161	114
2	95	25	-241	237	-206	161
2	95	25.5	-242	232	-144	114
2	95	26	-158	156	-108	47
2	95	26.5	-47	46	-115	53
2	95	27	-118	111	-117	75
2	95	27.5	-195	188	-57	-5
2	95	28	-51	47	-82	42
2	95	28.5	58	-67	-169	144
2	95	29	-17	9	-290	228
2	95	29.5	-97	96	-265	224
2	95	30	-144	138	-188	145
2	95	30.5	-189	182	-146	88
2	95	31	-210	205	-131	75
2	95	31.5	-241	235	-141	99
2	95	32	-298	295	-144	78
2	95	32.5	-338	339	-146	86
2	95	33	-264	257	-128	62
2	95	33.5	-186	177	-127	65
2	95	34	-151	145	-174	111
2	95	34.5	-110	101	-215	167
2	95	35	-129	123	-231	166
2	95	35.5	-144	141	-231	169
2	95	36	-163	155	-226	174
2	95	36.5	-163	156	-237	180
2	95	37	-151	148	-263	208
2	95	37.5	-93	87	-261	226
2	95	38	-67	61	-290	227
2	95	38.5	-79	77	-306	252
2	95	39	-142	135	-356	313
2	95	39.5	-175	167	-372	315
2	95	40	-203	201	-381	318
2	95	40.5	-142	128	-404	363
2	95	41	-81	79	-421	354
2	95	41.5	-50	41	-423	364
2	95	42	41	-45	-395	387
2	95	42.5	-31	26	-405	345
2	95	43	-32	9	-365	368
2	96	0.5	-50	48	-246	198
2	96	1	-3	-3	-234	200
2	96	1.5	-14	8	-210	150
2	96	2	1	0	-215	144
2	96	2.5	-3	-7	-221	151
2	96	3	4	-9	-228	163

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	96	3.5	26	-29	-229	182
2	96	4	85	-92	-202	172
2	96	4.5	122	-116	-187	118
2	96	5	135	-139	-185	116
2	96	5.5	134	-140	-191	122
2	96	6	145	-148	-198	127
2	96	6.5	122	-126	-170	114
2	96	7	108	-109	-132	91
2	96	7.5	103	-104	-103	36
2	96	8	103	-110	-85	14
2	96	8.5	99	-99	-53	-16
2	96	9	115	-120	-15	-44
2	96	9.5	108	-117	31	-82
2	96	10	101	-101	62	-94
2	96	10.5	135	-144	31	-76
2	96	11	110	-118	-61	-8
2	96	11.5	25	-32	-90	25
2	96	12	-23	17	-104	44
2	96	12.5	-30	27	-91	44
2	96	13	13	-20	-6	-14
2	96	13.5	117	-120	112	-158
2	96	14	132	-132	220	-267
2	96	14.5	121	-121	176	-201
2	96	15	150	-158	0	-34
2	96	15.5	167	-170	-173	154
2	96	16	209	-221	-464	439
2	96	16.5	165	-158	-486	434
2	96	17	-210	215	-415	386
2	96	17.5	-374	366	-253	213
2	96	18	-165	160	-156	101
2	96	18.5	-34	27	-158	103
2	96	19	16	-20	-198	160
2	96	19.5	46	-55	-214	149
2	96	20	11	-18	-206	144
2	96	20.5	-15	8	-177	118
2	96	21	-23	17	-150	95
2	96	21.5	-36	31	-133	77
2	96	22	-69	60	-102	67
2	96	22.5	-25	22	-59	10
2	96	23	-22	19	-75	8
2	96	23.5	-16	11	-56	-8
2	96	24	-1	-6	-52	-1
2	96	24.5	-80	78	-167	115
2	96	25	-237	237	-199	166

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	96	25.5	-242	232	-145	112
2	96	26	-163	156	-112	42
2	96	26.5	-46	44	-110	55
2	96	27	-114	112	-118	73
2	96	27.5	-193	188	-54	0
2	96	28	-51	44	-68	47
2	96	28.5	59	-68	-171	141
2	96	29	-15	7	-292	226
2	96	29.5	-99	96	-264	220
2	96	30	-148	140	-186	139
2	96	30.5	-186	183	-146	83
2	96	31	-215	209	-135	76
2	96	31.5	-240	235	-142	96
2	96	32	-291	292	-144	77
2	96	32.5	-335	332	-147	81
2	96	33	-263	261	-125	59
2	96	33.5	-182	176	-128	72
2	96	34	-151	155	-176	124
2	96	34.5	-106	100	-213	166
2	96	35	-131	124	-231	163
2	96	35.5	-147	141	-233	164
2	96	36	-164	156	-233	173
2	96	36.5	-159	156	-237	177
2	96	37	-151	145	-264	206
2	96	37.5	-92	83	-264	221
2	96	38	-66	58	-295	226
2	96	38.5	-80	81	-309	254
2	96	39	-143	134	-348	292
2	96	39.5	-174	172	-369	311
2	96	40	-200	200	-383	323
2	96	40.5	-135	126	-409	362
2	96	41	-82	76	-422	353
2	96	41.5	-47	42	-421	358
2	96	42	41	-45	-384	389
2	96	42.5	-31	26	-405	345
2	96	43	-32	9	-365	368
2	97	0.5	-50	42	-253	200
2	97	1	-4	-2	-236	206
2	97	1.5	-12	4	-209	142
2	97	2	-3	-3	-215	149
2	97	2.5	0	-5	-221	154
2	97	3	5	-9	-229	165
2	97	3.5	25	-30	-228	174
2	97	4	88	-91	-205	173

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	97	4.5	120	-125	-184	127
2	97	5	132	-140	-181	120
2	97	5.5	134	-137	-187	127
2	97	6	146	-148	-194	133
2	97	6.5	123	-120	-171	117
2	97	7	101	-111	-131	96
2	97	7.5	95	-102	-103	39
2	97	8	103	-108	-71	19
2	97	8.5	97	-106	-37	-12
2	97	9	117	-119	-7	-40
2	97	9.5	110	-118	24	-79
2	97	10	101	-111	58	-93
2	97	10.5	134	-144	40	-78
2	97	11	111	-121	-56	-3
2	97	11.5	26	-30	-89	26
2	97	12	-21	22	-105	47
2	97	12.5	-31	25	-89	47
2	97	13	13	-22	-3	-12
2	97	13.5	113	-119	111	-154
2	97	14	126	-129	220	-261
2	97	14.5	111	-120	178	-199
2	97	15	149	-158	5	-40
2	97	15.5	167	-172	-165	158
2	97	16	211	-218	-466	440
2	97	16.5	162	-173	-489	436
2	97	17	-214	208	-421	390
2	97	17.5	-376	364	-254	217
2	97	18	-167	157	-155	98
2	97	18.5	-30	30	-155	100
2	97	19	17	-18	-196	159
2	97	19.5	46	-52	-209	151
2	97	20	11	-20	-209	143
2	97	20.5	-13	6	-183	121
2	97	21	-24	18	-155	103
2	97	21.5	-36	29	-142	77
2	97	22	-71	61	-110	70
2	97	22.5	-28	26	-56	15
2	97	23	-32	20	-78	11
2	97	23.5	-15	14	-56	-8
2	97	24	-3	-3	-51	6
2	97	24.5	-79	74	-159	116
2	97	25	-240	235	-206	165
2	97	25.5	-243	232	-145	114
2	97	26	-165	162	-112	48

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	97	26.5	-45	45	-111	54
2	97	27	-117	110	-118	80
2	97	27.5	-195	188	-56	-4
2	97	28	-52	47	-78	36
2	97	28.5	58	-71	-165	148
2	97	29	-10	5	-290	228
2	97	29.5	-100	95	-268	224
2	97	30	-147	138	-195	141
2	97	30.5	-184	179	-151	94
2	97	31	-212	209	-136	78
2	97	31.5	-238	232	-140	99
2	97	32	-298	290	-145	84
2	97	32.5	-336	335	-147	83
2	97	33	-264	257	-126	67
2	97	33.5	-181	178	-125	69
2	97	34	-152	145	-161	119
2	97	34.5	-105	98	-212	168
2	97	35	-131	123	-229	167
2	97	35.5	-148	143	-234	169
2	97	36	-161	156	-239	175
2	97	36.5	-164	156	-245	181
2	97	37	-149	145	-263	206
2	97	37.5	-94	87	-262	226
2	97	38	-66	58	-291	226
2	97	38.5	-77	78	-312	250
2	97	39	-137	137	-355	295
2	97	39.5	-172	170	-372	311
2	97	40	-202	202	-376	322
2	97	40.5	-140	124	-406	362
2	97	41	-82	75	-419	356
2	97	41.5	-49	38	-426	367
2	97	42	46	-49	-384	396
2	97	42.5	-31	26	-405	345
2	97	43	-32	9	-365	368
2	98	0.5	-49	46	-243	207
2	98	1	-3	2	-231	209
2	98	1.5	-14	13	-207	147
2	98	2	-2	3	-214	150
2	98	2.5	-1	-2	-219	155
2	98	3	4	-9	-230	167
2	98	3.5	25	-29	-229	182
2	98	4	82	-86	-202	177
2	98	4.5	120	-122	-182	124
2	98	5	136	-136	-179	123

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	98	5.5	136	-136	-185	127
2	98	6	148	-145	-194	132
2	98	6.5	125	-127	-179	117
2	98	7	101	-108	-132	103
2	98	7.5	99	-100	-106	41
2	98	8	104	-107	-85	20
2	98	8.5	97	-101	-52	-11
2	98	9	112	-117	-18	-40
2	98	9.5	110	-114	21	-74
2	98	10	99	-107	59	-91
2	98	10.5	138	-139	38	-78
2	98	11	120	-119	-57	0
2	98	11.5	26	-29	-88	32
2	98	12	-23	19	-108	49
2	98	12.5	-26	26	-89	48
2	98	13	8	-14	-6	-7
2	98	13.5	112	-116	112	-150
2	98	14	127	-128	216	-253
2	98	14.5	112	-116	181	-198
2	98	15	153	-155	7	-32
2	98	15.5	167	-173	-159	147
2	98	16	205	-215	-456	439
2	98	16.5	173	-173	-493	442
2	98	17	-204	211	-416	396
2	98	17.5	-380	376	-255	219
2	98	18	-167	170	-157	104
2	98	18.5	-31	31	-152	99
2	98	19	13	-6	-196	162
2	98	19.5	46	-57	-208	151
2	98	20	11	-10	-201	149
2	98	20.5	-8	8	-182	122
2	98	21	-18	20	-158	100
2	98	21.5	-35	29	-144	79
2	98	22	-71	63	-112	71
2	98	22.5	-25	27	-55	30
2	98	23	-29	25	-79	14
2	98	23.5	-15	16	-54	-4
2	98	24	-1	-1	-49	5
2	98	24.5	-72	70	-158	112
2	98	25	-235	229	-209	164
2	98	25.5	-243	234	-145	119
2	98	26	-166	162	-111	54
2	98	26.5	-41	43	-107	55
2	98	27	-112	108	-119	79

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	98	27.5	-195	195	-58	2
2	98	28	-51	52	-74	39
2	98	28.5	59	-65	-162	144
2	98	29	-10	7	-289	235
2	98	29.5	-100	92	-269	229
2	98	30	-148	140	-196	147
2	98	30.5	-181	183	-149	93
2	98	31	-206	205	-133	75
2	98	31.5	-235	238	-140	100
2	98	32	-295	294	-143	80
2	98	32.5	-333	335	-145	88
2	98	33	-265	264	-122	64
2	98	33.5	-186	182	-124	71
2	98	34	-152	145	-168	114
2	98	34.5	-109	101	-209	173
2	98	35	-130	133	-228	176
2	98	35.5	-149	145	-233	170
2	98	36	-155	157	-237	179
2	98	36.5	-165	159	-238	184
2	98	37	-148	145	-265	203
2	98	37.5	-94	93	-260	227
2	98	38	-64	61	-291	230
2	98	38.5	-79	78	-312	249
2	98	39	-137	137	-352	293
2	98	39.5	-173	169	-371	313
2	98	40	-201	204	-378	322
2	98	40.5	-144	131	-407	362
2	98	41	-83	78	-418	355
2	98	41.5	-50	41	-423	378
2	98	42	43	-45	-382	392
2	98	42.5	-31	26	-405	345
2	98	43	-32	9	-365	368
2	99	0.5	-50	43	-250	196
2	99	1	4	1	-233	205
2	99	1.5	-11	11	-204	156
2	99	2	-7	0	-214	148
2	99	2.5	2	-5	-219	162
2	99	3	6	-9	-228	180
2	99	3.5	27	-31	-230	186
2	99	4	81	-89	-200	178
2	99	4.5	117	-123	-184	121
2	99	5	133	-139	-179	127
2	99	5.5	140	-140	-185	132
2	99	6	146	-149	-191	134

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	99	6.5	133	-128	-174	118
2	99	7	99	-111	-132	97
2	99	7.5	98	-95	-104	41
2	99	8	103	-106	-79	23
2	99	8.5	100	-102	-43	-13
2	99	9	114	-115	-6	-41
2	99	9.5	112	-116	23	-72
2	99	10	100	-106	61	-92
2	99	10.5	135	-142	37	-82
2	99	11	117	-121	-56	5
2	99	11.5	28	-36	-87	39
2	99	12	-22	19	-103	52
2	99	12.5	-28	27	-90	48
2	99	13	6	-13	-11	-2
2	99	13.5	114	-117	106	-150
2	99	14	128	-128	222	-251
2	99	14.5	113	-119	185	-214
2	99	15	152	-158	10	-44
2	99	15.5	165	-165	-159	145
2	99	16	208	-217	-457	435
2	99	16.5	175	-179	-490	437
2	99	17	-200	192	-427	408
2	99	17.5	-379	377	-261	227
2	99	18	-174	170	-148	104
2	99	18.5	-36	31	-152	105
2	99	19	10	-10	-194	169
2	99	19.5	46	-58	-208	149
2	99	20	13	-19	-206	146
2	99	20.5	-9	9	-184	121
2	99	21	-20	18	-156	101
2	99	21.5	-32	29	-142	81
2	99	22	-60	64	-112	68
2	99	22.5	-35	23	-56	20
2	99	23	-30	26	-77	17
2	99	23.5	-15	17	-59	-4
2	99	24	-1	-4	-49	-6
2	99	24.5	-70	70	-153	108
2	99	25	-234	224	-212	155
2	99	25.5	-243	237	-146	121
2	99	26	-172	167	-111	59
2	99	26.5	-48	46	-110	58
2	99	27	-106	103	-123	92
2	99	27.5	-188	191	-54	7
2	99	28	-56	49	-80	41

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	99	28.5	59	-63	-159	139
2	99	29	-9	9	-286	230
2	99	29.5	-95	91	-268	236
2	99	30	-144	138	-196	149
2	99	30.5	-185	185	-147	90
2	99	31	-208	204	-134	82
2	99	31.5	-235	237	-137	98
2	99	32	-292	290	-137	85
2	99	32.5	-334	332	-147	92
2	99	33	-268	269	-126	67
2	99	33.5	-184	180	-122	77
2	99	34	-148	153	-170	116
2	99	34.5	-110	105	-206	169
2	99	35	-130	127	-228	172
2	99	35.5	-148	145	-233	173
2	99	36	-160	157	-236	183
2	99	36.5	-164	159	-233	188
2	99	37	-146	143	-258	205
2	99	37.5	-100	93	-259	223
2	99	38	-66	59	-283	234
2	99	38.5	-79	77	-310	260
2	99	39	-136	132	-351	299
2	99	39.5	-173	165	-371	315
2	99	40	-201	204	-377	324
2	99	40.5	-145	144	-406	360
2	99	41	-82	79	-412	357
2	99	41.5	-48	44	-428	370
2	99	42	40	-43	-412	354
2	99	42.5	-31	25	-397	345
2	99	43	-48	-3	-379	360
2	100	0.5	-44	42	-246	220
2	100	1	-4	-7	-235	204
2	100	1.5	-16	6	-214	143
2	100	2	-7	1	-218	146
2	100	2.5	-2	-7	-221	154
2	100	3	4	-5	-233	165
2	100	3.5	25	-32	-225	181
2	100	4	82	-90	-204	173
2	100	4.5	117	-124	-185	118
2	100	5	135	-140	-183	117
2	100	5.5	130	-144	-189	123
2	100	6	146	-150	-186	130
2	100	6.5	122	-129	-169	116
2	100	7	99	-106	-134	97

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	100	7.5	98	-103	-94	37
2	100	8	100	-107	-66	18
2	100	8.5	95	-106	-35	-15
2	100	9	108	-120	-5	-46
2	100	9.5	110	-114	25	-82
2	100	10	97	-108	57	-91
2	100	10.5	135	-144	33	-75
2	100	11	111	-119	-61	-1
2	100	11.5	28	-37	-91	29
2	100	12	-20	18	-105	46
2	100	12.5	-30	22	-90	47
2	100	13	6	-18	-8	-6
2	100	13.5	110	-120	108	-155
2	100	14	126	-132	215	-256
2	100	14.5	111	-116	177	-209
2	100	15	150	-159	4	-36
2	100	15.5	165	-167	-163	144
2	100	16	205	-220	-459	436
2	100	16.5	171	-177	-487	433
2	100	17	-202	200	-423	391
2	100	17.5	-380	370	-261	218
2	100	18	-171	163	-157	106
2	100	18.5	-35	29	-155	98
2	100	19	10	-16	-197	163
2	100	19.5	48	-57	-213	148
2	100	20	13	-18	-201	146
2	100	20.5	-16	7	-172	124
2	100	21	-25	17	-146	96
2	100	21.5	-40	29	-129	76
2	100	22	-73	59	-103	67
2	100	22.5	-27	21	-62	18
2	100	23	-31	21	-80	10
2	100	23.5	-17	12	-56	-5
2	100	24	-4	-8	-54	-4
2	100	24.5	-77	72	-161	109
2	100	25	-236	227	-200	158
2	100	25.5	-245	233	-148	120
2	100	26	-174	163	-112	50
2	100	26.5	-42	44	-112	56
2	100	27	-115	104	-121	77
2	100	27.5	-196	187	-60	3
2	100	28	-54	46	-83	44
2	100	28.5	55	-68	-166	141
2	100	29	-13	1	-285	228

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	100	29.5	-100	90	-270	223
2	100	30	-149	137	-193	142
2	100	30.5	-188	181	-150	89
2	100	31	-210	205	-138	72
2	100	31.5	-243	234	-144	97
2	100	32	-297	288	-148	77
2	100	32.5	-336	329	-149	86
2	100	33	-268	264	-129	72
2	100	33.5	-189	178	-129	74
2	100	34	-152	151	-172	116
2	100	34.5	-113	101	-215	166
2	100	35	-134	127	-232	164
2	100	35.5	-150	140	-236	167
2	100	36	-164	155	-242	175
2	100	36.5	-162	155	-240	181
2	100	37	-150	144	-255	203
2	100	37.5	-96	89	-264	222
2	100	38	-66	59	-295	230
2	100	38.5	-80	75	-313	253
2	100	39	-139	134	-348	294
2	100	39.5	-178	168	-372	310
2	100	40	-204	201	-381	319
2	100	40.5	-145	140	-409	361
2	100	41	-80	75	-422	353
2	100	41.5	-50	42	-427	361
2	100	42	37	-45	-422	351
2	100	42.5	-34	27	-406	345
2	100	43	-51	6	-386	370
2	101	0.5	-49	47	-250	202
2	101	1	-1	-3	-238	206
2	101	1.5	-14	11	-210	154
2	101	2	-4	8	-215	148
2	101	2.5	0	-4	-219	159
2	101	3	6	-10	-231	170
2	101	3.5	25	-29	-237	176
2	101	4	81	-85	-204	174
2	101	4.5	119	-125	-183	125
2	101	5	136	-137	-180	129
2	101	5.5	139	-140	-184	133
2	101	6	142	-148	-198	135
2	101	6.5	127	-126	-180	116
2	101	7	100	-109	-133	98
2	101	7.5	101	-102	-105	42
2	101	8	104	-106	-84	21

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	101	8.5	98	-102	-50	-12
2	101	9	112	-115	-20	-41
2	101	9.5	110	-115	15	-79
2	101	10	98	-105	58	-93
2	101	10.5	137	-143	38	-81
2	101	11	114	-120	-57	3
2	101	11.5	28	-37	-86	31
2	101	12	-17	17	-108	50
2	101	12.5	-32	25	-94	48
2	101	13	7	-15	-13	-5
2	101	13.5	113	-116	106	-148
2	101	14	128	-127	214	-256
2	101	14.5	111	-113	183	-210
2	101	15	151	-152	17	-43
2	101	15.5	164	-172	-153	138
2	101	16	206	-213	-456	433
2	101	16.5	178	-183	-495	433
2	101	17	-192	185	-426	399
2	101	17.5	-382	377	-264	226
2	101	18	-180	176	-159	101
2	101	18.5	-41	32	-152	100
2	101	19	13	-10	-196	156
2	101	19.5	52	-54	-201	156
2	101	20	15	-19	-208	144
2	101	20.5	-6	6	-185	123
2	101	21	-19	17	-161	100
2	101	21.5	-38	30	-138	78
2	101	22	-60	60	-121	69
2	101	22.5	-30	30	-58	19
2	101	23	-30	26	-80	11
2	101	23.5	-17	11	-58	-5
2	101	24	-4	0	-50	-6
2	101	24.5	-68	67	-151	107
2	101	25	-228	225	-215	154
2	101	25.5	-245	236	-150	120
2	101	26	-178	169	-105	51
2	101	26.5	-50	44	-110	55
2	101	27	-104	100	-126	78
2	101	27.5	-196	191	-55	7
2	101	28	-58	50	-78	38
2	101	28.5	57	-63	-158	142
2	101	29	-8	5	-283	230
2	101	29.5	-97	90	-270	229
2	101	30	-147	139	-198	149

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	101	30.5	-187	181	-150	85
2	101	31	-208	202	-135	77
2	101	31.5	-238	235	-140	96
2	101	32	-294	293	-144	83
2	101	32.5	-335	331	-145	83
2	101	33	-267	273	-127	65
2	101	33.5	-188	179	-123	71
2	101	34	-150	146	-170	120
2	101	34.5	-114	105	-208	163
2	101	35	-133	126	-230	168
2	101	35.5	-141	140	-232	169
2	101	36	-162	156	-237	174
2	101	36.5	-162	157	-240	186
2	101	37	-142	144	-259	201
2	101	37.5	-103	96	-261	223
2	101	38	-66	60	-285	229
2	101	38.5	-79	76	-315	257
2	101	39	-137	134	-352	294
2	101	39.5	-173	172	-373	315
2	101	40	-202	203	-374	327
2	101	40.5	-149	139	-407	360
2	101	41	-83	80	-418	371
2	101	41.5	-51	47	-427	367
2	101	42	36	-43	-416	354
2	101	42.5	-34	26	-401	347
2	101	43	-56	2	-369	357
2	102	0.5	-47	45	-251	197
2	102	1	-3	-4	-239	213
2	102	1.5	-15	7	-208	144
2	102	2	1	1	-214	148
2	102	2.5	-1	-2	-220	153
2	102	3	8	-8	-233	164
2	102	3.5	29	-29	-230	176
2	102	4	85	-89	-203	174
2	102	4.5	119	-122	-179	120
2	102	5	135	-139	-182	118
2	102	5.5	135	-141	-188	123
2	102	6	145	-146	-197	131
2	102	6.5	124	-130	-180	116
2	102	7	109	-110	-133	97
2	102	7.5	98	-103	-106	39
2	102	8	105	-106	-85	19
2	102	8.5	100	-95	-52	-13
2	102	9	113	-109	-21	-41

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	102	9.5	111	-114	15	-80
2	102	10	101	-107	58	-93
2	102	10.5	137	-141	34	-85
2	102	11	115	-117	-58	-7
2	102	11.5	28	-37	-87	23
2	102	12	-21	19	-109	44
2	102	12.5	-29	27	-100	44
2	102	13	11	-13	-12	-5
2	102	13.5	111	-118	109	-152
2	102	14	130	-129	211	-254
2	102	14.5	111	-120	179	-209
2	102	15	149	-159	10	-38
2	102	15.5	167	-173	-159	147
2	102	16	209	-212	-460	432
2	102	16.5	176	-178	-498	436
2	102	17	-200	195	-423	397
2	102	17.5	-381	374	-263	221
2	102	18	-173	169	-161	101
2	102	18.5	-35	31	-155	91
2	102	19	12	-12	-197	151
2	102	19.5	48	-58	-210	148
2	102	20	10	-18	-209	144
2	102	20.5	-12	8	-181	123
2	102	21	-23	20	-160	102
2	102	21.5	-33	31	-145	80
2	102	22	-76	67	-121	70
2	102	22.5	-25	18	-58	20
2	102	23	-30	25	-80	14
2	102	23.5	-15	12	-61	1
2	102	24	-1	-4	-51	-7
2	102	24.5	-73	68	-157	109
2	102	25	-233	227	-218	155
2	102	25.5	-243	243	-151	117
2	102	26	-173	166	-116	55
2	102	26.5	-50	45	-106	51
2	102	27	-109	108	-129	81
2	102	27.5	-197	192	-57	-3
2	102	28	-54	50	-72	38
2	102	28.5	61	-59	-165	137
2	102	29	-11	4	-289	230
2	102	29.5	-98	94	-274	232
2	102	30	-146	140	-200	143
2	102	30.5	-186	182	-148	94
2	102	31	-211	209	-136	73

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	102	31.5	-240	238	-143	100
2	102	32	-295	289	-142	79
2	102	32.5	-336	331	-144	85
2	102	33	-266	261	-128	64
2	102	33.5	-183	182	-125	71
2	102	34	-152	150	-171	114
2	102	34.5	-107	104	-210	167
2	102	35	-130	127	-231	166
2	102	35.5	-149	144	-233	168
2	102	36	-164	158	-240	172
2	102	36.5	-162	159	-239	184
2	102	37	-149	147	-267	202
2	102	37.5	-92	86	-262	224
2	102	38	-65	66	-291	228
2	102	38.5	-80	79	-316	253
2	102	39	-141	137	-356	296
2	102	39.5	-174	173	-376	311
2	102	40	-200	205	-380	322
2	102	40.5	-139	134	-405	358
2	102	41	-82	79	-416	357
2	102	41.5	-49	43	-425	363
2	102	42	39	-42	-420	353
2	102	42.5	-34	26	-404	336
2	102	43	-52	1	-381	369
2	103	0.5	-51	43	-249	202
2	103	1	-2	-2	-236	211
2	103	1.5	-15	9	-208	148
2	103	2	-5	2	-212	152
2	103	2.5	0	-5	-218	158
2	103	3	5	-11	-228	173
2	103	3.5	27	-31	-227	177
2	103	4	81	-92	-203	174
2	103	4.5	119	-126	-184	126
2	103	5	135	-139	-175	121
2	103	5.5	136	-141	-183	127
2	103	6	145	-146	-198	130
2	103	6.5	128	-131	-175	121
2	103	7	98	-108	-133	98
2	103	7.5	98	-104	-104	48
2	103	8	105	-108	-84	19
2	103	8.5	101	-106	-51	-12
2	103	9	111	-116	-17	-41
2	103	9.5	115	-113	23	-78
2	103	10	104	-109	58	-95

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	103	10.5	138	-140	41	-77
2	103	11	117	-121	-56	-5
2	103	11.5	29	-37	-87	27
2	103	12	-19	17	-109	49
2	103	12.5	-28	26	-93	48
2	103	13	9	-16	-6	-7
2	103	13.5	112	-114	110	-146
2	103	14	126	-133	212	-253
2	103	14.5	111	-118	185	-204
2	103	15	150	-158	9	-35
2	103	15.5	163	-173	-158	150
2	103	16	208	-217	-459	436
2	103	16.5	174	-180	-491	437
2	103	17	-187	197	-422	398
2	103	17.5	-380	374	-259	225
2	103	18	-174	169	-161	107
2	103	18.5	-37	36	-155	95
2	103	19	13	-13	-196	159
2	103	19.5	50	-61	-210	149
2	103	20	11	-18	-208	143
2	103	20.5	-10	6	-183	129
2	103	21	-21	18	-160	99
2	103	21.5	-35	28	-141	81
2	103	22	-66	66	-112	72
2	103	22.5	-34	24	-58	24
2	103	23	-30	26	-79	29
2	103	23.5	-17	13	-57	-5
2	103	24	-3	-6	-48	5
2	103	24.5	-71	68	-149	111
2	103	25	-231	225	-209	159
2	103	25.5	-237	234	-150	122
2	103	26	-170	168	-116	58
2	103	26.5	-46	45	-112	61
2	103	27	-113	105	-123	83
2	103	27.5	-198	190	-60	2
2	103	28	-56	48	-78	48
2	103	28.5	63	-64	-163	144
2	103	29	-3	5	-284	235
2	103	29.5	-99	97	-270	226
2	103	30	-145	137	-197	146
2	103	30.5	-187	188	-150	90
2	103	31	-211	207	-138	75
2	103	31.5	-241	236	-142	100
2	103	32	-299	293	-144	81

Pointer	Rdg_Set	Depth	A_0	A_180	B_0	B_180
2	103	32.5	-331	332	-144	85
2	103	33	-261	258	-125	65
2	103	33.5	-184	177	-122	75
2	103	34	-151	145	-163	115
2	103	34.5	-108	106	-212	170
2	103	35	-131	134	-230	171
2	103	35.5	-147	143	-234	170
2	103	36	-162	157	-238	178
2	103	36.5	-165	158	-243	189
2	103	37	-146	144	-257	212
2	103	37.5	-88	84	-263	226
2	103	38	-61	61	-292	233
2	103	38.5	-80	78	-315	257
2	103	39	-143	137	-356	301
2	103	39.5	-175	169	-372	317
2	103	40	-206	201	-380	322
2	103	40.5	-137	135	-405	363
2	103	41	-80	81	-419	357
2	103	41.5	-47	42	-423	372
2	103	42	39	-46	-412	355
2	103	42.5	-33	19	-397	354
2	103	43	-39	9	-364	364

DisplayID	DisplayName	SortOrder	InstCode	DateCreated
9	Cumulative & Time Displacement A-Axis	999	5	
10	Cumulative & Time Displacement B-Axis	999	5	
11	Cumulative & Time Displacement AB-Axis	999	5	
12	Cumulative & Time Displacement A-Axis	999	2	
13	Cumulative & Time Displacement B-Axis	999	2	
14	Cumulative & Time Displacement AB-Axis	999	2	
15	Cumulative & Time Displacement A-Axis	999	1	
16	Cumulative & Time Displacement B-Axis	999	1	
17	Cumulative & Time Displacement AB-Axis	999	1	
18	Cumulative & Time Displacement A-Axis	999	4	
19	Cumulative & Time Displacement B-Axis	999	4	
20	Cumulative & Time Displacement AB-Axis	999	4	
21	Cumulative & Time Displacement A-Axis	999	7	
22	Cumulative & Time Displacement B-Axis	999	7	
23	Cumulative & Time Displacement AB-Axis	999	7	
25	Cumulative & Time Displacement A-Axis	999	6	
26	Cumulative & Time Displacement A-Axis	999	8	
27	Cumulative & Time Displacement B-Axis	999	8	
28	Cumulative & Time Displacement AB-Axis	999	8	
29	Cumulative & Time Displacement B-Axis	999	6	
30	Cumulative & Time Displacement AB-Axis	999	6	
32	Data Correction	999	2	
33	Data Correction	999	7	
34	Data Correction	999	5	
35	Data Correction	999	1	
36	Data Correction	999	8	
37	Data Correction	999	4	
38	Data Correction	999	6	

DateLastRun	DateLastM	DisplayTyp	CompanyName	CompanyName	CompanyName	CompanyName
-27 3:29:01 PM	:00:37 PM	R	VM00560	Mt. Polley	Cumulative & T	SI01-02
-04 3:16:58 PM	:59:42 PM	R	VM00560	Mt. Polley	Cumulative & I	SI01-02
-04 4:00:06 PM	:00:21 PM	R	VM00560	Mt. Polley	Cumulative & I	SI01-02
0 10:26:23 AM	:47:28 PM	R	VM00560	Mt. Polley	Cumulative & T	SI06-01
-12 3:17:13 PM	:47:12 PM	R	VM00560	Mt. Polley	Cumulative & T	SI06-01
-28 8:44:41 AM	:46:58 PM	R	VM00560	Mt. Polley	Cumulative & T	SI06-01
-19 4:25:13 PM	:44:37 PM	R	VM00560	Mt. Polley	Cumulative & T	SI06-02
-12 4:08:51 PM	:44:28 PM	R	VM00560	Mt. Polley	Cumulative & T	SI06-02
-28 8:44:41 AM	:44:19 PM	R	VM00560	Mt. Polley	Cumulative & T	SI06-02
-04 3:22:10 PM	:46:04 PM	R	VM00560	Mt. Polley	Cumulative & T	SI06-03
-27 3:45:50 PM	:45:53 PM	R	VM00560	Mt. Polley	Cumulative & T	SI06-03
-06 2:44:01 PM	:45:41 PM	R	VM00560	Mt. Polley	Cumulative & T	SI06-03
-26 4:19:42 PM	:42:48 PM	R	VM00560	Mt. Polley	Cumulative & T	SI11-01
-06 2:02:26 PM	:42:40 PM	R	VM00560	Mt. Polley	Cumulative & T	SI11-01
-06 2:02:05 PM	:42:31 PM	R	VM00560	Mt. Polley	Cumulative & T	SI11-01
-15 9:52:43 AM	:37:51 PM	R	VM00560	Mt. Polley	Cumulative & T	SI11-04
-02 3:06:51 PM	:43:24 PM	R	VM00560	Mt. Polley	Cumulative & T	SI11-02
-06 2:31:41 PM	:43:14 PM	R	VM00560	Mt. Polley	Cumulative & T	SI11-02
-02 3:09:21 PM	:43:05 PM	R	VM00560	Mt. Polley	Cumulative & T	SI11-02
5 10:00:40 AM	:38:11 PM	R	VM00560	Mt. Polley	Cumulative & T	SI11-04
-15 9:59:05 AM	:39:16 PM	R	VM00560	Mt. Polley	Cumulative & T	SI11-04
-20 3:26:09 PM	:21:59 PM	R	KX04397	WEST QUESNE	CUMMULATIV	SI-8
-20 3:26:09 PM	:23:45 PM	R	KX04397	WEST QUESNE	CUMMULATIV	SI-8
-20 3:26:09 PM	:25:22 PM	R	KX04397	WEST QUESNE	CUMMULATIV	SI-8
-20 3:26:09 PM	:38:21 PM	R	KX04397	WEST QUESNE	CUMMULATIV	SI-8
-20 3:26:09 PM	:40:26 PM	R	KX04397	WEST QUESNE	CUMMULATIV	SI-8
-20 3:26:09 PM	:43:27 PM	R	KX04397	WEST QUESNE	CUMMULATIV	SI-8
-20 3:26:09 PM	:46:13 PM	R	KX04397	WEST QUESNE	CUMMULATIV	SI-8

CompanyI	Company	Compan	CompanyName8	CompanyName	CompanyName	CompanyName
			A-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			B-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			AB-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			A-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			B-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			AB-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			A-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			B-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			AB-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			A-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			B-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			AB-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			A-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			B-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			AB-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			A-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			B-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			AB-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			B-Axis	Arial,14,B	Arial,10,B	Arial,10,B
			AB-Axis	Arial,14,B	Arial,10,B	Arial,10,B
				Arial,10,N	Arial,10,N	Arial,10,N
				Arial,10,N	Arial,10,N	Arial,10,N
				Arial,10,N	Arial,10,N	Arial,10,N
				Arial,10,N	Arial,10,N	Arial,10,N
				Arial,10,N	Arial,10,N	Arial,10,N
				Arial,10,N	Arial,10,N	Arial,10,N
				Arial,10,N	Arial,10,N	Arial,10,N

INVESTIGATION BGC-21 Page 62 of 528

TitleBlockBorder	TitleBlockTop	TitleBlockLeft	TitleLinesLeftMin	TitleLinesRightMin	LogoEnabled
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	3	2	3	15	-1
0	5	2	3	48	0
0	5	2	3	48	0
0	5	2	3	48	0
0	5	2	3	48	0
0	5	2	3	48	0
0	5	2	3	48	0
0	5	2	3	48	0

CompanyIcon	LogoTop	LogoRight
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
C:\Program Files (x86)\DigiPro\bmp\ameccol.bmp	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
C:\Program Files (x86)\DigiPro\bmp\ameccol.bmp	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
C:\Program Files (x86)\DigiPro\bmp\ameccol.bmp	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
P:\Projects\VM (Burnaby Mining) projects\VM00560 - Mt. Polley\	2	100
L:\Graphics\Logos\logos\ameccol.bmp	3	100
L:\Graphics\Logos\logos\ameccol.bmp	3	100
L:\Graphics\Logos\logos\ameccol.bmp	3	100
L:\Graphics\Logos\logos\ameccol.bmp	3	100
L:\Graphics\Logos\logos\ameccol.bmp	3	100
L:\Graphics\Logos\logos\ameccol.bmp	3	100
L:\Graphics\Logos\logos\ameccol.bmp	3	100
L:\Graphics\Logos\logos\ameccol.bmp	3	100

LogoBottom	LogoLeft	OnMonthlyRep	IsATemplate	MarginTop	MarginBottom
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
9	75	0	0	0.5	0.5
10	75	0	0	0.5	0.5
10	75	0	0	0.5	0.5
10	75	0	0	0.5	0.5
10	75	0	0	0.5	0.5
10	75	0	0	0.5	0.5
10	75	0	0	0.5	0.5
10	75	0	0	0.5	0.5

MarginLeft	MarginRight	IsPortrait	PaperType	ZoomLevel	ZoomStyle
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.070741	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.144074	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.098395	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.087037	1
0.5	0.5	-1	Letter	1.144074	1
0.5	0.5	-1	Letter	1.144074	1
0.5	0.5	-1	Letter	1.088642	1
0.5	0.5	-1	Letter	1.088642	1
0.5	0.5	-1	Letter	1.088642	1
0.5	0.5	-1	Letter	1.088642	1
0.5	0.5	-1	Letter	1.088642	1
0.5	0.5	-1	Letter	1.088642	1
0.5	0.5	-1	Letter	1.088642	1
0.5	0.5	-1	Letter	1.088642	1

UseAutoInclude	AutoIncludes	PaperX	PaperY	WindowTop	WindowLeft
-1	0	8.5	11	105	795
-1	0	8.5	11	555	1620
-1	0	8.5	11	0	7665
-1	0	8.5	11	75	6165
-1	0	8.5	11	45	7740
-1	0	8.5	11	0	0
-1	0	8.5	11	465	6825
-1	0	8.5	11	225	7440
-1	0	8.5	11	120	7305
-1	0	8.5	11	-75	6150
-1	0	8.5	11	60	6765
-1	0	8.5	11	-60	6450
-1	0	8.5	11	-255	7425
-1	0	8.5	11	0	8565
-1	0	8.5	11	330	7665
-1	0	8.5	11	-195	7365
-1	0	8.5	11	-75	7470
-1	0	8.5	11	30	6435
-1	0	8.5	11	330	7665
-1	0	8.5	11	-120	7305
-1	0	8.5	11	0	0
-1	0	8.5	11	105	7650
-1	0	8.5	11	165	6075
-1	0	8.5	11	105	7650
-1	0	8.5	11	105	7650
-1	0	8.5	11	105	7650
-1	0	8.5	11	105	7650
-1	0	8.5	11	105	7650

WindowHeight	WindowWidth
13695	10470
13695	10470
13700	10470
13700	10470
13705	10470
13695	10470
13700	10470
13695	10470
13512	10323
13695	10470
13695	10470
13705	10470
14376	10990
13705	10470
13695	10470
13842	10575
13700	10470
13695	10470
13695	10470
14380	10990
14381	10990
13725	10486
13715	10486
13725	10486
13715	10486
13715	10486
13715	10486
13715	10486

GraphID	DisplayCode	GraphNumber	GraphName
17	9	1	Graph #17 name
18	9	2	Graph #18 name
19	10	1	Graph #19 name
20	10	2	Graph #20 name
21	11	1	Graph #21 name
22	11	2	Graph #22 name
23	12	1	Graph #23 name
24	12	2	Graph #24 name
25	13	1	Graph #25 name
26	13	2	Graph #26 name
27	14	1	Graph #27 name
28	14	2	Graph #28 name
29	15	1	Graph #29 name
30	15	2	Graph #30 name
31	16	1	Graph #31 name
32	16	2	Graph #32 name
33	17	1	Graph #33 name
34	17	2	Graph #34 name
35	18	1	Graph #35 name
36	18	2	Graph #36 name
37	19	1	Graph #37 name
38	19	2	Graph #38 name
39	20	1	Graph #39 name
40	20	2	Graph #40 name
41	21	1	Graph #41 name
42	21	2	Graph #42 name
43	22	1	Graph #43 name
44	22	2	Graph #44 name
45	23	1	Graph #45 name
46	23	2	Graph #46 name
49	25	1	Graph #49 name
50	25	2	Graph #50 name
51	26	1	Graph #51 name
52	26	2	Graph #52 name
53	27	1	Graph #53 name
54	27	2	Graph #54 name
55	28	1	Graph #55 name
56	28	2	Graph #56 name
57	29	1	Graph #57 name
58	29	2	Graph #58 name
59	30	1	Graph #59 name
60	30	2	Graph #60 name

INVESTIGATION BGC-21 Page 70 of 528

INVESTIGATION BGC-21 Page 71 of 528

INVESTIGATION BGC-21 Page 72 of 528

INVESTIGATION BGC-21 Page 73 of 528

INVESTIGATION BGC-21 Page 74 of 528

INVESTIGATION BGC-21 Page 75 of 528

YInc	YSkip	PlotAxis	Floats	UseFloats	DataUnits
10	2	1	5	-1	1
5	1	1	100	-1	1
10	2	2	5	-1	1
5	1	2	100	-1	1
10	2	3	5	-1	1
5	1	3	100	-1	1
5	2	1	5	-1	1
5	1	1	100	-1	1
5	2	2	5	-1	1
5	1	2	100	-1	1
5	2	3	5	-1	1
5	1	3	100	-1	1
5	2	1	5	-1	1
5	1	1	100	-1	1
5	2	2	5	-1	1
5	1	2	100	-1	1
5	2	3	5	-1	1
5	1	3	100	-1	1
5	2	1	5	-1	1
5	1	1	100	-1	1
5	2	2	5	-1	1
5	1	2	100	-1	1
5	2	3	5	-1	1
5	1	3	100	-1	1
5	2	1	5	-1	1
5	1	1	100	-1	1
5	2	2	5	-1	1
5	1	2	100	-1	1
5	2	3	5	-1	1
5	1	3	100	-1	1
10	2	1	5	-1	1
5	1	1	100	-1	1
5	2	1	5	-1	1
5	1	1	100	-1	1
5	2	2	5	-1	1
5	1	2	100	-1	1
5	2	3	5	-1	1
5	1	3	100	-1	1
10	2	2	5	-1	1
5	1	2	100	-1	1
10	2	3	5	-1	1
5	1	3	100	-1	1

INVESTIGATION BGC-21 Page 77 of 528

ShowLegendTin	InitialSet	Invisible	ZoneStart0	ZoneStart1	ZoneStart2
0	1	0	-1	-1	-1
0	1	0	13	27	-1
0	1	0	0	0	0
0	1	0	13	27	-1
0	1	0	0	0	0
0	1	0	13	27	-1
0	87	0	-1	-1	-1
0	87	0	0	-1	-1
0	87	0	-1	-1	-1
0	87	0	0	-1	-1
0	87	0	-1	-1	-1
0	87	0	0	-1	-1
0	54	0	-1	-1	-1
0	54	0	0	-1	-1
0	54	0	-1	-1	-1
0	54	0	0	-1	-1
0	54	0	-1	-1	-1
0	54	0	0	-1	-1
0	26	0	-1	-1	-1
0	26	0	11	-1	-1
0	26	0	-1	-1	-1
0	26	0	11	-1	-1
0	26	0	-1	-1	-1
0	26	0	11	-1	-1
0	1	0	-1	-1	-1
0	1	0	10	-1	-1
0	1	0	-1	-1	-1
0	1	0	10	-1	-1
0	1	0	-1	-1	-1
0	1	0	10	-1	-1
0	1	0	-1	-1	-1
0	1	0	23	-1	-1
0	1	0	-1	-1	-1
0	1	0	7	-1	-1
0	1	0	-1	-1	-1
0	1	0	7	-1	-1
0	1	0	-1	-1	-1
0	1	0	7	-1	-1
0	1	0	-1	-1	-1
0	1	0	-1	-1	-1
0	1	0	23	-1	-1
0	1	0	-1	-1	-1
0	1	0	23	-1	-1

ZoneStart3	ZoneStart4	ZoneStop0	ZoneStop1	ZoneStop2	ZoneStop3
-1	-1	-1	-1	-1	-1
-1	-1	49	49	-1	-1
0	0	-1	-1	-1	-1
-1	-1	49	49	-1	-1
0	0	-1	-1	-1	-1
-1	-1	49	49	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	86	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	86	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	86	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	59	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	59	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	59	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	79	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	79	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	79	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	96	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	96	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	96	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	87	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	96	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	96	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	96	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	87	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	87	-1	-1	-1

INVESTIGATION BGC-21 Page 80 of 528

[illegible]

GraphID	DisplayCode	GraphNumber	GraphName
63	32	1	Graph #63 name
64	32	2	Graph #64 name
65	33	1	Graph #65 name
66	33	2	Graph #66 name
67	34	1	Graph #67 name
68	34	2	Graph #68 name
69	35	1	Graph #69 name
70	35	2	Graph #70 name
71	36	1	Graph #71 name
72	36	2	Graph #72 name
73	37	1	Graph #73 name
74	37	2	Graph #74 name
75	38	1	Graph #75 name
76	38	2	Graph #76 name

GraphFileName	GraphLocation	GraphType	CF
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12
P:\Projects\VM (Burnaby Mining) projects\VM	unknown location	1	12

UnitLabel	SumFrom	IsElevation	ElevationVal	Sensitivity	Orientation
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15
millimeters	B	0	0		15

AutoGraphTitle	GraphTitle	AutoDataTitle	YTitle	AutoDepthTitle
-1 1 SI06, A-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 1 SI06, B-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 1 SI11, A-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 1 SI11, B-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 2 SI01, A-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 2 SI01, B-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 2 SI06, A-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 2 SI06, B-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 2 SI11, A-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 2 SI11, B-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 3 SI06, A-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 3 SI06, B-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 4 SI11, A-Axis		-1	Cumulative Displacement (mm) fr	-1
-1 4 SI11, B-Axis		-1	Cumulative Displacement (mm) fr	-1

XTitle	UseRotation	UseOffset	UseSpiral	UseOrientation	UseSensitivity
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0
Depth in meter	0	-1	0	0	0

GraphX1	GraphY1	GraphX2	GraphY2	XScaleManual	XMin
0	5	50	100	0	0
50	5	95	100	0	0
0	5	50	100	0	0
50	5	95	100	0	0
0	5	50	100	0	0
50	5	95	100	0	0
0	5	50	100	0	0
50	5	95	100	0	0
0	5	50	100	0	0
50	5	95	100	0	0
0	5	50	100	0	0
50	5	95	100	0	0
0	5	50	100	0	0
50	5	95	100	0	0
0	5	50	100	0	0
50	5	95	100	0	0

XMax	XInc	XSkip	YScaleManual	YMin	YMax
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-5	25
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10
75	5	1	-1	-10	10

YInc	YSkip	PlotAxis	Floats	UseFloats	DataUnits
5	1	1	5	-1	1
5	1	2	5	-1	1
5	1	1	5	-1	1
5	1	2	5	-1	1
5	1	1	5	-1	1
5	1	2	5	-1	1
5	1	1	5	-1	1
5	1	2	5	-1	1
5	1	1	5	-1	1
5	1	2	5	-1	1
5	1	1	5	-1	1
5	1	2	5	-1	1
5	1	1	5	-1	1
5	1	2	5	-1	1
5	1	1	5	-1	1
5	1	2	5	-1	1

DepthUnits	AutoDepthAdju	GraphFont	AxisScaleFont	AxisTitleFont	LegendPosition
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3
1	-1	Arial,12,N	Arial,10,N	Arial,8,N	3

ShowLegendTin	InitialSet	Invisible	ZoneStart0	ZoneStart1	ZoneStart2
0	87	0	-1	-1	-1
0	87	0	-1	-1	-1
0	1	0	-1	-1	-1
0	1	0	-1	-1	-1
0	1	0	-1	-1	-1
0	1	0	-1	-1	-1
0	54	0	-1	-1	-1
0	54	0	-1	-1	-1
0	1	0	-1	-1	-1
0	1	0	-1	-1	-1
0	67	0	-1	-1	-1
0	67	0	-1	-1	-1
0	1	0	-1	-1	-1
0	1	0	-1	-1	-1

ZoneStart3	ZoneStart4	ZoneStop0	ZoneStop1	ZoneStop2	ZoneStop3
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1
-1	-1	-1	-1	-1	-1

ZoneStop4	TimeManual	TimeMin	TimeMax	TimeInc	TimeSkip
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1
-1	0	0	0	0	1

MarkFirstSurvey	UsesTemplateIr
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0
0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25269	63	2	87	-1	0	0
25270	63	2	21	0	0	0
25271	63	2	22	0	0	0
25272	63	2	24	0	0	0
25273	63	2	26	0	0	0
25274	63	2	27	0	0	0
25275	63	2	28	0	0	0
25276	63	2	29	0	0	0
25277	63	2	30	0	0	0
25278	63	2	31	0	0	0
25279	63	2	90	0	0	0
25280	63	2	32	0	0	0
25281	63	2	33	0	0	0
25282	63	2	34	0	0	0
25283	63	2	35	0	0	0
25284	63	2	36	0	0	0
25285	63	2	37	0	0	0
25286	63	2	38	0	0	0
25287	63	2	39	0	0	0
25288	63	2	40	0	0	0
25289	63	2	41	0	0	0
25290	63	2	42	0	0	0
25291	63	2	43	0	0	0
25292	63	2	44	0	0	0
25293	63	2	45	0	0	0
25294	63	2	46	0	0	0
25295	63	2	47	0	0	0
25296	63	2	48	0	0	0
25297	63	2	49	0	0	0
25298	63	2	50	0	0	0
25299	63	2	51	0	0	0
25300	63	2	52	0	0	0
25301	63	2	53	0	0	0
25302	63	2	54	0	0	0
25303	63	2	55	0	0	0
25304	63	2	56	0	0	0
25305	63	2	57	0	0	0
25306	63	2	61	0	0	0
25307	63	2	62	0	0	0
25308	63	2	63	0	0	0
25309	63	2	64	0	0	0
25310	63	2	65	0	0	0
25311	63	2	66	0	0	0
25312	63	2	67	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25313	63	2	72	0	0	0
25314	63	2	73	0	0	0
25315	63	2	74	0	0	0
25316	63	2	80	0	0	0
25317	63	2	81	0	0	0
25318	63	2	82	0	0	0
25319	63	2	84	0	0	0
25320	63	2	85	0	0	0
25321	63	2	88	0	0	0
25322	63	2	89	0	0	0
25323	63	2	91	0	0	0
25324	63	2	92	0	0	0
25325	63	2	94	0	0	0
25326	63	2	95	0	0	0
25327	63	2	97	0	0	0
25328	63	2	96	0	0	0
25329	63	2	98	0	0	0
25330	63	2	99	0	-1	0
25331	63	2	100	0	-1	0
25332	63	2	101	0	-1	0
25333	63	2	102	0	-1	0
25334	63	2	103	0	-1	0
25335	64	2	87	-1	0	0
25336	64	2	21	0	0	0
25337	64	2	22	0	0	0
25338	64	2	24	0	0	0
25339	64	2	26	0	0	0
25340	64	2	27	0	0	0
25341	64	2	28	0	0	0
25342	64	2	29	0	0	0
25343	64	2	30	0	0	0
25344	64	2	31	0	0	0
25345	64	2	90	0	0	0
25346	64	2	32	0	0	0
25347	64	2	33	0	0	0
25348	64	2	34	0	0	0
25349	64	2	35	0	0	0
25350	64	2	36	0	0	0
25351	64	2	37	0	0	0
25352	64	2	38	0	0	0
25353	64	2	39	0	0	0
25354	64	2	40	0	0	0
25355	64	2	41	0	0	0
25356	64	2	42	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25357	64	2	43	0	0	0
25358	64	2	44	0	0	0
25359	64	2	45	0	0	0
25360	64	2	46	0	0	0
25361	64	2	47	0	0	0
25362	64	2	48	0	0	0
25363	64	2	49	0	0	0
25364	64	2	50	0	0	0
25365	64	2	51	0	0	0
25366	64	2	52	0	0	0
25367	64	2	53	0	0	0
25368	64	2	54	0	0	0
25369	64	2	55	0	0	0
25370	64	2	56	0	0	0
25371	64	2	57	0	0	0
25372	64	2	61	0	0	0
25373	64	2	62	0	0	0
25374	64	2	63	0	0	0
25375	64	2	64	0	0	0
25376	64	2	65	0	0	0
25377	64	2	66	0	0	0
25378	64	2	67	0	0	0
25379	64	2	72	0	0	0
25380	64	2	73	0	0	0
25381	64	2	74	0	0	0
25382	64	2	80	0	0	0
25383	64	2	81	0	0	0
25384	64	2	82	0	0	0
25385	64	2	84	0	0	0
25386	64	2	85	0	0	0
25387	64	2	88	0	0	0
25388	64	2	89	0	0	0
25389	64	2	91	0	0	0
25390	64	2	92	0	0	0
25391	64	2	94	0	0	0
25392	64	2	95	0	0	0
25393	64	2	97	0	0	0
25394	64	2	96	0	0	0
25395	64	2	98	0	0	0
25396	64	2	99	0	-1	0
25397	64	2	100	0	-1	0
25398	64	2	101	0	-1	0
25399	64	2	102	0	-1	0
25400	64	2	103	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25401	65	7	1	-1	0	0
25402	65	7	2	0	0	0
25403	65	7	3	0	0	0
25404	65	7	4	0	0	0
25405	65	7	5	0	0	0
25406	65	7	6	0	0	0
25407	65	7	8	0	0	0
25408	65	7	9	0	0	0
25409	65	7	7	0	0	0
25410	65	7	11	0	0	0
25411	65	7	10	0	0	0
25412	65	7	12	0	0	0
25413	65	7	13	0	-1	0
25414	65	7	14	0	-1	0
25415	65	7	15	0	-1	0
25416	65	7	16	0	-1	0
25417	65	7	17	0	-1	0
25418	66	7	1	-1	0	0
25419	66	7	2	0	0	0
25420	66	7	3	0	0	0
25421	66	7	4	0	0	0
25422	66	7	5	0	0	0
25423	66	7	6	0	0	0
25424	66	7	8	0	0	0
25425	66	7	9	0	0	0
25426	66	7	7	0	0	0
25427	66	7	11	0	0	0
25428	66	7	10	0	0	0
25429	66	7	12	0	0	0
25430	66	7	13	0	-1	0
25431	66	7	14	0	-1	0
25432	66	7	15	0	-1	0
25433	66	7	16	0	-1	0
25434	66	7	17	0	-1	0
25435	67	5	1	-1	0	0
25436	67	5	2	0	0	0
25437	67	5	3	0	0	0
25438	67	5	65	0	0	0
25439	67	5	64	0	0	0
25440	67	5	63	0	0	0
25441	67	5	62	0	0	0
25442	67	5	61	0	0	0
25443	67	5	60	0	0	0
25444	67	5	59	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25445	67	5	58	0	0	0
25446	67	5	57	0	0	0
25447	67	5	56	0	0	0
25448	67	5	55	0	0	0
25449	67	5	54	0	0	0
25450	67	5	53	0	0	0
25451	67	5	52	0	0	0
25452	67	5	51	0	0	0
25453	67	5	50	0	0	0
25454	67	5	49	0	0	0
25455	67	5	48	0	0	0
25456	67	5	47	0	0	0
25457	67	5	46	0	0	0
25458	67	5	45	0	0	0
25459	67	5	44	0	0	0
25460	67	5	43	0	0	0
25461	67	5	42	0	0	0
25462	67	5	41	0	0	0
25463	67	5	40	0	0	0
25464	67	5	39	0	0	0
25465	67	5	38	0	0	0
25466	67	5	37	0	0	0
25467	67	5	36	0	0	0
25468	67	5	35	0	0	0
25469	67	5	34	0	0	0
25470	67	5	33	0	0	0
25471	67	5	32	0	0	0
25472	67	5	31	0	0	0
25473	67	5	30	0	0	0
25474	67	5	29	0	0	0
25475	67	5	28	0	0	0
25476	67	5	27	0	0	0
25477	67	5	26	0	0	0
25478	67	5	25	0	0	0
25479	67	5	24	0	0	0
25480	67	5	23	0	0	0
25481	67	5	22	0	0	0
25482	67	5	21	0	0	0
25483	67	5	20	0	0	0
25484	67	5	19	0	0	0
25485	67	5	18	0	0	0
25486	67	5	17	0	0	0
25487	67	5	16	0	0	0
25488	67	5	15	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25489	67	5	14	0	0	0
25490	67	5	13	0	0	0
25491	67	5	12	0	0	0
25492	67	5	11	0	0	0
25493	67	5	10	0	0	0
25494	67	5	9	0	0	0
25495	67	5	8	0	0	0
25496	67	5	7	0	0	0
25497	67	5	6	0	0	0
25498	67	5	5	0	0	0
25499	67	5	4	0	0	0
25500	67	5	66	0	0	0
25501	67	5	67	0	0	0
25502	67	5	68	0	0	0
25503	67	5	69	0	0	0
25504	67	5	70	0	0	0
25505	67	5	71	0	0	0
25506	67	5	73	0	0	0
25507	67	5	72	0	0	0
25508	67	5	74	0	0	0
25509	67	5	75	0	-1	0
25510	67	5	76	0	-1	0
25511	67	5	77	0	-1	0
25512	67	5	78	0	-1	0
25513	67	5	79	0	-1	0
25514	68	5	1	-1	0	0
25515	68	5	2	0	0	0
25516	68	5	3	0	0	0
25517	68	5	65	0	0	0
25518	68	5	64	0	0	0
25519	68	5	63	0	0	0
25520	68	5	62	0	0	0
25521	68	5	61	0	0	0
25522	68	5	60	0	0	0
25523	68	5	59	0	0	0
25524	68	5	58	0	0	0
25525	68	5	57	0	0	0
25526	68	5	56	0	0	0
25527	68	5	55	0	0	0
25528	68	5	54	0	0	0
25529	68	5	53	0	0	0
25530	68	5	52	0	0	0
25531	68	5	51	0	0	0
25532	68	5	50	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25533	68	5	49	0	0	0
25534	68	5	48	0	0	0
25535	68	5	47	0	0	0
25536	68	5	46	0	0	0
25537	68	5	45	0	0	0
25538	68	5	44	0	0	0
25539	68	5	43	0	0	0
25540	68	5	42	0	0	0
25541	68	5	41	0	0	0
25542	68	5	40	0	0	0
25543	68	5	39	0	0	0
25544	68	5	38	0	0	0
25545	68	5	37	0	0	0
25546	68	5	36	0	0	0
25547	68	5	35	0	0	0
25548	68	5	34	0	0	0
25549	68	5	33	0	0	0
25550	68	5	32	0	0	0
25551	68	5	31	0	0	0
25552	68	5	30	0	0	0
25553	68	5	29	0	0	0
25554	68	5	28	0	0	0
25555	68	5	27	0	0	0
25556	68	5	26	0	0	0
25557	68	5	25	0	0	0
25558	68	5	24	0	0	0
25559	68	5	23	0	0	0
25560	68	5	22	0	0	0
25561	68	5	21	0	0	0
25562	68	5	20	0	0	0
25563	68	5	19	0	0	0
25564	68	5	18	0	0	0
25565	68	5	17	0	0	0
25566	68	5	16	0	0	0
25567	68	5	15	0	0	0
25568	68	5	14	0	0	0
25569	68	5	13	0	0	0
25570	68	5	12	0	0	0
25571	68	5	11	0	0	0
25572	68	5	10	0	0	0
25573	68	5	9	0	0	0
25574	68	5	8	0	0	0
25575	68	5	7	0	0	0
25576	68	5	6	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25577	68	5	5	0	0	0
25578	68	5	4	0	0	0
25579	68	5	66	0	0	0
25580	68	5	67	0	0	0
25581	68	5	68	0	0	0
25582	68	5	69	0	0	0
25583	68	5	70	0	0	0
25584	68	5	71	0	0	0
25585	68	5	73	0	0	0
25586	68	5	72	0	0	0
25587	68	5	74	0	0	0
25588	68	5	75	0	-1	0
25589	68	5	76	0	-1	0
25590	68	5	77	0	-1	0
25591	68	5	78	0	-1	0
25592	68	5	79	0	-1	0
25593	69	1	54	-1	0	0
25594	69	1	14	0	0	0
25595	69	1	15	0	0	0
25596	69	1	19	0	0	0
25597	69	1	20	0	0	0
25598	69	1	21	0	0	0
25599	69	1	22	0	0	0
25600	69	1	23	0	0	0
25601	69	1	24	0	0	0
25602	69	1	25	0	0	0
25603	69	1	27	0	0	0
25604	69	1	28	0	0	0
25605	69	1	29	0	0	0
25606	69	1	30	0	0	0
25607	69	1	31	0	0	0
25608	69	1	32	0	0	0
25609	69	1	33	0	0	0
25610	69	1	34	0	0	0
25611	69	1	35	0	0	0
25612	69	1	36	0	0	0
25613	69	1	37	0	0	0
25614	69	1	39	0	0	0
25615	69	1	40	0	0	0
25616	69	1	42	0	0	0
25617	69	1	44	0	0	0
25618	69	1	45	0	0	0
25619	69	1	46	0	0	0
25620	69	1	47	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25621	69	1	48	0	0	0
25622	69	1	49	0	0	0
25623	69	1	51	0	0	0
25624	69	1	52	0	0	0
25625	69	1	53	0	0	0
25626	69	1	55	0	0	0
25627	69	1	56	0	0	0
25628	69	1	57	0	0	0
25629	69	1	58	0	0	0
25630	69	1	59	0	0	0
25631	69	1	60	0	0	0
25632	69	1	62	0	0	0
25633	69	1	61	0	0	0
25634	69	1	63	0	0	0
25635	69	1	64	0	-1	0
25636	69	1	65	0	-1	0
25637	69	1	66	0	-1	0
25638	69	1	67	0	-1	0
25639	69	1	68	0	-1	0
25640	70	1	54	-1	0	0
25641	70	1	14	0	0	0
25642	70	1	15	0	0	0
25643	70	1	19	0	0	0
25644	70	1	20	0	0	0
25645	70	1	21	0	0	0
25646	70	1	22	0	0	0
25647	70	1	23	0	0	0
25648	70	1	24	0	0	0
25649	70	1	25	0	0	0
25650	70	1	27	0	0	0
25651	70	1	28	0	0	0
25652	70	1	29	0	0	0
25653	70	1	30	0	0	0
25654	70	1	31	0	0	0
25655	70	1	32	0	0	0
25656	70	1	33	0	0	0
25657	70	1	34	0	0	0
25658	70	1	35	0	0	0
25659	70	1	36	0	0	0
25660	70	1	37	0	0	0
25661	70	1	39	0	0	0
25662	70	1	40	0	0	0
25663	70	1	42	0	0	0
25664	70	1	44	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25665	70	1	45	0	0	0
25666	70	1	46	0	0	0
25667	70	1	47	0	0	0
25668	70	1	48	0	0	0
25669	70	1	49	0	0	0
25670	70	1	51	0	0	0
25671	70	1	52	0	0	0
25672	70	1	53	0	0	0
25673	70	1	55	0	0	0
25674	70	1	56	0	0	0
25675	70	1	57	0	0	0
25676	70	1	58	0	0	0
25677	70	1	59	0	0	0
25678	70	1	60	0	0	0
25679	70	1	62	0	0	0
25680	70	1	61	0	0	0
25681	70	1	63	0	0	0
25682	70	1	64	0	-1	0
25683	70	1	65	0	-1	0
25684	70	1	66	0	-1	0
25685	70	1	67	0	-1	0
25686	70	1	68	0	-1	0
25687	71	8	1	-1	0	0
25688	71	8	2	0	0	0
25689	71	8	3	0	0	0
25690	71	8	4	0	0	0
25691	71	8	5	0	0	0
25692	71	8	6	0	0	0
25693	71	8	8	0	0	0
25694	71	8	7	0	0	0
25695	71	8	10	0	0	0
25696	71	8	9	0	0	0
25697	71	8	11	0	0	0
25698	71	8	12	0	-1	0
25699	71	8	13	0	-1	0
25700	71	8	14	0	-1	0
25701	71	8	15	0	-1	0
25702	71	8	16	0	-1	0
25703	72	8	1	-1	0	0
25704	72	8	2	0	0	0
25705	72	8	3	0	0	0
25706	72	8	4	0	0	0
25707	72	8	5	0	0	0
25708	72	8	6	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25709	72	8	8	0	0	0
25710	72	8	7	0	0	0
25711	72	8	10	0	0	0
25712	72	8	9	0	0	0
25713	72	8	11	0	0	0
25714	72	8	12	0	-1	0
25715	72	8	13	0	-1	0
25716	72	8	14	0	-1	0
25717	72	8	15	0	-1	0
25718	72	8	16	0	-1	0
25719	73	4	67	-1	0	0
25720	73	4	21	0	0	0
25721	73	4	23	0	0	0
25722	73	4	24	0	0	0
25723	73	4	25	0	0	0
25724	73	4	26	0	0	0
25725	73	4	27	0	0	0
25726	73	4	29	0	0	0
25727	73	4	30	0	0	0
25728	73	4	31	0	0	0
25729	73	4	32	0	0	0
25730	73	4	33	0	0	0
25731	73	4	34	0	0	0
25732	73	4	35	0	0	0
25733	73	4	36	0	0	0
25734	73	4	37	0	0	0
25735	73	4	38	0	0	0
25736	73	4	39	0	0	0
25737	73	4	40	0	0	0
25738	73	4	41	0	0	0
25739	73	4	42	0	0	0
25740	73	4	43	0	0	0
25741	73	4	44	0	0	0
25742	73	4	45	0	0	0
25743	73	4	46	0	0	0
25744	73	4	47	0	0	0
25745	73	4	48	0	0	0
25746	73	4	49	0	0	0
25747	73	4	50	0	0	0
25748	73	4	51	0	0	0
25749	73	4	52	0	0	0
25750	73	4	53	0	0	0
25751	73	4	54	0	0	0
25752	73	4	56	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25753	73	4	57	0	0	0
25754	73	4	59	0	0	0
25755	73	4	60	0	0	0
25756	73	4	61	0	0	0
25757	73	4	63	0	0	0
25758	73	4	64	0	0	0
25759	73	4	65	0	0	0
25760	73	4	66	0	0	0
25761	73	4	68	0	0	0
25762	73	4	69	0	0	0
25763	73	4	70	0	0	0
25764	73	4	71	0	0	0
25765	73	4	72	0	0	0
25766	73	4	73	0	0	0
25767	73	4	74	0	0	0
25768	73	4	75	0	0	0
25769	73	4	76	0	0	0
25770	73	4	77	0	0	0
25771	73	4	78	0	0	0
25772	73	4	79	0	0	0
25773	73	4	81	0	0	0
25774	73	4	80	0	0	0
25775	73	4	82	0	0	0
25776	73	4	83	0	-1	0
25777	73	4	84	0	-1	0
25778	73	4	85	0	-1	0
25779	73	4	86	0	-1	0
25780	73	4	87	0	-1	0
25781	74	4	67	-1	0	0
25782	74	4	21	0	0	0
25783	74	4	23	0	0	0
25784	74	4	24	0	0	0
25785	74	4	25	0	0	0
25786	74	4	26	0	0	0
25787	74	4	27	0	0	0
25788	74	4	29	0	0	0
25789	74	4	30	0	0	0
25790	74	4	31	0	0	0
25791	74	4	32	0	0	0
25792	74	4	33	0	0	0
25793	74	4	34	0	0	0
25794	74	4	35	0	0	0
25795	74	4	36	0	0	0
25796	74	4	37	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25797	74	4	38	0	0	0
25798	74	4	39	0	0	0
25799	74	4	40	0	0	0
25800	74	4	41	0	0	0
25801	74	4	42	0	0	0
25802	74	4	43	0	0	0
25803	74	4	44	0	0	0
25804	74	4	45	0	0	0
25805	74	4	46	0	0	0
25806	74	4	47	0	0	0
25807	74	4	48	0	0	0
25808	74	4	49	0	0	0
25809	74	4	50	0	0	0
25810	74	4	51	0	0	0
25811	74	4	52	0	0	0
25812	74	4	53	0	0	0
25813	74	4	54	0	0	0
25814	74	4	56	0	0	0
25815	74	4	57	0	0	0
25816	74	4	59	0	0	0
25817	74	4	60	0	0	0
25818	74	4	61	0	0	0
25819	74	4	63	0	0	0
25820	74	4	64	0	0	0
25821	74	4	65	0	0	0
25822	74	4	66	0	0	0
25823	74	4	68	0	0	0
25824	74	4	69	0	0	0
25825	74	4	70	0	0	0
25826	74	4	71	0	0	0
25827	74	4	72	0	0	0
25828	74	4	73	0	0	0
25829	74	4	74	0	0	0
25830	74	4	75	0	0	0
25831	74	4	76	0	0	0
25832	74	4	77	0	0	0
25833	74	4	78	0	0	0
25834	74	4	79	0	0	0
25835	74	4	81	0	0	0
25836	74	4	80	0	0	0
25837	74	4	82	0	0	0
25838	74	4	83	0	-1	0
25839	74	4	84	0	-1	0
25840	74	4	85	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
25841	74	4	86	0	-1	0
25842	74	4	87	0	-1	0
25843	75	6	1	-1	0	0
25844	75	6	2	0	0	0
25845	75	6	3	0	0	0
25846	75	6	4	0	0	0
25847	75	6	5	0	0	0
25848	75	6	6	0	0	0
25849	75	6	7	0	0	0
25850	75	6	8	0	0	0
25851	75	6	11	0	0	0
25852	75	6	10	0	0	0
25853	75	6	12	0	0	0
25854	75	6	13	0	0	0
25855	75	6	14	0	-1	0
25856	75	6	15	0	-1	0
25857	75	6	16	0	-1	0
25858	75	6	17	0	-1	0
25859	75	6	18	-1	-1	0
25860	76	6	1	-1	0	0
25861	76	6	2	0	0	0
25862	76	6	3	0	0	0
25863	76	6	4	0	0	0
25864	76	6	5	0	0	0
25865	76	6	6	0	0	0
25866	76	6	7	0	0	0
25867	76	6	8	0	0	0
25868	76	6	11	0	0	0
25869	76	6	10	0	0	0
25870	76	6	12	0	0	0
25871	76	6	13	0	0	0
25872	76	6	14	0	-1	0
25873	76	6	15	0	-1	0
25874	76	6	16	0	-1	0
25875	76	6	17	0	-1	0
25876	76	6	18	0	-1	0
26795	49	6	1	-1	0	0
26796	49	6	2	0	0	0
26797	49	6	3	0	0	0
26798	49	6	4	0	0	0
26799	49	6	5	0	0	0
26800	49	6	6	0	0	0
26801	49	6	7	0	0	-1
26802	49	6	8	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
26803	49	6	11	0	0	0
26804	49	6	10	0	0	0
26805	49	6	12	0	0	0
26806	49	6	13	0	0	0
26807	49	6	14	0	-1	0
26808	49	6	15	0	-1	0
26809	49	6	16	0	-1	0
26810	49	6	17	0	-1	0
26811	49	6	18	0	-1	0
26812	50	6	1	-1	-1	0
26813	50	6	2	0	-1	0
26814	50	6	3	0	-1	0
26815	50	6	4	0	-1	0
26816	50	6	5	0	-1	0
26817	50	6	6	0	-1	0
26818	50	6	7	0	-1	0
26819	50	6	8	0	-1	0
26820	50	6	11	0	-1	0
26821	50	6	10	0	-1	0
26822	50	6	12	0	-1	0
26823	50	6	13	0	-1	0
26824	50	6	14	0	-1	0
26825	50	6	15	0	-1	0
26826	50	6	16	0	-1	0
26827	50	6	17	0	-1	0
26828	50	6	18	0	-1	0
26829	57	6	1	-1	0	0
26830	57	6	2	0	0	0
26831	57	6	3	0	0	0
26832	57	6	4	0	0	0
26833	57	6	5	0	0	0
26834	57	6	6	0	0	0
26835	57	6	7	0	0	-1
26836	57	6	8	0	0	0
26837	57	6	11	0	0	0
26838	57	6	10	0	0	0
26839	57	6	12	0	0	0
26840	57	6	13	0	0	0
26841	57	6	14	0	-1	0
26842	57	6	15	0	-1	0
26843	57	6	16	0	-1	0
26844	57	6	17	0	-1	0
26845	57	6	18	0	-1	0
26846	58	6	1	-1	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
26847	58	6	2	0	-1	0
26848	58	6	3	0	-1	0
26849	58	6	4	0	-1	0
26850	58	6	5	0	-1	0
26851	58	6	6	0	-1	0
26852	58	6	7	0	0	-1
26853	58	6	8	0	-1	0
26854	58	6	11	0	-1	0
26855	58	6	10	0	-1	0
26856	58	6	12	0	-1	0
26857	58	6	13	0	-1	0
26858	58	6	14	0	-1	0
26859	58	6	15	0	-1	0
26860	58	6	16	0	-1	0
26861	58	6	17	0	-1	0
26862	58	6	18	0	-1	0
26863	59	6	1	-1	0	0
26864	59	6	2	0	0	0
26865	59	6	3	0	0	0
26866	59	6	4	0	0	0
26867	59	6	5	0	0	0
26868	59	6	6	0	0	0
26869	59	6	7	0	0	-1
26870	59	6	8	0	0	0
26871	59	6	11	0	0	0
26872	59	6	10	0	0	0
26873	59	6	12	0	0	0
26874	59	6	13	0	0	0
26875	59	6	14	0	-1	0
26876	59	6	15	0	-1	0
26877	59	6	16	0	-1	0
26878	59	6	17	0	-1	0
26879	59	6	18	0	-1	0
26880	60	6	1	-1	-1	0
26881	60	6	2	0	-1	0
26882	60	6	3	0	-1	0
26883	60	6	4	0	-1	0
26884	60	6	5	0	-1	0
26885	60	6	6	0	-1	0
26886	60	6	7	0	0	-1
26887	60	6	8	0	-1	0
26888	60	6	11	0	-1	0
26889	60	6	10	0	-1	0
26890	60	6	12	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
26891	60	6	13	0	-1	0
26892	60	6	14	0	-1	0
26893	60	6	15	0	-1	0
26894	60	6	16	0	-1	0
26895	60	6	17	0	-1	0
26896	60	6	18	0	-1	0
26897	45	7	1	-1	0	0
26898	45	7	2	0	0	0
26899	45	7	3	0	0	0
26900	45	7	4	0	0	0
26901	45	7	5	0	0	0
26902	45	7	6	0	0	0
26903	45	7	8	0	0	-1
26904	45	7	9	0	0	0
26905	45	7	7	0	0	0
26906	45	7	11	0	0	0
26907	45	7	10	0	0	0
26908	45	7	12	0	0	0
26909	45	7	13	0	-1	0
26910	45	7	14	0	-1	0
26911	45	7	15	0	-1	0
26912	45	7	16	0	-1	0
26913	45	7	17	0	-1	0
26914	46	7	1	-1	-1	0
26915	46	7	2	0	-1	0
26916	46	7	3	0	-1	0
26917	46	7	4	0	-1	0
26918	46	7	5	0	-1	0
26919	46	7	6	0	-1	0
26920	46	7	8	0	0	-1
26921	46	7	9	0	-1	0
26922	46	7	7	0	-1	0
26923	46	7	11	0	-1	0
26924	46	7	10	0	-1	0
26925	46	7	12	0	-1	0
26926	46	7	13	0	-1	0
26927	46	7	14	0	-1	0
26928	46	7	15	0	-1	0
26929	46	7	16	0	-1	0
26930	46	7	17	0	-1	0
26931	43	7	1	-1	0	0
26932	43	7	2	0	0	0
26933	43	7	3	0	0	0
26934	43	7	4	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
26935	43	7	5	0	0	0
26936	43	7	6	0	0	0
26937	43	7	8	0	0	-1
26938	43	7	9	0	0	0
26939	43	7	7	0	0	0
26940	43	7	11	0	0	0
26941	43	7	10	0	0	0
26942	43	7	12	0	0	0
26943	43	7	13	0	-1	0
26944	43	7	14	0	-1	0
26945	43	7	15	0	-1	0
26946	43	7	16	0	-1	0
26947	43	7	17	0	-1	0
26948	44	7	1	-1	-1	0
26949	44	7	2	0	-1	0
26950	44	7	3	0	-1	0
26951	44	7	4	0	-1	0
26952	44	7	5	0	-1	0
26953	44	7	6	0	-1	0
26954	44	7	8	0	0	-1
26955	44	7	9	0	-1	0
26956	44	7	7	0	-1	0
26957	44	7	11	0	-1	0
26958	44	7	10	0	-1	0
26959	44	7	12	0	-1	0
26960	44	7	13	0	-1	0
26961	44	7	14	0	-1	0
26962	44	7	15	0	-1	0
26963	44	7	16	0	-1	0
26964	44	7	17	0	-1	0
26965	41	7	1	-1	0	0
26966	41	7	2	0	0	0
26967	41	7	3	0	0	0
26968	41	7	4	0	0	0
26969	41	7	5	0	0	0
26970	41	7	6	0	0	0
26971	41	7	8	0	0	-1
26972	41	7	9	0	0	0
26973	41	7	7	0	0	0
26974	41	7	11	0	0	0
26975	41	7	10	0	0	0
26976	41	7	12	0	0	0
26977	41	7	13	0	-1	0
26978	41	7	14	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
26979	41	7	15	0	-1	0
26980	41	7	16	0	-1	0
26981	41	7	17	0	-1	0
26982	42	7	1	-1	-1	0
26983	42	7	2	0	-1	0
26984	42	7	3	0	-1	0
26985	42	7	4	0	-1	0
26986	42	7	5	0	-1	0
26987	42	7	6	0	-1	0
26988	42	7	8	0	0	-1
26989	42	7	9	0	-1	0
26990	42	7	7	0	-1	0
26991	42	7	11	0	-1	0
26992	42	7	10	0	-1	0
26993	42	7	12	0	-1	0
26994	42	7	13	0	-1	0
26995	42	7	14	0	-1	0
26996	42	7	15	0	-1	0
26997	42	7	16	0	-1	0
26998	42	7	17	0	-1	0
27093	55	8	1	-1	0	0
27094	55	8	2	0	0	0
27095	55	8	3	0	0	0
27096	55	8	4	0	0	0
27097	55	8	5	0	0	0
27098	55	8	6	0	0	0
27099	55	8	8	0	0	0
27100	55	8	7	0	0	-1
27101	55	8	10	0	0	0
27102	55	8	9	0	0	0
27103	55	8	11	0	0	0
27104	55	8	12	0	-1	0
27105	55	8	13	0	-1	0
27106	55	8	14	0	-1	0
27107	55	8	15	0	-1	0
27108	55	8	16	0	-1	0
27109	56	8	1	-1	-1	0
27110	56	8	2	0	-1	0
27111	56	8	3	0	-1	0
27112	56	8	4	0	-1	0
27113	56	8	5	0	-1	0
27114	56	8	6	0	-1	0
27115	56	8	8	0	-1	0
27116	56	8	7	0	0	-1

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27117	56	8	10	0	-1	0
27118	56	8	9	0	-1	0
27119	56	8	11	0	-1	0
27120	56	8	12	0	-1	0
27121	56	8	13	0	-1	0
27122	56	8	14	0	-1	0
27123	56	8	15	0	-1	0
27124	56	8	16	0	-1	0
27125	53	8	1	-1	0	0
27126	53	8	2	0	0	0
27127	53	8	3	0	0	0
27128	53	8	4	0	0	0
27129	53	8	5	0	0	0
27130	53	8	6	0	0	0
27131	53	8	8	0	0	0
27132	53	8	7	0	0	-1
27133	53	8	10	0	0	0
27134	53	8	9	0	0	0
27135	53	8	11	0	0	0
27136	53	8	12	0	-1	0
27137	53	8	13	0	-1	0
27138	53	8	14	0	-1	0
27139	53	8	15	0	-1	0
27140	53	8	16	0	-1	0
27141	54	8	1	-1	-1	0
27142	54	8	2	0	-1	0
27143	54	8	3	0	-1	0
27144	54	8	4	0	-1	0
27145	54	8	5	0	-1	0
27146	54	8	6	0	-1	0
27147	54	8	8	0	-1	0
27148	54	8	7	0	0	-1
27149	54	8	10	0	-1	0
27150	54	8	9	0	-1	0
27151	54	8	11	0	-1	0
27152	54	8	12	0	-1	0
27153	54	8	13	0	-1	0
27154	54	8	14	0	-1	0
27155	54	8	15	0	-1	0
27156	54	8	16	0	-1	0
27157	51	8	1	-1	0	0
27158	51	8	2	0	0	0
27159	51	8	3	0	0	0
27160	51	8	4	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27161	51	8	5	0	0	0
27162	51	8	6	0	0	0
27163	51	8	8	0	0	0
27164	51	8	7	0	0	-1
27165	51	8	10	0	0	0
27166	51	8	9	0	0	0
27167	51	8	11	0	0	0
27168	51	8	12	0	-1	0
27169	51	8	13	0	-1	0
27170	51	8	14	0	-1	0
27171	51	8	15	0	-1	0
27172	51	8	16	0	-1	0
27173	52	8	1	-1	-1	0
27174	52	8	2	0	-1	0
27175	52	8	3	0	-1	0
27176	52	8	4	0	-1	0
27177	52	8	5	0	-1	0
27178	52	8	6	0	-1	0
27179	52	8	8	0	-1	0
27180	52	8	7	0	0	-1
27181	52	8	10	0	-1	0
27182	52	8	9	0	-1	0
27183	52	8	11	0	-1	0
27184	52	8	12	0	-1	0
27185	52	8	13	0	-1	0
27186	52	8	14	0	-1	0
27187	52	8	15	0	-1	0
27188	52	8	16	0	-1	0
27189	33	1	54	-1	0	0
27190	33	1	14	0	0	0
27191	33	1	15	0	0	0
27192	33	1	19	0	0	0
27193	33	1	20	0	0	0
27194	33	1	21	0	0	0
27195	33	1	22	0	0	0
27196	33	1	23	0	0	0
27197	33	1	24	0	0	0
27198	33	1	25	0	0	0
27199	33	1	27	0	0	0
27200	33	1	28	0	0	0
27201	33	1	29	0	0	0
27202	33	1	30	0	0	0
27203	33	1	31	0	0	0
27204	33	1	32	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27205	33	1	33	0	0	0
27206	33	1	34	0	0	0
27207	33	1	35	0	0	0
27208	33	1	36	0	0	0
27209	33	1	37	0	0	0
27210	33	1	39	0	0	0
27211	33	1	40	0	0	0
27212	33	1	42	0	0	0
27213	33	1	44	0	0	0
27214	33	1	45	0	0	0
27215	33	1	46	0	0	0
27216	33	1	47	0	0	0
27217	33	1	48	0	0	0
27218	33	1	49	0	0	0
27219	33	1	51	0	0	0
27220	33	1	52	0	0	0
27221	33	1	53	0	0	0
27222	33	1	55	0	0	0
27223	33	1	56	0	0	0
27224	33	1	57	0	0	0
27225	33	1	58	0	0	0
27226	33	1	59	0	0	0
27227	33	1	60	0	0	0
27228	33	1	62	0	0	0
27229	33	1	61	0	0	0
27230	33	1	63	0	0	0
27231	33	1	64	0	-1	0
27232	33	1	65	0	-1	0
27233	33	1	66	0	-1	0
27234	33	1	67	0	-1	0
27235	33	1	68	0	-1	0
27236	34	1	54	-1	-1	0
27237	34	1	14	0	-1	0
27238	34	1	15	0	-1	0
27239	34	1	19	0	-1	0
27240	34	1	20	0	-1	0
27241	34	1	21	0	-1	0
27242	34	1	22	0	-1	0
27243	34	1	23	0	-1	0
27244	34	1	24	0	-1	0
27245	34	1	25	0	-1	0
27246	34	1	27	0	-1	0
27247	34	1	28	0	-1	0
27248	34	1	29	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27249	34	1	30	0	-1	0
27250	34	1	31	0	-1	0
27251	34	1	32	0	-1	0
27252	34	1	33	0	-1	0
27253	34	1	34	0	-1	0
27254	34	1	35	0	-1	0
27255	34	1	36	0	-1	0
27256	34	1	37	0	-1	0
27257	34	1	39	0	-1	0
27258	34	1	40	0	-1	0
27259	34	1	42	0	-1	0
27260	34	1	44	0	-1	0
27261	34	1	45	0	-1	0
27262	34	1	46	0	-1	0
27263	34	1	47	0	-1	0
27264	34	1	48	0	-1	0
27265	34	1	49	0	-1	0
27266	34	1	51	0	-1	0
27267	34	1	52	0	-1	0
27268	34	1	53	0	-1	0
27269	34	1	55	0	-1	0
27270	34	1	56	0	-1	0
27271	34	1	57	0	-1	0
27272	34	1	58	0	-1	0
27273	34	1	59	0	-1	0
27274	34	1	60	0	-1	0
27275	34	1	62	0	-1	0
27276	34	1	61	0	-1	0
27277	34	1	63	0	-1	0
27278	34	1	64	0	-1	0
27279	34	1	65	0	-1	0
27280	34	1	66	0	-1	0
27281	34	1	67	0	-1	0
27282	34	1	68	0	-1	0
27283	31	1	54	-1	0	0
27284	31	1	14	0	0	0
27285	31	1	15	0	0	0
27286	31	1	19	0	0	0
27287	31	1	20	0	0	0
27288	31	1	21	0	0	0
27289	31	1	22	0	0	0
27290	31	1	23	0	0	0
27291	31	1	24	0	0	0
27292	31	1	25	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27293	31	1	27	0	0	0
27294	31	1	28	0	0	0
27295	31	1	29	0	0	0
27296	31	1	30	0	0	0
27297	31	1	31	0	0	0
27298	31	1	32	0	0	0
27299	31	1	33	0	0	0
27300	31	1	34	0	0	0
27301	31	1	35	0	0	0
27302	31	1	36	0	0	0
27303	31	1	37	0	0	0
27304	31	1	39	0	0	0
27305	31	1	40	0	0	0
27306	31	1	42	0	0	0
27307	31	1	44	0	0	0
27308	31	1	45	0	0	0
27309	31	1	46	0	0	0
27310	31	1	47	0	0	0
27311	31	1	48	0	0	0
27312	31	1	49	0	0	0
27313	31	1	51	0	0	0
27314	31	1	52	0	0	0
27315	31	1	53	0	0	0
27316	31	1	55	0	0	0
27317	31	1	56	0	0	0
27318	31	1	57	0	0	0
27319	31	1	58	0	0	0
27320	31	1	59	0	0	0
27321	31	1	60	0	0	0
27322	31	1	62	0	0	0
27323	31	1	61	0	0	0
27324	31	1	63	0	0	0
27325	31	1	64	0	-1	0
27326	31	1	65	0	-1	0
27327	31	1	66	0	-1	0
27328	31	1	67	0	-1	0
27329	31	1	68	0	-1	0
27330	32	1	54	-1	-1	0
27331	32	1	14	0	-1	0
27332	32	1	15	0	-1	0
27333	32	1	19	0	-1	0
27334	32	1	20	0	-1	0
27335	32	1	21	0	-1	0
27336	32	1	22	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27337	32	1	23	0	-1	0
27338	32	1	24	0	-1	0
27339	32	1	25	0	-1	0
27340	32	1	27	0	-1	0
27341	32	1	28	0	-1	0
27342	32	1	29	0	-1	0
27343	32	1	30	0	-1	0
27344	32	1	31	0	-1	0
27345	32	1	32	0	-1	0
27346	32	1	33	0	-1	0
27347	32	1	34	0	-1	0
27348	32	1	35	0	-1	0
27349	32	1	36	0	-1	0
27350	32	1	37	0	-1	0
27351	32	1	39	0	-1	0
27352	32	1	40	0	-1	0
27353	32	1	42	0	-1	0
27354	32	1	44	0	-1	0
27355	32	1	45	0	-1	0
27356	32	1	46	0	-1	0
27357	32	1	47	0	-1	0
27358	32	1	48	0	-1	0
27359	32	1	49	0	-1	0
27360	32	1	51	0	-1	0
27361	32	1	52	0	-1	0
27362	32	1	53	0	-1	0
27363	32	1	55	0	-1	0
27364	32	1	56	0	-1	0
27365	32	1	57	0	-1	0
27366	32	1	58	0	-1	0
27367	32	1	59	0	-1	0
27368	32	1	60	0	-1	0
27369	32	1	62	0	-1	0
27370	32	1	61	0	-1	0
27371	32	1	63	0	-1	0
27372	32	1	64	0	-1	0
27373	32	1	65	0	-1	0
27374	32	1	66	0	-1	0
27375	32	1	67	0	-1	0
27376	32	1	68	0	-1	0
27377	29	1	54	-1	0	0
27378	29	1	14	0	0	0
27379	29	1	15	0	0	0
27380	29	1	19	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27381	29	1	20	0	0	0
27382	29	1	21	0	0	0
27383	29	1	22	0	0	0
27384	29	1	23	0	0	0
27385	29	1	24	0	0	0
27386	29	1	25	0	0	0
27387	29	1	27	0	0	0
27388	29	1	28	0	0	0
27389	29	1	29	0	0	0
27390	29	1	30	0	0	0
27391	29	1	31	0	0	0
27392	29	1	32	0	0	0
27393	29	1	33	0	0	0
27394	29	1	34	0	0	0
27395	29	1	35	0	0	0
27396	29	1	36	0	0	0
27397	29	1	37	0	0	0
27398	29	1	39	0	0	0
27399	29	1	40	0	0	-1
27400	29	1	42	0	0	0
27401	29	1	44	0	0	0
27402	29	1	45	0	0	-1
27403	29	1	46	0	0	-1
27404	29	1	47	0	0	-1
27405	29	1	48	0	0	-1
27406	29	1	49	0	0	-1
27407	29	1	51	0	0	-1
27408	29	1	52	0	0	-1
27409	29	1	53	0	0	0
27410	29	1	55	0	0	0
27411	29	1	56	0	0	0
27412	29	1	57	0	0	0
27413	29	1	58	0	0	0
27414	29	1	59	0	0	0
27415	29	1	60	0	0	0
27416	29	1	62	0	0	0
27417	29	1	61	0	0	0
27418	29	1	63	0	0	0
27419	29	1	64	0	-1	0
27420	29	1	65	0	-1	0
27421	29	1	66	0	-1	0
27422	29	1	67	0	-1	0
27423	29	1	68	0	-1	0
27424	30	1	54	-1	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27425	30	1	14	0	-1	0
27426	30	1	15	0	-1	0
27427	30	1	19	0	-1	0
27428	30	1	20	0	-1	0
27429	30	1	21	0	-1	0
27430	30	1	22	0	-1	0
27431	30	1	23	0	-1	0
27432	30	1	24	0	-1	0
27433	30	1	25	0	-1	0
27434	30	1	27	0	-1	0
27435	30	1	28	0	-1	0
27436	30	1	29	0	-1	0
27437	30	1	30	0	-1	0
27438	30	1	31	0	-1	0
27439	30	1	32	0	-1	0
27440	30	1	33	0	-1	0
27441	30	1	34	0	-1	0
27442	30	1	35	0	-1	0
27443	30	1	36	0	-1	0
27444	30	1	37	0	-1	0
27445	30	1	39	0	-1	0
27446	30	1	40	0	0	-1
27447	30	1	42	0	-1	0
27448	30	1	44	0	-1	0
27449	30	1	45	0	-1	0
27450	30	1	46	0	0	-1
27451	30	1	47	0	0	-1
27452	30	1	48	0	0	-1
27453	30	1	49	0	0	-1
27454	30	1	51	0	0	-1
27455	30	1	52	0	0	-1
27456	30	1	53	0	-1	0
27457	30	1	55	0	-1	0
27458	30	1	56	0	-1	0
27459	30	1	57	0	-1	0
27460	30	1	58	0	-1	0
27461	30	1	59	0	-1	0
27462	30	1	60	0	-1	0
27463	30	1	62	0	-1	0
27464	30	1	61	0	-1	0
27465	30	1	63	0	-1	0
27466	30	1	64	0	-1	0
27467	30	1	65	0	-1	0
27468	30	1	66	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27469	30	1	67	0	-1	0
27470	30	1	68	0	-1	0
27471	39	4	67	-1	0	0
27472	39	4	21	0	0	0
27473	39	4	23	0	0	0
27474	39	4	24	0	0	0
27475	39	4	25	0	0	0
27476	39	4	26	-1	0	0
27477	39	4	27	0	0	0
27478	39	4	29	0	0	0
27479	39	4	30	0	0	0
27480	39	4	31	0	0	0
27481	39	4	32	0	0	0
27482	39	4	33	0	0	0
27483	39	4	34	0	0	0
27484	39	4	35	0	0	0
27485	39	4	36	0	0	0
27486	39	4	37	0	0	0
27487	39	4	38	0	0	0
27488	39	4	39	0	0	0
27489	39	4	40	0	0	0
27490	39	4	41	0	0	0
27491	39	4	42	0	0	0
27492	39	4	43	0	0	0
27493	39	4	44	0	0	0
27494	39	4	45	0	0	0
27495	39	4	46	0	0	0
27496	39	4	47	0	0	0
27497	39	4	48	0	0	0
27498	39	4	49	0	0	0
27499	39	4	50	0	0	0
27500	39	4	51	0	0	0
27501	39	4	52	0	0	0
27502	39	4	53	0	0	-1
27503	39	4	54	0	0	0
27504	39	4	56	0	0	-1
27505	39	4	57	0	0	-1
27506	39	4	59	0	0	-1
27507	39	4	60	0	0	0
27508	39	4	61	0	0	0
27509	39	4	63	0	0	0
27510	39	4	64	0	0	0
27511	39	4	65	0	0	-1
27512	39	4	66	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27513	39	4	68	0	0	0
27514	39	4	69	0	0	0
27515	39	4	70	0	0	-1
27516	39	4	71	0	0	0
27517	39	4	72	0	0	0
27518	39	4	73	0	0	0
27519	39	4	74	0	0	0
27520	39	4	75	0	0	0
27521	39	4	76	0	0	0
27522	39	4	77	0	0	0
27523	39	4	78	0	0	0
27524	39	4	79	0	0	0
27525	39	4	81	0	0	0
27526	39	4	80	0	0	0
27527	39	4	82	0	0	0
27528	39	4	83	0	-1	0
27529	39	4	84	0	-1	0
27530	39	4	85	0	-1	0
27531	39	4	86	0	-1	0
27532	39	4	87	0	-1	0
27533	40	4	67	-1	-1	0
27534	40	4	21	0	-1	0
27535	40	4	23	0	-1	0
27536	40	4	24	0	-1	0
27537	40	4	25	0	-1	0
27538	40	4	26	-1	-1	0
27539	40	4	27	0	-1	0
27540	40	4	29	0	-1	0
27541	40	4	30	0	-1	0
27542	40	4	31	0	-1	0
27543	40	4	32	0	-1	0
27544	40	4	33	0	-1	0
27545	40	4	34	0	-1	0
27546	40	4	35	0	-1	0
27547	40	4	36	0	-1	0
27548	40	4	37	0	-1	0
27549	40	4	38	0	-1	0
27550	40	4	39	0	-1	0
27551	40	4	40	0	-1	0
27552	40	4	41	0	-1	0
27553	40	4	42	0	-1	0
27554	40	4	43	0	-1	0
27555	40	4	44	0	-1	0
27556	40	4	45	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27557	40	4	46	0	-1	0
27558	40	4	47	0	-1	0
27559	40	4	48	0	-1	0
27560	40	4	49	0	-1	0
27561	40	4	50	0	-1	0
27562	40	4	51	0	-1	0
27563	40	4	52	0	-1	0
27564	40	4	53	0	0	-1
27565	40	4	54	0	-1	0
27566	40	4	56	0	0	-1
27567	40	4	57	0	0	-1
27568	40	4	59	0	0	-1
27569	40	4	60	0	-1	0
27570	40	4	61	0	-1	0
27571	40	4	63	0	-1	0
27572	40	4	64	0	-1	0
27573	40	4	65	0	0	-1
27574	40	4	66	0	-1	0
27575	40	4	68	0	-1	0
27576	40	4	69	0	-1	0
27577	40	4	70	0	0	-1
27578	40	4	71	0	-1	0
27579	40	4	72	0	-1	0
27580	40	4	73	0	-1	0
27581	40	4	74	0	-1	0
27582	40	4	75	0	-1	0
27583	40	4	76	0	-1	0
27584	40	4	77	0	-1	0
27585	40	4	78	0	-1	0
27586	40	4	79	0	-1	0
27587	40	4	81	0	-1	0
27588	40	4	80	0	-1	0
27589	40	4	82	0	-1	0
27590	40	4	83	0	-1	0
27591	40	4	84	0	-1	0
27592	40	4	85	0	-1	0
27593	40	4	86	0	-1	0
27594	40	4	87	0	-1	0
27595	37	4	67	-1	0	0
27596	37	4	21	0	0	0
27597	37	4	23	0	0	0
27598	37	4	24	0	0	0
27599	37	4	25	0	0	0
27600	37	4	26	-1	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27601	37	4	27	0	0	0
27602	37	4	29	0	0	0
27603	37	4	30	0	0	0
27604	37	4	31	0	0	0
27605	37	4	32	0	0	0
27606	37	4	33	0	0	0
27607	37	4	34	0	0	0
27608	37	4	35	0	0	0
27609	37	4	36	0	0	0
27610	37	4	37	0	0	0
27611	37	4	38	0	0	0
27612	37	4	39	0	0	0
27613	37	4	40	0	0	0
27614	37	4	41	0	0	0
27615	37	4	42	0	0	0
27616	37	4	43	0	0	0
27617	37	4	44	0	0	0
27618	37	4	45	0	0	0
27619	37	4	46	0	0	0
27620	37	4	47	0	0	0
27621	37	4	48	0	0	0
27622	37	4	49	0	0	0
27623	37	4	50	0	0	0
27624	37	4	51	0	0	0
27625	37	4	52	0	0	0
27626	37	4	53	0	0	-1
27627	37	4	54	0	0	0
27628	37	4	56	0	0	-1
27629	37	4	57	0	0	-1
27630	37	4	59	0	0	-1
27631	37	4	60	0	0	0
27632	37	4	61	0	0	0
27633	37	4	63	0	0	0
27634	37	4	64	0	0	0
27635	37	4	65	0	0	0
27636	37	4	66	0	0	-1
27637	37	4	68	0	0	0
27638	37	4	69	0	0	0
27639	37	4	70	0	0	-1
27640	37	4	71	0	0	0
27641	37	4	72	0	0	0
27642	37	4	73	0	0	0
27643	37	4	74	0	0	0
27644	37	4	75	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27645	37	4	76	0	0	0
27646	37	4	77	0	0	0
27647	37	4	78	0	0	0
27648	37	4	79	0	0	0
27649	37	4	81	0	0	0
27650	37	4	80	0	0	0
27651	37	4	82	0	0	0
27652	37	4	83	0	-1	0
27653	37	4	84	0	-1	0
27654	37	4	85	0	-1	0
27655	37	4	86	0	-1	0
27656	37	4	87	0	-1	0
27657	38	4	67	-1	-1	0
27658	38	4	21	0	-1	0
27659	38	4	23	0	-1	0
27660	38	4	24	0	-1	0
27661	38	4	25	0	-1	0
27662	38	4	26	-1	-1	0
27663	38	4	27	0	-1	0
27664	38	4	29	0	-1	0
27665	38	4	30	0	-1	0
27666	38	4	31	0	-1	0
27667	38	4	32	0	-1	0
27668	38	4	33	0	-1	0
27669	38	4	34	0	-1	0
27670	38	4	35	0	-1	0
27671	38	4	36	0	-1	0
27672	38	4	37	0	-1	0
27673	38	4	38	0	-1	0
27674	38	4	39	0	-1	0
27675	38	4	40	0	-1	0
27676	38	4	41	0	-1	0
27677	38	4	42	0	-1	0
27678	38	4	43	0	-1	0
27679	38	4	44	0	-1	0
27680	38	4	45	0	-1	0
27681	38	4	46	0	-1	0
27682	38	4	47	0	-1	0
27683	38	4	48	0	-1	0
27684	38	4	49	0	-1	0
27685	38	4	50	0	-1	0
27686	38	4	51	0	-1	0
27687	38	4	52	0	-1	0
27688	38	4	53	0	0	-1

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27689	38	4	54	0	-1	0
27690	38	4	56	0	0	-1
27691	38	4	57	0	0	-1
27692	38	4	59	0	0	-1
27693	38	4	60	0	0	-1
27694	38	4	61	0	0	-1
27695	38	4	63	0	0	-1
27696	38	4	64	0	0	-1
27697	38	4	65	0	0	-1
27698	38	4	66	0	-1	0
27699	38	4	68	0	-1	0
27700	38	4	69	0	-1	0
27701	38	4	70	0	0	-1
27702	38	4	71	0	-1	0
27703	38	4	72	0	-1	0
27704	38	4	73	0	-1	0
27705	38	4	74	0	-1	0
27706	38	4	75	0	-1	0
27707	38	4	76	0	-1	0
27708	38	4	77	0	-1	0
27709	38	4	78	0	-1	0
27710	38	4	79	0	-1	0
27711	38	4	81	0	-1	0
27712	38	4	80	0	-1	0
27713	38	4	82	0	-1	0
27714	38	4	83	0	-1	0
27715	38	4	84	0	-1	0
27716	38	4	85	0	-1	0
27717	38	4	86	0	-1	0
27718	38	4	87	0	-1	0
27719	35	4	67	-1	0	0
27720	35	4	21	0	0	0
27721	35	4	23	0	0	0
27722	35	4	24	0	0	0
27723	35	4	25	0	0	0
27724	35	4	26	-1	0	0
27725	35	4	27	0	0	0
27726	35	4	29	0	0	0
27727	35	4	30	0	0	0
27728	35	4	31	0	0	0
27729	35	4	32	0	0	0
27730	35	4	33	0	0	0
27731	35	4	34	0	0	0
27732	35	4	35	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27733	35	4	36	0	0	0
27734	35	4	37	0	0	0
27735	35	4	38	0	0	0
27736	35	4	39	0	0	0
27737	35	4	40	0	0	0
27738	35	4	41	0	0	0
27739	35	4	42	0	0	0
27740	35	4	43	0	0	0
27741	35	4	44	0	0	0
27742	35	4	45	0	0	0
27743	35	4	46	0	0	0
27744	35	4	47	0	0	0
27745	35	4	48	0	0	0
27746	35	4	49	0	0	0
27747	35	4	50	0	0	0
27748	35	4	51	0	0	0
27749	35	4	52	0	0	0
27750	35	4	53	0	0	-1
27751	35	4	54	0	0	0
27752	35	4	56	0	0	-1
27753	35	4	57	0	0	-1
27754	35	4	59	0	0	-1
27755	35	4	60	0	0	0
27756	35	4	61	0	0	-1
27757	35	4	63	0	0	-1
27758	35	4	64	0	0	0
27759	35	4	65	0	0	-1
27760	35	4	66	0	0	-1
27761	35	4	68	0	0	0
27762	35	4	69	0	0	0
27763	35	4	70	0	0	0
27764	35	4	71	0	0	0
27765	35	4	72	0	0	0
27766	35	4	73	0	0	0
27767	35	4	74	0	0	0
27768	35	4	75	0	0	0
27769	35	4	76	0	0	0
27770	35	4	77	0	0	0
27771	35	4	78	0	0	0
27772	35	4	79	0	0	0
27773	35	4	81	0	0	0
27774	35	4	80	0	0	0
27775	35	4	82	0	0	0
27776	35	4	83	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27777	35	4	84	0	-1	0
27778	35	4	85	0	-1	0
27779	35	4	86	0	-1	0
27780	35	4	87	0	-1	0
27781	36	4	67	-1	-1	0
27782	36	4	21	0	-1	0
27783	36	4	23	0	-1	0
27784	36	4	24	0	-1	0
27785	36	4	25	0	-1	0
27786	36	4	26	-1	-1	0
27787	36	4	27	0	-1	0
27788	36	4	29	0	-1	0
27789	36	4	30	0	-1	0
27790	36	4	31	0	-1	0
27791	36	4	32	0	-1	0
27792	36	4	33	0	-1	0
27793	36	4	34	0	-1	0
27794	36	4	35	0	-1	0
27795	36	4	36	0	-1	0
27796	36	4	37	0	-1	0
27797	36	4	38	0	-1	0
27798	36	4	39	0	-1	0
27799	36	4	40	0	-1	0
27800	36	4	41	0	-1	0
27801	36	4	42	0	-1	0
27802	36	4	43	0	-1	0
27803	36	4	44	0	-1	0
27804	36	4	45	0	-1	0
27805	36	4	46	0	-1	0
27806	36	4	47	0	-1	0
27807	36	4	48	0	-1	0
27808	36	4	49	0	-1	0
27809	36	4	50	0	-1	0
27810	36	4	51	0	-1	0
27811	36	4	52	0	-1	0
27812	36	4	53	0	0	-1
27813	36	4	54	0	-1	0
27814	36	4	56	0	0	-1
27815	36	4	57	0	0	-1
27816	36	4	59	0	0	-1
27817	36	4	60	0	-1	0
27818	36	4	61	0	0	-1
27819	36	4	63	0	0	-1
27820	36	4	64	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27821	36	4	65	0	0	-1
27822	36	4	66	0	0	-1
27823	36	4	68	0	-1	0
27824	36	4	69	0	-1	0
27825	36	4	70	0	-1	0
27826	36	4	71	0	-1	0
27827	36	4	72	0	-1	0
27828	36	4	73	0	-1	0
27829	36	4	74	0	-1	0
27830	36	4	75	0	-1	0
27831	36	4	76	0	-1	0
27832	36	4	77	0	-1	0
27833	36	4	78	0	-1	0
27834	36	4	79	0	-1	0
27835	36	4	81	0	-1	0
27836	36	4	80	0	-1	0
27837	36	4	82	0	-1	0
27838	36	4	83	0	-1	0
27839	36	4	84	0	-1	0
27840	36	4	85	0	-1	0
27841	36	4	86	0	-1	0
27842	36	4	87	0	-1	0
27843	27	2	87	-1	0	0
27844	27	2	21	0	0	0
27845	27	2	22	0	0	0
27846	27	2	24	0	0	0
27847	27	2	26	0	0	0
27848	27	2	27	0	0	0
27849	27	2	28	0	0	0
27850	27	2	29	0	0	0
27851	27	2	30	0	0	0
27852	27	2	31	0	0	0
27853	27	2	90	0	0	0
27854	27	2	32	0	0	0
27855	27	2	33	0	0	0
27856	27	2	34	0	0	0
27857	27	2	35	0	0	0
27858	27	2	36	0	0	0
27859	27	2	37	0	0	0
27860	27	2	38	0	0	0
27861	27	2	39	0	0	0
27862	27	2	40	0	0	0
27863	27	2	41	0	0	0
27864	27	2	42	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27865	27	2	43	0	0	0
27866	27	2	44	0	0	0
27867	27	2	45	0	0	0
27868	27	2	46	0	0	0
27869	27	2	47	0	0	0
27870	27	2	48	0	0	0
27871	27	2	49	0	0	0
27872	27	2	50	0	0	0
27873	27	2	51	0	0	0
27874	27	2	52	0	0	0
27875	27	2	53	0	0	0
27876	27	2	54	0	0	0
27877	27	2	55	0	0	0
27878	27	2	56	0	0	0
27879	27	2	57	0	0	0
27880	27	2	61	0	0	0
27881	27	2	62	0	0	0
27882	27	2	63	0	0	0
27883	27	2	64	0	0	0
27884	27	2	65	0	0	0
27885	27	2	66	0	0	0
27886	27	2	67	0	0	0
27887	27	2	72	0	0	0
27888	27	2	73	0	0	0
27889	27	2	74	0	0	0
27890	27	2	80	0	0	0
27891	27	2	81	0	0	0
27892	27	2	82	0	0	0
27893	27	2	84	0	0	0
27894	27	2	85	0	0	0
27895	27	2	88	0	0	0
27896	27	2	89	0	0	0
27897	27	2	91	0	0	0
27898	27	2	92	0	0	0
27899	27	2	94	0	0	0
27900	27	2	95	0	0	0
27901	27	2	97	0	0	0
27902	27	2	96	0	0	0
27903	27	2	98	0	0	0
27904	27	2	99	0	-1	0
27905	27	2	100	0	-1	0
27906	27	2	101	0	-1	0
27907	27	2	102	0	-1	0
27908	27	2	103	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27909	28	2	87	-1	-1	0
27910	28	2	21	0	-1	0
27911	28	2	22	0	-1	0
27912	28	2	24	0	-1	0
27913	28	2	26	0	-1	0
27914	28	2	27	0	-1	0
27915	28	2	28	0	-1	0
27916	28	2	29	0	0	-1
27917	28	2	30	0	-1	0
27918	28	2	31	0	-1	0
27919	28	2	90	0	-1	0
27920	28	2	32	0	-1	0
27921	28	2	33	0	-1	0
27922	28	2	34	0	-1	0
27923	28	2	35	0	-1	0
27924	28	2	36	0	-1	0
27925	28	2	37	0	-1	0
27926	28	2	38	0	-1	0
27927	28	2	39	0	-1	0
27928	28	2	40	0	-1	0
27929	28	2	41	0	-1	0
27930	28	2	42	0	-1	0
27931	28	2	43	0	-1	0
27932	28	2	44	0	-1	0
27933	28	2	45	0	-1	0
27934	28	2	46	0	-1	0
27935	28	2	47	0	-1	0
27936	28	2	48	0	-1	0
27937	28	2	49	0	-1	0
27938	28	2	50	0	-1	0
27939	28	2	51	0	-1	0
27940	28	2	52	0	-1	0
27941	28	2	53	0	-1	0
27942	28	2	54	0	-1	0
27943	28	2	55	0	-1	0
27944	28	2	56	0	-1	0
27945	28	2	57	0	-1	0
27946	28	2	61	0	-1	0
27947	28	2	62	0	-1	0
27948	28	2	63	0	-1	0
27949	28	2	64	0	-1	0
27950	28	2	65	0	-1	0
27951	28	2	66	0	-1	0
27952	28	2	67	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27953	28	2	72	0	-1	0
27954	28	2	73	0	-1	0
27955	28	2	74	0	0	-1
27956	28	2	80	0	0	-1
27957	28	2	81	0	0	-1
27958	28	2	82	0	-1	0
27959	28	2	84	0	-1	0
27960	28	2	85	0	-1	0
27961	28	2	88	0	-1	0
27962	28	2	89	0	-1	0
27963	28	2	91	0	-1	0
27964	28	2	92	0	-1	0
27965	28	2	94	0	-1	0
27966	28	2	95	0	-1	0
27967	28	2	97	0	-1	0
27968	28	2	96	0	-1	0
27969	28	2	98	0	-1	0
27970	28	2	99	0	-1	0
27971	28	2	100	0	-1	0
27972	28	2	101	0	-1	0
27973	28	2	102	0	-1	0
27974	28	2	103	0	-1	0
27975	25	2	87	-1	0	0
27976	25	2	21	0	0	0
27977	25	2	22	0	0	0
27978	25	2	24	0	0	0
27979	25	2	26	0	0	0
27980	25	2	27	0	0	0
27981	25	2	28	0	0	0
27982	25	2	29	0	0	0
27983	25	2	30	0	0	0
27984	25	2	31	0	0	0
27985	25	2	90	0	0	0
27986	25	2	32	0	0	0
27987	25	2	33	0	0	0
27988	25	2	34	0	0	0
27989	25	2	35	0	0	0
27990	25	2	36	0	0	0
27991	25	2	37	0	0	0
27992	25	2	38	0	0	0
27993	25	2	39	0	0	0
27994	25	2	40	0	0	0
27995	25	2	41	0	0	0
27996	25	2	42	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
27997	25	2	43	0	0	0
27998	25	2	44	0	0	0
27999	25	2	45	0	0	0
28000	25	2	46	0	0	0
28001	25	2	47	0	0	0
28002	25	2	48	0	0	0
28003	25	2	49	0	0	0
28004	25	2	50	0	0	0
28005	25	2	51	0	0	0
28006	25	2	52	0	0	0
28007	25	2	53	0	0	0
28008	25	2	54	0	0	0
28009	25	2	55	0	0	0
28010	25	2	56	0	0	0
28011	25	2	57	0	0	0
28012	25	2	61	0	0	0
28013	25	2	62	0	0	0
28014	25	2	63	0	0	0
28015	25	2	64	0	0	0
28016	25	2	65	0	0	0
28017	25	2	66	0	0	0
28018	25	2	67	0	0	0
28019	25	2	72	0	0	0
28020	25	2	73	0	0	0
28021	25	2	74	0	0	0
28022	25	2	80	0	0	0
28023	25	2	81	0	0	0
28024	25	2	82	0	0	0
28025	25	2	84	0	0	0
28026	25	2	85	0	0	0
28027	25	2	88	0	0	0
28028	25	2	89	0	0	0
28029	25	2	91	0	0	0
28030	25	2	92	0	0	0
28031	25	2	94	0	0	0
28032	25	2	95	0	0	0
28033	25	2	97	0	0	0
28034	25	2	96	0	0	0
28035	25	2	98	0	0	0
28036	25	2	99	0	-1	0
28037	25	2	100	0	-1	0
28038	25	2	101	0	-1	0
28039	25	2	102	0	-1	0
28040	25	2	103	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
28041	26	2	87	-1	-1	0
28042	26	2	21	0	-1	0
28043	26	2	22	0	-1	0
28044	26	2	24	0	-1	0
28045	26	2	26	0	-1	0
28046	26	2	27	0	-1	0
28047	26	2	28	0	-1	0
28048	26	2	29	0	0	-1
28049	26	2	30	0	-1	0
28050	26	2	31	0	-1	0
28051	26	2	90	0	-1	0
28052	26	2	32	0	-1	0
28053	26	2	33	0	-1	0
28054	26	2	34	0	-1	0
28055	26	2	35	0	-1	0
28056	26	2	36	0	-1	0
28057	26	2	37	0	-1	0
28058	26	2	38	0	-1	0
28059	26	2	39	0	-1	0
28060	26	2	40	0	-1	0
28061	26	2	41	0	-1	0
28062	26	2	42	0	-1	0
28063	26	2	43	0	-1	0
28064	26	2	44	0	-1	0
28065	26	2	45	0	-1	0
28066	26	2	46	0	-1	0
28067	26	2	47	0	-1	0
28068	26	2	48	0	-1	0
28069	26	2	49	0	-1	0
28070	26	2	50	0	-1	0
28071	26	2	51	0	-1	0
28072	26	2	52	0	-1	0
28073	26	2	53	0	-1	0
28074	26	2	54	0	-1	0
28075	26	2	55	0	-1	0
28076	26	2	56	0	-1	0
28077	26	2	57	0	-1	0
28078	26	2	61	0	-1	0
28079	26	2	62	0	-1	0
28080	26	2	63	0	-1	0
28081	26	2	64	0	-1	0
28082	26	2	65	0	-1	0
28083	26	2	66	0	-1	0
28084	26	2	67	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
28085	26	2	72	0	-1	0
28086	26	2	73	0	-1	0
28087	26	2	74	0	-1	0
28088	26	2	80	0	-1	0
28089	26	2	81	0	-1	0
28090	26	2	82	0	-1	0
28091	26	2	84	0	-1	0
28092	26	2	85	0	-1	0
28093	26	2	88	0	-1	0
28094	26	2	89	0	-1	0
28095	26	2	91	0	-1	0
28096	26	2	92	0	-1	0
28097	26	2	94	0	-1	0
28098	26	2	95	0	-1	0
28099	26	2	97	0	-1	0
28100	26	2	96	0	-1	0
28101	26	2	98	0	-1	0
28102	26	2	99	0	-1	0
28103	26	2	100	0	-1	0
28104	26	2	101	0	-1	0
28105	26	2	102	0	-1	0
28106	26	2	103	0	-1	0
28107	23	2	87	-1	0	0
28108	23	2	21	0	0	0
28109	23	2	22	0	0	0
28110	23	2	24	0	0	0
28111	23	2	26	0	0	0
28112	23	2	27	0	0	0
28113	23	2	28	0	0	0
28114	23	2	29	0	0	0
28115	23	2	30	0	0	0
28116	23	2	31	0	0	0
28117	23	2	90	0	0	0
28118	23	2	32	0	0	0
28119	23	2	33	0	0	0
28120	23	2	34	0	0	0
28121	23	2	35	0	0	0
28122	23	2	36	0	0	0
28123	23	2	37	0	0	0
28124	23	2	38	0	0	0
28125	23	2	39	0	0	0
28126	23	2	40	0	0	0
28127	23	2	41	0	0	0
28128	23	2	42	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
28129	23	2	43	0	0	0
28130	23	2	44	0	0	0
28131	23	2	45	0	0	0
28132	23	2	46	0	0	0
28133	23	2	47	0	0	0
28134	23	2	48	0	0	0
28135	23	2	49	0	0	0
28136	23	2	50	0	0	0
28137	23	2	51	0	0	0
28138	23	2	52	0	0	0
28139	23	2	53	0	0	0
28140	23	2	54	0	0	0
28141	23	2	55	0	0	0
28142	23	2	56	0	0	0
28143	23	2	57	0	0	0
28144	23	2	61	0	0	0
28145	23	2	62	0	0	0
28146	23	2	63	0	0	0
28147	23	2	64	0	0	0
28148	23	2	65	0	0	0
28149	23	2	66	0	0	0
28150	23	2	67	0	0	0
28151	23	2	72	0	0	0
28152	23	2	73	0	0	0
28153	23	2	74	0	0	0
28154	23	2	80	0	0	0
28155	23	2	81	0	0	0
28156	23	2	82	0	0	0
28157	23	2	84	0	0	0
28158	23	2	85	0	0	0
28159	23	2	88	0	0	0
28160	23	2	89	0	0	0
28161	23	2	91	0	0	0
28162	23	2	92	0	0	0
28163	23	2	94	0	0	0
28164	23	2	95	0	0	0
28165	23	2	97	0	0	0
28166	23	2	96	0	0	0
28167	23	2	98	0	0	0
28168	23	2	99	0	-1	0
28169	23	2	100	0	-1	0
28170	23	2	101	0	-1	0
28171	23	2	102	0	-1	0
28172	23	2	103	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
28173	24	2	87	-1	-1	0
28174	24	2	21	0	-1	0
28175	24	2	22	0	-1	0
28176	24	2	24	0	-1	0
28177	24	2	26	0	-1	0
28178	24	2	27	0	-1	0
28179	24	2	28	0	-1	0
28180	24	2	29	0	-1	0
28181	24	2	30	0	-1	0
28182	24	2	31	0	-1	0
28183	24	2	90	0	-1	0
28184	24	2	32	0	-1	0
28185	24	2	33	0	-1	0
28186	24	2	34	0	-1	0
28187	24	2	35	0	-1	0
28188	24	2	36	0	-1	0
28189	24	2	37	0	-1	0
28190	24	2	38	0	-1	0
28191	24	2	39	0	-1	0
28192	24	2	40	0	-1	0
28193	24	2	41	0	-1	0
28194	24	2	42	0	-1	0
28195	24	2	43	0	-1	0
28196	24	2	44	0	-1	0
28197	24	2	45	0	-1	0
28198	24	2	46	0	-1	0
28199	24	2	47	0	-1	0
28200	24	2	48	0	-1	0
28201	24	2	49	0	-1	0
28202	24	2	50	0	-1	0
28203	24	2	51	0	-1	0
28204	24	2	52	0	-1	0
28205	24	2	53	0	-1	0
28206	24	2	54	0	-1	0
28207	24	2	55	0	-1	0
28208	24	2	56	0	-1	0
28209	24	2	57	0	-1	0
28210	24	2	61	0	-1	0
28211	24	2	62	0	-1	0
28212	24	2	63	0	-1	0
28213	24	2	64	0	-1	0
28214	24	2	65	0	-1	0
28215	24	2	66	0	-1	0
28216	24	2	67	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
28217	24	2	72	0	-1	0
28218	24	2	73	0	-1	0
28219	24	2	74	0	-1	0
28220	24	2	80	0	-1	0
28221	24	2	81	0	-1	0
28222	24	2	82	0	-1	0
28223	24	2	84	0	-1	0
28224	24	2	85	0	-1	0
28225	24	2	88	0	-1	0
28226	24	2	89	0	-1	0
28227	24	2	91	0	-1	0
28228	24	2	92	0	-1	0
28229	24	2	94	0	-1	0
28230	24	2	95	0	-1	0
28231	24	2	97	0	-1	0
28232	24	2	96	0	-1	0
28233	24	2	98	0	-1	0
28234	24	2	99	0	-1	0
28235	24	2	100	0	-1	0
28236	24	2	101	0	-1	0
28237	24	2	102	0	-1	0
28238	24	2	103	0	-1	0
29187	19	5	1	-1	0	0
29188	19	5	2	0	0	0
29189	19	5	3	0	0	0
29190	19	5	65	0	0	0
29191	19	5	64	0	0	0
29192	19	5	63	0	0	0
29193	19	5	62	0	0	0
29194	19	5	61	0	0	0
29195	19	5	60	0	0	0
29196	19	5	59	0	0	0
29197	19	5	58	0	0	0
29198	19	5	57	0	0	0
29199	19	5	56	0	0	0
29200	19	5	55	0	0	0
29201	19	5	54	0	0	0
29202	19	5	53	0	0	0
29203	19	5	52	0	0	0
29204	19	5	51	0	0	0
29205	19	5	50	0	0	0
29206	19	5	49	0	0	0
29207	19	5	48	0	0	0
29208	19	5	47	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29209	19	5	46	0	0	0
29210	19	5	45	0	0	0
29211	19	5	44	0	0	0
29212	19	5	43	0	0	0
29213	19	5	42	0	0	0
29214	19	5	41	0	0	0
29215	19	5	40	0	0	0
29216	19	5	39	0	0	0
29217	19	5	38	0	0	0
29218	19	5	37	0	0	0
29219	19	5	36	0	0	0
29220	19	5	35	0	0	0
29221	19	5	34	0	0	0
29222	19	5	33	0	0	0
29223	19	5	32	0	0	0
29224	19	5	31	0	0	0
29225	19	5	30	0	0	0
29226	19	5	29	0	0	0
29227	19	5	28	0	0	0
29228	19	5	27	0	0	0
29229	19	5	26	0	0	0
29230	19	5	25	0	0	0
29231	19	5	24	0	0	0
29232	19	5	23	0	0	0
29233	19	5	22	0	0	0
29234	19	5	21	0	0	0
29235	19	5	20	0	0	0
29236	19	5	19	0	0	0
29237	19	5	18	0	0	0
29238	19	5	17	0	0	0
29239	19	5	16	0	0	0
29240	19	5	15	0	0	0
29241	19	5	14	0	0	0
29242	19	5	13	0	0	0
29243	19	5	12	0	0	0
29244	19	5	11	0	0	0
29245	19	5	10	0	0	0
29246	19	5	9	0	0	0
29247	19	5	8	0	0	0
29248	19	5	7	0	0	0
29249	19	5	6	0	0	0
29250	19	5	5	0	0	0
29251	19	5	4	0	0	0
29252	19	5	66	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29253	19	5	67	0	0	0
29254	19	5	68	0	0	0
29255	19	5	69	0	0	0
29256	19	5	70	0	0	0
29257	19	5	71	0	0	0
29258	19	5	73	0	0	0
29259	19	5	72	0	0	0
29260	19	5	74	0	0	0
29261	19	5	75	0	-1	0
29262	19	5	76	0	-1	0
29263	19	5	77	0	-1	0
29264	19	5	78	0	-1	0
29265	19	5	79	0	-1	0
29266	20	5	1	-1	-1	0
29267	20	5	2	0	-1	0
29268	20	5	3	0	-1	0
29269	20	5	65	0	-1	0
29270	20	5	64	0	-1	0
29271	20	5	63	0	-1	0
29272	20	5	62	0	-1	0
29273	20	5	61	0	-1	0
29274	20	5	60	0	-1	0
29275	20	5	59	0	-1	0
29276	20	5	58	0	-1	0
29277	20	5	57	0	-1	0
29278	20	5	56	0	-1	0
29279	20	5	55	0	-1	0
29280	20	5	54	0	-1	0
29281	20	5	53	0	-1	0
29282	20	5	52	0	-1	0
29283	20	5	51	0	-1	0
29284	20	5	50	0	-1	0
29285	20	5	49	0	-1	0
29286	20	5	48	0	-1	0
29287	20	5	47	0	-1	0
29288	20	5	46	0	-1	0
29289	20	5	45	0	-1	0
29290	20	5	44	0	-1	0
29291	20	5	43	0	-1	0
29292	20	5	42	0	-1	0
29293	20	5	41	0	-1	0
29294	20	5	40	0	-1	0
29295	20	5	39	0	-1	0
29296	20	5	38	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29297	20	5	37	0	-1	0
29298	20	5	36	0	-1	0
29299	20	5	35	0	-1	0
29300	20	5	34	0	-1	0
29301	20	5	33	0	-1	0
29302	20	5	32	0	-1	0
29303	20	5	31	0	-1	0
29304	20	5	30	0	-1	0
29305	20	5	29	0	-1	0
29306	20	5	28	0	-1	0
29307	20	5	27	0	-1	0
29308	20	5	26	0	-1	0
29309	20	5	25	0	-1	0
29310	20	5	24	0	-1	0
29311	20	5	23	0	-1	0
29312	20	5	22	0	-1	0
29313	20	5	21	0	-1	0
29314	20	5	20	0	-1	0
29315	20	5	19	0	-1	0
29316	20	5	18	0	-1	0
29317	20	5	17	0	0	-1
29318	20	5	16	0	-1	0
29319	20	5	15	0	-1	0
29320	20	5	14	0	-1	0
29321	20	5	13	0	-1	0
29322	20	5	12	0	-1	0
29323	20	5	11	0	0	-1
29324	20	5	10	0	-1	0
29325	20	5	9	0	-1	0
29326	20	5	8	0	-1	0
29327	20	5	7	0	-1	0
29328	20	5	6	0	-1	0
29329	20	5	5	0	-1	0
29330	20	5	4	0	-1	0
29331	20	5	66	0	-1	0
29332	20	5	67	0	-1	0
29333	20	5	68	0	-1	0
29334	20	5	69	0	-1	0
29335	20	5	70	0	-1	0
29336	20	5	71	0	-1	0
29337	20	5	73	0	-1	0
29338	20	5	72	0	-1	0
29339	20	5	74	0	-1	0
29340	20	5	75	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29341	20	5	76	0	-1	0
29342	20	5	77	0	-1	0
29343	20	5	78	0	-1	0
29344	20	5	79	0	-1	0
29345	21	5	1	-1	0	0
29346	21	5	2	0	0	0
29347	21	5	3	0	0	0
29348	21	5	65	0	0	0
29349	21	5	64	0	0	0
29350	21	5	63	0	0	0
29351	21	5	62	0	0	0
29352	21	5	61	0	0	0
29353	21	5	60	0	0	0
29354	21	5	59	0	0	0
29355	21	5	58	0	0	0
29356	21	5	57	0	0	0
29357	21	5	56	0	0	0
29358	21	5	55	0	0	0
29359	21	5	54	0	0	0
29360	21	5	53	0	0	0
29361	21	5	52	0	0	0
29362	21	5	51	0	0	0
29363	21	5	50	0	0	0
29364	21	5	49	0	0	0
29365	21	5	48	0	0	0
29366	21	5	47	0	0	0
29367	21	5	46	0	0	0
29368	21	5	45	0	0	0
29369	21	5	44	0	0	0
29370	21	5	43	0	0	0
29371	21	5	42	0	0	0
29372	21	5	41	0	0	0
29373	21	5	40	0	0	0
29374	21	5	39	0	0	0
29375	21	5	38	0	0	0
29376	21	5	37	0	0	0
29377	21	5	36	0	0	0
29378	21	5	35	0	0	0
29379	21	5	34	0	0	0
29380	21	5	33	0	0	0
29381	21	5	32	0	0	0
29382	21	5	31	0	0	0
29383	21	5	30	0	0	0
29384	21	5	29	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29385	21	5	28	0	0	0
29386	21	5	27	0	0	0
29387	21	5	26	0	0	0
29388	21	5	25	0	0	0
29389	21	5	24	0	0	0
29390	21	5	23	0	0	0
29391	21	5	22	0	0	0
29392	21	5	21	0	0	0
29393	21	5	20	0	0	0
29394	21	5	19	0	0	0
29395	21	5	18	0	0	0
29396	21	5	17	0	0	0
29397	21	5	16	0	0	-1
29398	21	5	15	0	0	0
29399	21	5	14	0	0	0
29400	21	5	13	0	0	0
29401	21	5	12	0	0	0
29402	21	5	11	0	0	0
29403	21	5	10	0	0	0
29404	21	5	9	0	0	0
29405	21	5	8	0	0	0
29406	21	5	7	0	0	0
29407	21	5	6	0	0	0
29408	21	5	5	0	0	0
29409	21	5	4	0	0	0
29410	21	5	66	0	0	0
29411	21	5	67	0	0	0
29412	21	5	68	0	0	0
29413	21	5	69	0	0	0
29414	21	5	70	0	0	0
29415	21	5	71	0	0	0
29416	21	5	73	0	0	0
29417	21	5	72	0	0	0
29418	21	5	74	0	0	0
29419	21	5	75	0	-1	0
29420	21	5	76	0	-1	0
29421	21	5	77	0	-1	0
29422	21	5	78	0	-1	0
29423	21	5	79	0	-1	0
29424	22	5	1	-1	-1	0
29425	22	5	2	0	-1	0
29426	22	5	3	0	-1	0
29427	22	5	65	0	-1	0
29428	22	5	64	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29429	22	5	63	0	-1	0
29430	22	5	62	0	-1	0
29431	22	5	61	0	-1	0
29432	22	5	60	0	-1	0
29433	22	5	59	0	-1	0
29434	22	5	58	0	-1	0
29435	22	5	57	0	-1	0
29436	22	5	56	0	-1	0
29437	22	5	55	0	-1	0
29438	22	5	54	0	-1	0
29439	22	5	53	0	-1	0
29440	22	5	52	0	-1	0
29441	22	5	51	0	-1	0
29442	22	5	50	0	-1	0
29443	22	5	49	0	-1	0
29444	22	5	48	0	-1	0
29445	22	5	47	0	-1	0
29446	22	5	46	0	-1	0
29447	22	5	45	0	-1	0
29448	22	5	44	0	-1	0
29449	22	5	43	0	-1	0
29450	22	5	42	0	-1	0
29451	22	5	41	0	-1	0
29452	22	5	40	0	-1	0
29453	22	5	39	0	-1	0
29454	22	5	38	0	-1	0
29455	22	5	37	0	-1	0
29456	22	5	36	0	-1	0
29457	22	5	35	0	-1	0
29458	22	5	34	0	-1	0
29459	22	5	33	0	-1	0
29460	22	5	32	0	-1	0
29461	22	5	31	0	-1	0
29462	22	5	30	0	-1	0
29463	22	5	29	0	-1	0
29464	22	5	28	0	-1	0
29465	22	5	27	0	-1	0
29466	22	5	26	0	-1	0
29467	22	5	25	0	-1	0
29468	22	5	24	0	-1	0
29469	22	5	23	0	-1	0
29470	22	5	22	0	-1	0
29471	22	5	21	0	-1	0
29472	22	5	20	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29473	22	5	19	0	-1	0
29474	22	5	18	0	-1	0
29475	22	5	17	0	-1	0
29476	22	5	16	-1	-1	0
29477	22	5	15	0	-1	0
29478	22	5	14	0	-1	0
29479	22	5	13	0	-1	0
29480	22	5	12	0	-1	0
29481	22	5	11	0	0	-1
29482	22	5	10	0	-1	0
29483	22	5	9	0	-1	0
29484	22	5	8	0	-1	0
29485	22	5	7	0	-1	0
29486	22	5	6	0	-1	0
29487	22	5	5	0	-1	0
29488	22	5	4	0	-1	0
29489	22	5	66	0	-1	0
29490	22	5	67	0	-1	0
29491	22	5	68	0	-1	0
29492	22	5	69	0	-1	0
29493	22	5	70	0	-1	0
29494	22	5	71	0	-1	0
29495	22	5	73	0	-1	0
29496	22	5	72	0	-1	0
29497	22	5	74	0	-1	0
29498	22	5	75	0	-1	0
29499	22	5	76	0	-1	0
29500	22	5	77	0	-1	0
29501	22	5	78	0	-1	0
29502	22	5	79	0	-1	0
29503	17	5	1	-1	0	0
29504	17	5	2	0	0	0
29505	17	5	3	0	0	0
29506	17	5	65	0	0	0
29507	17	5	64	0	0	0
29508	17	5	63	0	0	0
29509	17	5	62	0	0	0
29510	17	5	61	0	0	0
29511	17	5	60	0	0	0
29512	17	5	59	0	0	0
29513	17	5	58	0	0	0
29514	17	5	57	0	0	0
29515	17	5	56	0	0	0
29516	17	5	55	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29517	17	5	54	0	0	0
29518	17	5	53	0	0	0
29519	17	5	52	0	0	0
29520	17	5	51	0	0	0
29521	17	5	50	0	0	0
29522	17	5	49	0	0	0
29523	17	5	48	0	0	0
29524	17	5	47	0	0	0
29525	17	5	46	0	0	0
29526	17	5	45	0	0	0
29527	17	5	44	0	0	0
29528	17	5	43	0	0	0
29529	17	5	42	0	0	0
29530	17	5	41	0	0	0
29531	17	5	40	0	0	0
29532	17	5	39	0	0	0
29533	17	5	38	0	0	0
29534	17	5	37	0	0	0
29535	17	5	36	0	0	0
29536	17	5	35	0	0	0
29537	17	5	34	0	0	0
29538	17	5	33	0	0	0
29539	17	5	32	0	0	0
29540	17	5	31	0	0	0
29541	17	5	30	0	0	0
29542	17	5	29	0	0	0
29543	17	5	28	0	0	0
29544	17	5	27	0	0	0
29545	17	5	26	0	0	0
29546	17	5	25	0	0	0
29547	17	5	24	0	0	0
29548	17	5	23	0	0	0
29549	17	5	22	0	0	0
29550	17	5	21	0	0	0
29551	17	5	20	0	0	0
29552	17	5	19	0	0	0
29553	17	5	18	0	0	0
29554	17	5	17	0	0	0
29555	17	5	16	0	0	0
29556	17	5	15	0	0	0
29557	17	5	14	0	0	0
29558	17	5	13	0	0	-1
29559	17	5	12	0	0	0
29560	17	5	11	0	0	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29561	17	5	10	0	0	0
29562	17	5	9	0	0	0
29563	17	5	8	0	0	0
29564	17	5	7	0	0	0
29565	17	5	6	0	0	0
29566	17	5	5	0	0	0
29567	17	5	4	0	0	0
29568	17	5	66	0	0	0
29569	17	5	67	0	0	0
29570	17	5	68	0	0	0
29571	17	5	69	0	0	0
29572	17	5	70	0	0	0
29573	17	5	71	0	0	0
29574	17	5	73	0	0	0
29575	17	5	72	0	0	0
29576	17	5	74	0	0	0
29577	17	5	75	0	-1	0
29578	17	5	76	0	-1	0
29579	17	5	77	0	-1	0
29580	17	5	78	0	-1	0
29581	17	5	79	0	-1	0
29582	18	5	1	-1	-1	0
29583	18	5	2	0	-1	0
29584	18	5	3	0	-1	0
29585	18	5	65	0	-1	0
29586	18	5	64	0	-1	0
29587	18	5	63	0	-1	0
29588	18	5	62	0	-1	0
29589	18	5	61	0	-1	0
29590	18	5	60	0	-1	0
29591	18	5	59	0	-1	0
29592	18	5	58	0	-1	0
29593	18	5	57	0	-1	0
29594	18	5	56	0	-1	0
29595	18	5	55	0	-1	0
29596	18	5	54	0	-1	0
29597	18	5	53	0	-1	0
29598	18	5	52	0	-1	0
29599	18	5	51	0	-1	0
29600	18	5	50	0	-1	0
29601	18	5	49	0	-1	0
29602	18	5	48	0	-1	0
29603	18	5	47	0	-1	0
29604	18	5	46	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29605	18	5	45	0	-1	0
29606	18	5	44	0	-1	0
29607	18	5	43	0	-1	0
29608	18	5	42	0	-1	0
29609	18	5	41	0	-1	0
29610	18	5	40	0	-1	0
29611	18	5	39	0	-1	0
29612	18	5	38	0	-1	0
29613	18	5	37	0	-1	0
29614	18	5	36	0	-1	0
29615	18	5	35	0	-1	0
29616	18	5	34	0	-1	0
29617	18	5	33	0	-1	0
29618	18	5	32	0	-1	0
29619	18	5	31	0	-1	0
29620	18	5	30	0	-1	0
29621	18	5	29	0	-1	0
29622	18	5	28	0	-1	0
29623	18	5	27	0	-1	0
29624	18	5	26	0	-1	0
29625	18	5	25	0	-1	0
29626	18	5	24	0	-1	0
29627	18	5	23	0	-1	0
29628	18	5	22	0	-1	0
29629	18	5	21	0	-1	0
29630	18	5	20	0	-1	0
29631	18	5	19	0	-1	0
29632	18	5	18	0	-1	0
29633	18	5	17	0	0	-1
29634	18	5	16	0	-1	0
29635	18	5	15	0	-1	0
29636	18	5	14	0	-1	0
29637	18	5	13	0	0	-1
29638	18	5	12	0	-1	0
29639	18	5	11	0	-1	0
29640	18	5	10	0	-1	0
29641	18	5	9	0	-1	0
29642	18	5	8	0	-1	0
29643	18	5	7	0	-1	0
29644	18	5	6	0	-1	0
29645	18	5	5	0	-1	0
29646	18	5	4	0	-1	0
29647	18	5	66	0	-1	0
29648	18	5	67	0	-1	0

GraphDataID	GraphCode	SiteInstall	Survey	Include	Float	Exclude
29649	18	5	68	0	-1	0
29650	18	5	69	0	-1	0
29651	18	5	70	0	-1	0
29652	18	5	71	0	-1	0
29653	18	5	73	0	-1	0
29654	18	5	72	0	-1	0
29655	18	5	74	0	-1	0
29656	18	5	75	0	-1	0
29657	18	5	76	0	-1	0
29658	18	5	77	0	-1	0
29659	18	5	78	0	-1	0
29660	18	5	79	0	-1	0

ID	InstID	Site	Inst	Desc	SerialNum
1	1	2	SI06	From DataMate	00000
2	2	1	SI06	From DataMate	00000
4	4	3	SI06	From DataMate	00000
14	5	2	SI01	From DataMate	00000
15	6	4	SI11	From DataMate	00000
16	7	1	SI11	From DataMate	00000
17	8	2	SI11	From DataMate	00000

A0Dir	Deep	Shallow	Interval	InitDate	Azimuth
	32	0.5	0.5	2005-01-01	0
	43	0.5	0.5	2005-01-01	0
	41	0.5	0.5	2005-01-01	0
	29.5	0	0.5	2005-01-01	0
	43.5	0.5	0.5	2012-01-14	0
	48	0.5	0.5	2012-01-17	0
	49.5	0.5	0.5	2012-01-13	0

Stickup	DataLoaded	InstrConstant	OffsetA	OffsetB	SensitivityA
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0

SensitivityB	RotationA	RotationB	Date	Top	Bottom
0	0	0	2005-01-01	0.5	32
0	0	0	2005-01-01	0.5	43
0	0	0	2005-01-01	0.5	41
0	0	0	2005-01-01	0	29.5
0	0	0	2012-01-14	0.5	43.5
0	0	0	2012-01-17	0.5	48
0	0	0	2012-01-13	0.5	49.5

Orientation	DepthOffset	ElevationOffset	Spiral	CableUnits
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric

InstallationData	InstallationCode	DisplayCode	Site	Installation	Units
1	2	-1 1		SI06	1
2	3	-1 4		SI01	1
3	4	-1 3		SI06	1
4	1	-1 2		SI06	1
5	5	-1 2		SI01	1
6	6	-1 SI01		02	1
7	7	-1 1		SI11	1
8	8	-1 2		SI11	1

DepthOffset	ElevationOffset	Orientation	Spiral
0	0	0	0
7.5	7.5	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0

ID	DisplayCode	PageLayoutNam	TitleBar	TitelVersion
----	-------------	---------------	----------	--------------

ParamName	ParamValue
Version	1.34

Pointer	Rdg_Set	Date_Read	Time_Read	Full_Set	Actl_Sens
1	14	2007-09-15	11:30:27 AM	-1	00000
1	15	2007-10-01	12:36:39 PM	-1	00000
1	19	2008-08-14	2:24:45 PM	-1	00000
1	20	2008-08-20	9:42:57 AM	-1	00000
1	21	2008-09-12	10:55:50 AM	-1	00000
1	22	2008-10-01	5:04:55 PM	-1	00000
1	23	2008-10-18	3:15:00 PM	-1	00000
1	24	2008-10-31	8:51:27 AM	-1	00000
1	25	2008-11-25	3:33:48 PM	-1	00000
1	27	2009-04-16	1:12:42 PM	-1	00000
1	28	2009-04-29	3:43:38 PM	-1	00000
1	29	2009-05-19	10:40:35 AM	-1	00000
1	30	2009-06-04	3:24:33 PM	-1	00000
1	31	2009-06-25	3:24:03 PM	-1	00000
1	32	2009-07-16	11:10:52 AM	-1	00000
1	33	2009-07-30	10:09:30 AM	-1	00000
1	34	2009-08-13	2:20:39 PM	-1	00000
1	35	2009-08-27	11:50:53 AM	-1	00000
1	36	2009-11-09	3:03:34 PM	-1	00000
1	37	2010-03-06	5:13:41 PM	-1	00000
1	39	2010-03-23	8:37:04 AM	-1	00000
1	40	2010-04-22	10:41:21 AM	-1	00000
1	42	2010-05-19	2:10:03 PM	-1	00000
1	44	2010-06-04	10:56:17 AM	-1	00000
1	45	2010-06-10	1:09:36 PM	-1	00000
1	46	2010-06-25	1:21:25 PM	-1	00000
1	47	2010-06-28	8:58:37 AM	-1	00000
1	48	2010-07-06	3:41:52 PM	-1	00000
1	49	2010-07-20	10:23:01 AM	-1	00000
1	51	2010-07-24	9:34:30 AM	-1	00000
1	52	2010-08-07	9:47:35 AM	-1	00000
1	53	2011-06-16	12:39:00 PM	-1	00000
1	54	2007-04-06	3:07:52 PM	-1	Probe SN
1	55	2011-07-01	10:41:46 AM	-1	00000
1	56	2011-07-16	8:50:10 AM	-1	00000
1	57	2011-07-30	10:57:17 AM	-1	00000
1	58	2011-08-15	7:02:16 AM	-1	00000
1	59	2011-09-06	1:16:27 PM	-1	00000
1	60	2012-04-22	4:36:12 PM	-1	00000
1	61	2012-06-03	12:07:35 PM	-1	00000
1	62	2012-05-05	2:58:22 PM	-1	00000
1	63	2012-06-16	3:14:22 PM	-1	00000

INVESTIGATION BGC-21 Page 161 of 528

INVESTIGATION BGC-21 Page 162 of 528

[illegible]

Pointer	Rdg_Set	Date_Read	Time_Read	Full_Set	Actl_Sens
1	64	2012-07-01	11:35:18 AM	-1	00000
1	65	2012-07-14	3:54:43 PM	-1	00000
1	66	2012-07-29	8:22:05 AM	-1	00000
1	67	2012-08-12	5:14:58 PM	-1	00000
1	68	2012-08-26	3:13:35 PM	-1	00000
2	21	2008-02-05	3:37:10 PM	-1	00000
2	22	2008-03-12	12:24:36 PM	-1	00000
2	24	2008-08-14	3:17:57 PM	-1	00000
2	26	2008-09-12	10:15:15 AM	-1	00000
2	27	2008-10-01	5:19:38 PM	-1	00000
2	28	2008-10-18	3:43:41 PM	-1	00000
2	29	2008-10-31	9:12:06 AM	-1	00000
2	30	2008-11-25	3:53:10 PM	-1	00000
2	31	2009-02-17	2:13:30 PM	-1	00000
2	32	2009-03-12	4:37:52 PM	-1	00000
2	33	2009-03-17	2:52:52 PM	-1	00000
2	34	2009-03-25	2:38:35 PM	-1	00000
2	35	2009-04-01	12:25:04 PM	-1	00000
2	36	2009-04-08	9:50:15 AM	-1	00000
2	37	2009-04-16	9:07:50 AM	-1	00000
2	38	2009-04-22	1:48:11 PM	-1	00000
2	39	2009-04-29	3:22:47 PM	-1	00000
2	40	2009-05-06	11:28:19 AM	-1	00000
2	41	2009-05-19	9:56:59 AM	-1	00000
2	42	2009-05-28	10:22:53 AM	-1	00000
2	43	2009-06-04	2:50:46 PM	-1	00000
2	44	2009-06-11	10:14:43 AM	-1	00000
2	45	2009-06-19	10:42:29 AM	-1	00000
2	46	2009-06-25	2:59:19 PM	-1	00000
2	47	2009-07-01	8:29:23 AM	-1	00000
2	48	2009-07-09	11:52:28 AM	-1	00000
2	49	2009-07-16	10:47:58 AM	-1	00000
2	50	2009-07-23	8:37:17 AM	-1	00000
2	51	2009-07-30	10:33:08 AM	-1	00000
2	52	2009-08-06	7:24:52 AM	-1	00000
2	53	2009-08-13	2:46:36 PM	-1	00000
2	54	2009-08-20	2:28:52 PM	-1	00000
2	55	2009-08-27	12:10:29 PM	-1	00000
2	56	2009-09-03	1:14:53 PM	-1	00000
2	57	2009-09-15	1:08:56 PM	-1	00000
2	61	2009-11-09	2:22:10 PM	-1	00000
2	62	2009-11-26	3:59:49 PM	-1	00000

INVESTIGATION BGC-21 Page 165 of 528

INVESTIGATION BGC-21 Page 166 of 528

[illegible]

Pointer	Rdg_Set	Date_Read	Time_Read	Full_Set	Actl_Sens
2	63	2009-12-03	4:49:48 PM	-1	00000
2	64	2010-01-21	2:52:30 PM	-1	00000
2	65	2010-03-04	11:46:45 AM	-1	00000
2	66	2010-03-22	3:11:07 PM	-1	00000
2	67	2010-04-22	9:52:36 AM	-1	00000
2	72	2010-05-16	5:09:03 PM	-1	00000
2	73	2010-06-02	4:24:00 PM	-1	00000
2	74	2010-06-10	12:34:32 PM	-1	00000
2	80	2010-06-25	12:51:15 PM	-1	00000
2	81	2010-06-28	8:32:59 AM	-1	00000
2	82	2010-07-06	4:06:41 PM	-1	00000
2	84	2010-07-24	9:09:41 AM	-1	00000
2	85	2010-08-07	9:18:27 AM	-1	00000
2	87	2007-02-01	5:04:47 PM	-1	Probe SN
2	88	2011-06-17	10:24:01 AM	-1	edited
2	89	2011-07-01	2:33:50 PM	-1	00000
2	90	2009-03-04	1:18:32 PM	-1	00000
2	91	2011-07-15	2:13:53 PM	-1	00000
2	92	2011-07-31	8:42:39 AM	-1	00000
2	94	2011-08-13	12:34:56 PM	-1	00000
2	95	2012-04-23	11:17:40 AM	-1	00000
2	96	2012-06-03	12:47:20 PM	-1	00000
2	97	2012-05-05	2:24:58 PM	-1	00000
2	98	2012-06-17	9:57:10 AM	-1	00000
2	99	2012-07-01	12:56:05 PM	-1	00000
2	100	2012-07-14	4:33:23 PM	-1	00000
2	101	2012-07-28	3:23:00 PM	-1	00000
2	102	2012-08-12	4:37:24 PM	-1	00000
2	103	2012-08-26	2:18:58 PM	-1	00000
4	21	2007-09-15	10:44:47 AM	-1	00000
4	23	2007-10-23	2:20:17 PM	-1	00000
4	24	2007-11-07	1:27:00 PM	-1	00000
4	25	2007-12-12	10:01:35 AM	-1	00000
4	26	2008-02-05	2:58:55 PM	-1	00000
4	27	2008-03-12	2:07:35 PM	-1	00000
4	29	2008-08-14	1:57:25 PM	-1	00000
4	30	2008-09-12	12:03:36 PM	-1	00000
4	31	2008-10-01	4:09:52 PM	-1	00000
4	32	2008-10-18	2:38:34 PM	-1	00000
4	33	2008-10-31	8:28:29 AM	-1	00000
4	34	2008-11-25	3:09:50 PM	-1	00000
4	35	2009-02-17	3:14:21 PM	-1	00000

[illegible]

INVESTIGATION BGC-21 Page 170 of 528

[illegible]

Pointer	Rdg_Set	Date_Read	Time_Read	Full_Set	Actl_Sens
4	36	2009-03-04	2:14:22 PM	-1	00000
4	37	2009-03-12	5:12:13 PM	-1	00000
4	38	2009-03-18	12:44:27 PM	-1	00000
4	39	2009-04-01	1:23:23 PM	-1	00000
4	40	2009-04-16	9:48:59 AM	-1	00000
4	41	2009-04-29	4:03:59 PM	-1	00000
4	42	2009-05-19	11:10:06 AM	-1	00000
4	43	2009-06-04	3:42:12 PM	-1	00000
4	44	2009-06-25	3:42:10 PM	-1	00000
4	45	2009-07-16	11:36:46 AM	-1	00000
4	46	2009-07-30	9:49:00 AM	-1	00000
4	47	2009-08-13	1:59:35 PM	-1	00000
4	48	2009-08-27	11:23:15 AM	-1	00000
4	49	2009-11-09	3:36:43 PM	-1	00000
4	50	2010-01-11	3:21:23 PM	-1	00000
4	51	2010-03-06	3:35:53 PM	-1	00000
4	52	2010-03-23	9:18:45 AM	-1	00000
4	53	2010-04-22	11:04:40 AM	-1	00000
4	54	2010-05-19	1:33:09 PM	-1	00000
4	56	2010-06-02	3:30:25 PM	-1	00000
4	57	2010-06-10	1:32:10 PM	-1	00000
4	59	2010-06-25	4:21:45 PM	-1	00000
4	60	2010-06-28	9:18:00 AM	-1	00000
4	61	2010-07-06	3:12:49 PM	-1	00000
4	63	2010-07-24	9:52:50 AM	-1	00000
4	64	2010-08-07	10:06:53 AM	-1	00000
4	65	2011-06-16	10:51:39 AM	-1	00000
4	66	2011-06-16	11:33:06 AM	-1	00000
4	67	2006-08-05	2:29:34 PM	-1	Probe SN
4	68	2011-07-01	8:30:10 AM	-1	00000
4	69	2011-07-16	7:41:15 AM	-1	00000
4	70	2011-07-30	9:42:23 AM	-1	00000
4	71	2011-08-10	5:10:47 PM	-1	00000
4	72	2011-09-06	1:53:59 PM	-1	00000
4	73	2012-01-15	4:20:05 PM	-1	00000
4	74	2012-01-24	4:38:39 PM	-1	00000
4	75	2012-02-11	5:50:16 PM	-1	00000
4	76	2012-02-26	11:47:44 AM	-1	00000
4	77	2012-03-11	9:19:50 AM	-1	00000
4	78	2012-03-25	12:56:03 PM	-1	00000
4	79	2012-04-22	4:04:41 PM	-1	00000
4	80	2012-06-03	11:36:25 AM	-1	00000

INVESTIGATION BGC-21 Page 173 of 528

INVESTIGATION BGC-21 Page 174 of 528

[illegible]

Pointer	Rdg_Set	Date_Read	Time_Read	Full_Set	Actl_Sens
4	81	2012-05-03	2:44:13 PM	-1	00000
4	82	2012-06-16	2:44:00 PM	-1	00000
4	83	2012-06-30	5:36:15 PM	-1	00000
4	84	2012-07-15	11:38:04 AM	-1	00000
4	85	2012-07-29	9:17:40 AM	-1	00000
4	86	2012-08-13	12:33:21 PM	-1	00000
4	87	2012-08-26	3:33:46 PM	-1	00000
5	1	2007-02-07	8:12:42 AM	-1	Probe SN
5	2	2007-09-15	12:23:19 PM	-1	00000
5	3	2007-10-01	12:00:47 PM	-1	00000
5	4	2011-09-06	11:28:30 AM	-1	00000
5	5	2011-08-24	9:01:06 AM	-1	00000
5	6	2011-08-13	11:20:27 AM	-1	00000
5	7	2011-07-29	11:03:27 AM	-1	00000
5	8	2011-07-15	3:39:39 PM	-1	00000
5	9	2011-07-01	3:39:09 PM	-1	00000
5	10	2011-06-17	8:46:20 AM	-1	00000
5	11	2010-08-07	10:45:14 AM	-1	00000
5	12	2010-07-24	10:19:26 AM	-1	00000
5	13	2010-07-20	11:13:46 AM	-1	00000
5	14	2010-07-06	2:25:53 PM	-1	00000
5	15	2010-06-28	9:42:57 AM	-1	00000
5	16	2010-04-22	9:00:49 AM	-1	00000
5	17	2010-04-14	9:59:42 AM	-1	00000
5	18	2010-04-06	3:18:21 PM	-1	00000
5	19	2010-03-22	2:29:36 PM	-1	00000
5	20	2010-03-13	1:49:42 PM	-1	00000
5	21	2010-03-04	11:08:03 AM	-1	00000
5	22	2010-01-11	2:26:35 PM	-1	00000
5	23	2009-12-03	3:59:43 PM	-1	00000
5	24	2009-11-26	2:52:48 PM	-1	00000
5	25	2009-11-09	1:43:36 PM	-1	00000
5	26	2009-10-17	10:52:55 AM	-1	00000
5	27	2009-10-11	10:09:14 AM	-1	00000
5	28	2009-09-15	12:23:02 PM	-1	00000
5	29	2009-09-03	2:37:48 PM	-1	00000
5	30	2009-08-27	10:31:16 AM	-1	00000
5	31	2009-08-20	1:51:05 PM	-1	00000
5	32	2009-08-13	1:01:39 PM	-1	00000
5	33	2009-08-06	7:56:52 AM	-1	00000
5	34	2009-07-30	11:27:35 AM	-1	00000
5	35	2009-07-23	9:07:59 AM	-1	00000

INVESTIGATION BGC-21 Page 177 of 528

INVESTIGATION BGC-21 Page 178 of 528

[illegible]

Pointer	Rdg_Set	Date_Read	Time_Read	Full_Set	Actl_Sens
5	36	2009-07-16	12:10:49 PM	-1	00000
5	37	2009-07-09	11:24:22 AM	-1	00000
5	38	2009-07-01	8:05:55 AM	-1	00000
5	39	2009-06-25	2:40:12 PM	-1	00000
5	40	2009-06-19	10:17:49 AM	-1	00000
5	41	2009-06-11	9:46:45 AM	-1	00000
5	42	2009-06-04	2:12:21 PM	-1	00000
5	43	2009-05-28	8:38:24 AM	-1	00000
5	44	2009-05-19	9:07:35 AM	-1	00000
5	45	2009-05-13	2:20:33 PM	-1	00000
5	46	2009-05-06	11:03:22 AM	-1	00000
5	47	2009-04-29	2:58:27 PM	-1	00000
5	48	2009-04-22	1:26:20 PM	-1	00000
5	49	2009-04-16	8:44:41 AM	-1	00000
5	50	2009-04-08	9:23:26 AM	-1	00000
5	51	2009-04-01	11:51:34 AM	-1	00000
5	52	2009-03-25	1:45:10 PM	-1	00000
5	53	2009-03-12	4:00:51 PM	-1	00000
5	54	2009-02-24	3:58:25 PM	-1	00000
5	55	2008-11-25	4:16:12 PM	-1	00000
5	56	2008-10-31	9:36:18 AM	-1	00000
5	57	2008-10-18	4:39:47 PM	-1	00000
5	58	2008-10-01	3:42:54 PM	-1	00000
5	59	2008-09-12	2:24:00 PM	-1	00000
5	60	2008-08-14	3:48:15 PM	-1	00000
5	61	2008-03-12	1:15:06 PM	-1	00000
5	62	2008-02-05	4:05:32 PM	-1	00000
5	63	2007-12-12	1:14:16 PM	-1	00000
5	64	2007-11-07	2:02:15 PM	-1	00000
5	65	2007-10-21	3:32:22 PM	-1	00000
5	66	2012-01-27	3:29:05 PM	-1	00000
5	67	2012-02-11	10:07:12 AM	-1	00000
5	68	2012-02-25	3:01:05 PM	-1	00000
5	69	2012-03-10	10:46:19 AM	-1	00000
5	70	2012-03-24	3:23:46 PM	-1	00000
5	71	2012-04-22	10:18:53 AM	-1	00000
5	72	2012-06-03	1:31:49 PM	-1	00000
5	73	2012-05-03	4:14:51 PM	-1	00000
5	74	2012-06-17	10:43:40 AM	-1	00000
5	75	2012-07-01	12:02:50 PM	-1	00000
5	76	2012-07-15	10:45:52 AM	-1	00000
5	77	2012-07-29	3:33:16 PM	-1	00000

[illegible]

[illegible]

[illegible]

Pointer	Rdg_Set	Date_Read	Time_Read	Full_Set	Actl_Sens
5	78	2012-08-12	3:57:06 PM	-1	00000
5	79	2012-08-26	1:51:30 PM	-1	00000
6	1	2012-01-24	12:11:07 PM	-1	00000
6	2	2012-01-28	3:26:48 PM	-1	00000
6	3	2012-02-10	2:07:24 PM	-1	00000
6	4	2012-03-11	11:43:33 AM	-1	00000
6	5	2012-03-24	10:38:41 AM	-1	00000
6	6	2012-04-10	3:15:26 PM	-1	00000
6	7	2012-04-22	8:51:53 AM	-1	00000
6	8	2012-04-23	10:44:05 AM	-1	00000
6	10	2012-06-05	8:36:49 AM	-1	00000
6	11	2012-05-03	2:01:21 PM	-1	00000
6	12	2012-06-14	3:32:45 PM	-1	00000
6	13	2012-06-17	12:43:48 PM	-1	00000
6	14	2012-07-01	10:18:57 AM	-1	00000
6	15	2012-07-14	1:30:57 PM	-1	00000
6	16	2012-07-28	2:01:27 PM	-1	00000
6	17	2012-08-12	2:10:08 PM	-1	00000
6	18	2012-08-25	5:52:01 PM	-1	00000
7	1	2012-01-24	1:58:13 PM	-1	00000
7	2	2012-01-29	4:54:18 PM	-1	00000
7	3	2012-02-11	10:33:07 AM	-1	00000
7	4	2012-02-26	11:07:41 AM	-1	00000
7	5	2012-03-10	11:08:49 AM	-1	00000
7	6	2012-03-24	3:51:01 PM	-1	00000
7	7	2012-04-22	3:36:06 PM	-1	00000
7	8	2012-04-10	3:59:56 PM	-1	00000
7	9	2012-04-10	4:19:32 PM	-1	00000
7	10	2012-06-03	5:31:59 PM	-1	00000
7	11	2012-05-05	1:46:47 PM	-1	00000
7	12	2012-06-16	3:47:54 PM	-1	00000
7	13	2012-07-01	12:25:36 PM	-1	00000
7	14	2012-07-15	10:01:11 AM	-1	00000
7	15	2012-07-28	4:18:10 PM	-1	00000
7	16	2012-08-11	3:46:25 PM	-1	00000
7	17	2012-08-26	11:50:35 AM	-1	00000
8	1	2012-01-24	1:12:27 PM	-1	00000
8	2	2012-01-28	4:16:35 PM	-1	00000
8	3	2012-02-10	2:43:20 PM	-1	00000
8	4	2012-02-25	2:26:21 PM	-1	00000
8	5	2012-03-10	10:18:34 AM	-1	00000
8	6	2012-03-24	11:16:07 AM	-1	00000

[illegible]

Spiral	Num_Depths	Include	Exclude	Float	Sensitivity_A
0	75	0	0	-1	0
0	75	0	0	-1	0
0	87	-1	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	-1	0	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	87	0	0	-1	0
0	96	-1	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	-1	0	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	96	0	0	-1	0
0	99	-1	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0

[illegible]

Pointer	Rdg_Set	Date_Read	Time_Read	Full_Set	Actl_Sens
8	7	2012-04-22	9:36:38 AM	-1 00000	
8	8	2012-04-08	4:38:18 PM	-1 00000	
8	9	2012-06-03	11:08:34 AM	-1 00000	
8	10	2012-05-03	3:22:03 PM	-1 00000	
8	11	2012-06-16	2:04:11 PM	-1 00000	
8	12	2012-07-01	10:56:48 AM	-1 00000	
8	13	2012-07-15	12:18:03 PM	-1 00000	
8	14	2012-07-28	1:19:56 PM	-1 00000	
8	15	2012-08-12	3:19:17 PM	-1 00000	
8	16	2012-08-26	10:42:55 AM	-1 00000	

Rot_Corr_A	Rot_Corr_B	Offset_A	Offset_B	Actl_Cnst	Operator
0	0	0	0	25000	OPR
0	0	0	0	25000	OPR
0	0	0	0	25000	OPR
0	0	0	0	25000	OPR
0	0	0	0	25000	OPR
0	0	0	0	25000	OPR
0	0	0	0	25000	OPR
0	0	0	0	25000	OPR
0	0	0	0	25000	OPR
0	0	0	0	25000	OPR

Spiral	Num_Depths	Include	Exclude	Float	Sensitivity_A
0	99	0	-1	0	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0
0	99	0	0	-1	0

Sensitivity_B	ReplacedBySett	SettlementCorr	ReplacedSurvey	AlreadySent
0	0	0	0	^
0	0	0	0	^
0	0	0	0	^
0	0	0	0	^
0	0	0	0	^
0	0	0	0	^
0	0	0	0	^
0	0	0	0	^
0	0	0	0	^
0	0	0	0	^

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1	2	21	-1	0	0
2	2	22	-1	0	0
3	2	23	-1	0	0
4	2	24	-1	0	0
5	2	25	-1	0	0
6	2	26	-1	0	0
7	2	27	-1	0	0
8	2	28	-1	0	0
9	2	29	-1	0	0
10	2	30	-1	0	0
11	2	31	-1	0	0
12	2	32	-1	0	0
13	2	33	-1	0	0
14	2	34	-1	0	0
15	2	35	-1	0	0
16	2	36	-1	0	0
17	2	37	-1	0	0
18	2	38	-1	0	0
19	2	39	-1	0	0
20	2	40	-1	0	0
21	2	41	-1	0	0
22	2	42	-1	0	0
23	2	43	-1	0	0
24	2	44	-1	0	0
25	2	45	-1	0	0
26	2	46	-1	0	0
27	2	47	-1	0	0
28	2	48	-1	0	0
29	2	49	-1	0	0
30	2	50	-1	0	0
31	2	51	-1	0	0
32	2	52	-1	0	0
33	2	53	-1	0	0
34	2	54	-1	0	0
35	2	55	-1	0	0
36	2	56	-1	0	0
37	2	57	-1	0	0
38	2	58	-1	0	0
39	2	59	-1	0	0
40	2	60	-1	0	0
41	2	61	-1	0	0
42	2	62	-1	0	0

OffsetA	OffsetB	SensitivityA	SensitivityB
1.5	4	0	0
0.5	-0.5	0	0
0	0	0	0
0	-1	0	0
0	0	0	0
1	-4	0	0
0	3	0	0
0.5	0	0	0
1	30	0	0
1.5	1.5	0	0
1	3	0	0
0	0	0	0
0	-0.8	0	0
0	-1	0	0
0.5	-0.5	0	0
0	0	0	0
0	0.8	0	0
1	1.5	0	0
0	0	0	0
0.8	0	0	0
1	1.5	0	0
1.5	-2.5	0	0
1	-4	0	0
1	-1.5	0	0
1	1	0	0
0.5	-3	0	0
1.5	-1.5	0	0
0	-1.5	0	0
4.5	-2	0	0
4	0	0	0
0.5	0	0	0
2.5	0	0	0
1.5	-3	0	0
2	-1	0	0
1.5	-1	0	0
2	-1	0	0
1	-2	0	0
0	0	0	0
0	0	0	0
0	0	0	0
1	0	0	0
2	-7.5	0	0

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
43	2	63	-1	0	0
44	2	64	-1	0	0
45	2	65	-1	0	0
46	2	66	-1	0	0
47	2	67	-1	0	0
48	2	68	-1	0	0
49	2	69	-1	0	0
50	2	70	-1	0	0
51	2	71	-1	0	0
52	2	72	-1	0	0
53	2	73	-1	0	0
54	2	74	-1	0	0
55	2	75	-1	0	0
56	2	76	-1	0	0
57	2	77	-1	0	0
58	2	78	-1	0	0
59	2	79	-1	0	0
60	2	80	-1	0	0
61	2	81	-1	0	0
62	2	82	-1	0	0
63	2	83	-1	0	0
64	2	84	-1	0	0
65	2	85	-1	0	0
66	2	86	-1	0	0
67	2	21	164	0	0
68	2	22	164	0	0
69	2	23	164	0	0
70	2	24	164	0	0
71	2	25	164	0	0
72	2	26	164	0	0
73	2	27	164	0	0
74	2	28	164	0	0
75	2	29	164	0	0
76	2	30	164	0	0
77	2	31	164	0	0
78	2	32	164	0	0
79	2	33	164	0	0
80	2	34	164	0	0
81	2	35	164	0	0
82	2	36	164	0	0
83	2	37	164	0	0
84	2	38	164	0	0

INVESTIGATION BGC-21 Page 195 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
85	2	39	164	0	0
86	2	40	164	0	0
87	2	41	164	0	0
88	2	42	164	0	0
89	2	43	164	0	0
90	2	44	164	0	0
91	2	45	164	0	0
92	2	46	164	0	0
93	2	47	164	0	0
94	2	48	164	0	0
95	2	49	164	0	0
96	2	50	164	0	0
97	2	51	164	0	0
98	2	52	164	0	0
99	2	53	164	0	0
100	2	54	164	0	0
101	2	55	164	0	0
102	2	56	164	0	0
103	2	57	164	0	0
104	2	58	164	0	0
105	2	59	164	0	0
106	2	60	164	0	0
107	2	61	164	0	0
108	2	62	164	0	0
109	2	63	164	0	0
110	2	64	164	0	0
111	2	65	164	0	0
112	2	66	164	0	0
113	2	67	164	0	0
114	2	68	164	0	0
115	2	69	164	0	0
116	2	70	164	0	0
117	2	71	164	0	0
118	2	72	164	0	0
119	2	73	164	0	0
120	2	74	164	0	0
121	2	75	164	0	0
122	2	76	164	0	0
123	2	77	164	0	0
124	2	78	164	0	0
125	2	79	164	0	0
126	2	80	164	0	0

INVESTIGATION BGC-21 Page 197 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
127	2	81	164	0	0
128	2	82	164	0	0
129	2	83	164	0	0
130	2	84	164	0	0
131	2	85	164	0	0
132	2	86	164	0	0
133	3	93	-1	0	0
134	3	16	-1	0	0
135	3	17	-1	0	0
136	3	18	-1	0	0
137	3	19	-1	0	0
138	3	20	-1	0	0
139	3	22	-1	0	0
140	3	23	-1	0	0
141	3	24	-1	0	0
142	3	25	-1	0	0
143	3	26	-1	0	0
144	3	27	-1	0	0
145	3	28	-1	0	0
146	3	29	-1	0	0
147	3	30	-1	0	0
148	3	31	-1	0	0
149	3	32	-1	0	0
150	3	33	-1	0	0
151	3	34	-1	0	0
152	3	35	-1	0	0
153	3	36	-1	0	0
154	3	37	-1	0	0
155	3	38	-1	0	0
156	3	39	-1	0	0
157	3	40	-1	0	0
158	3	41	-1	0	0
159	3	42	-1	0	0
160	3	43	-1	0	0
161	3	44	-1	0	0
162	3	45	-1	0	0
163	3	46	-1	0	0
164	3	47	-1	0	0
165	3	48	-1	0	0
166	3	49	-1	0	0
167	3	50	-1	0	0
168	3	51	-1	0	0

OffsetA	OffsetB	SensitivityA	SensitivityB
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
-0.5	-4.5	0	0
-1.5	-1.5	0	0
0	0	0	0
0.5	-2	0	0
1	-6	0	0
0.5	3	0	0
1	-1	0	0
-1.5	0	0	0
-2	3	0	0
0	1	0	0
-0.5	0	0	0
-0.5	0	0	0
-1	3	0	0
0	1.5	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	-1	0	0
0	0	0	0
0	0	0	0
0	-6	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	-2	0	0
5	6	0	0
-2	-4	0	0
0	-3	0	0
0	0	0	0
0	-1	0	0
0	0	0	0
0	-2	0	0
0	0	0	0
0	-1	0	0

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
169	3	52	-1	0	0
170	3	53	-1	0	0
171	3	54	-1	0	0
172	3	55	-1	0	0
173	3	56	-1	0	0
174	3	57	-1	0	0
175	3	58	-1	0	0
176	3	59	-1	0	0
177	3	60	-1	0	0
178	3	61	-1	0	0
179	3	62	-1	0	0
180	3	63	-1	0	0
181	3	64	-1	0	0
182	3	65	-1	0	0
183	3	66	-1	0	0
184	3	67	-1	0	0
185	3	68	-1	0	0
186	3	69	-1	0	0
187	3	70	-1	0	0
188	3	71	-1	0	0
189	3	72	-1	0	0
190	3	73	-1	0	0
191	3	74	-1	0	0
192	3	75	-1	0	0
193	3	76	-1	0	0
194	3	77	-1	0	0
195	3	78	-1	0	0
196	3	79	-1	0	0
197	3	80	-1	0	0
198	3	81	-1	0	0
199	3	82	-1	0	0
200	3	83	-1	0	0
201	3	84	-1	0	0
202	3	85	-1	0	0
203	3	86	-1	0	0
204	3	87	-1	0	0
205	3	88	-1	0	0
206	3	89	-1	0	0
207	3	90	-1	0	0
208	3	91	-1	0	0
209	3	93	163	0	0
210	3	16	163	0	0

INVESTIGATION BGC-21 Page 201 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
211	3	17	163	0	0
212	3	18	163	0	0
213	3	19	163	0	0
214	3	20	163	0	0
215	3	22	163	0	0
216	3	23	163	0	0
217	3	24	163	0	0
218	3	25	163	0	0
219	3	26	163	0	0
220	3	27	163	0	0
221	3	28	163	0	0
222	3	29	163	0	0
223	3	30	163	0	0
224	3	31	163	0	0
225	3	32	163	0	0
226	3	33	163	0	0
227	3	34	163	0	0
228	3	35	163	0	0
229	3	36	163	0	0
230	3	37	163	0	0
231	3	38	163	0	0
232	3	39	163	0	0
233	3	40	163	0	0
234	3	41	163	0	0
235	3	42	163	0	0
236	3	43	163	0	0
237	3	44	163	0	0
238	3	45	163	0	0
239	3	46	163	0	0
240	3	47	163	0	0
241	3	48	163	0	0
242	3	49	163	0	0
243	3	50	163	0	0
244	3	51	163	0	0
245	3	52	163	0	0
246	3	53	163	0	0
247	3	54	163	0	0
248	3	55	163	0	0
249	3	56	163	0	0
250	3	57	163	0	0
251	3	58	163	0	0
252	3	59	163	0	0

INVESTIGATION BGC-21 Page 203 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
253	3	60	163	0	0
254	3	61	163	0	0
255	3	62	163	0	0
256	3	63	163	0	0
257	3	64	163	0	0
258	3	65	163	0	0
259	3	66	163	0	0
260	3	67	163	0	0
261	3	68	163	0	0
262	3	69	163	0	0
263	3	70	163	0	0
264	3	71	163	0	0
265	3	72	163	0	0
266	3	73	163	0	0
267	3	74	163	0	0
268	3	75	163	0	0
269	3	76	163	0	0
270	3	77	163	0	0
271	3	78	163	0	0
272	3	79	163	0	0
273	3	80	163	0	0
274	3	81	163	0	0
275	3	82	163	0	0
276	3	83	163	0	0
277	3	84	163	0	0
278	3	85	163	0	0
279	3	86	163	0	0
280	3	87	163	0	0
281	3	88	163	0	0
282	3	89	163	0	0
283	3	90	163	0	0
284	3	91	163	0	0
285	3	93	1	0	0
286	3	16	1	0	0
287	3	17	1	0	0
288	3	18	1	0	0
289	3	19	1	0	0
290	3	20	1	0	0
291	3	22	1	0	0
292	3	23	1	0	0
293	3	24	1	0	0
294	3	25	1	0	0

Page 14

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
295	3	26	1	0	0
296	3	27	1	0	0
297	3	28	1	0	0
298	3	29	1	0	0
299	3	30	1	0	0
300	3	31	1	0	0
301	3	32	1	0	0
302	3	33	1	0	0
303	3	34	1	0	0
304	3	35	1	0	0
305	3	36	1	0	0
306	3	37	1	0	0
307	3	38	1	0	0
308	3	39	1	0	0
309	3	40	1	0	0
310	3	41	1	0	0
311	3	42	1	0	0
312	3	43	1	0	0
313	3	44	1	0	0
314	3	45	1	0	0
315	3	46	1	0	0
316	3	47	1	0	0
317	3	48	1	0	0
318	3	49	1	0	0
319	3	50	1	0	0
320	3	51	1	0	0
321	3	52	1	0	0
322	3	53	1	0	0
323	3	54	1	0	0
324	3	55	1	0	0
325	3	56	1	0	0
326	3	57	1	0	0
327	3	58	1	0	0
328	3	59	1	0	0
329	3	60	1	0	0
330	3	61	1	0	0
331	3	62	1	0	0
332	3	63	1	0	0
333	3	64	1	0	0
334	3	65	1	0	0
335	3	66	1	0	0
336	3	67	1	0	0

INVESTIGATION BGC-21 Page 207 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
337	3	68	1	0	0
338	3	69	1	0	0
339	3	70	1	0	0
340	3	71	1	0	0
341	3	72	1	0	0
342	3	73	1	0	0
343	3	74	1	0	0
344	3	75	1	0	0
345	3	76	1	0	0
346	3	77	1	0	0
347	3	78	1	0	0
348	3	79	1	0	0
349	3	80	1	0	0
350	3	81	1	0	0
351	3	82	1	0	0
352	3	83	1	0	0
353	3	84	1	0	0
354	3	85	1	0	0
355	3	86	1	0	0
356	3	87	1	0	0
357	3	88	1	0	0
358	3	89	1	0	0
359	3	90	1	0	0
360	3	91	1	0	0
361	3	93	2	0	0
362	3	16	2	0	0
363	3	17	2	0	0
364	3	18	2	0	0
365	3	19	2	0	0
366	3	20	2	0	0
367	3	22	2	0	0
368	3	23	2	0	0
369	3	24	2	0	0
370	3	25	2	0	0
371	3	26	2	0	0
372	3	27	2	0	0
373	3	28	2	0	0
374	3	29	2	0	0
375	3	30	2	0	0
376	3	31	2	0	0
377	3	32	2	0	0
378	3	33	2	0	0

INVESTIGATION BGC-21 Page 209 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
379	3	34	2	0	0
380	3	35	2	0	0
381	3	36	2	0	0
382	3	37	2	0	0
383	3	38	2	0	0
384	3	39	2	0	0
385	3	40	2	0	0
386	3	41	2	0	0
387	3	42	2	0	0
388	3	43	2	0	0
389	3	44	2	0	0
390	3	45	2	0	0
391	3	46	2	0	0
392	3	47	2	0	0
393	3	48	2	0	0
394	3	49	2	0	0
395	3	50	2	0	0
396	3	51	2	0	0
397	3	52	2	0	0
398	3	53	2	0	0
399	3	54	2	0	0
400	3	55	2	0	0
401	3	56	2	0	0
402	3	57	2	0	0
403	3	58	2	0	0
404	3	59	2	0	0
405	3	60	2	0	0
406	3	61	2	0	0
407	3	62	2	0	0
408	3	63	2	0	0
409	3	64	2	0	0
410	3	65	2	0	0
411	3	66	2	0	0
412	3	67	2	0	0
413	3	68	2	0	0
414	3	69	2	0	0
415	3	70	2	0	0
416	3	71	2	0	0
417	3	72	2	0	0
418	3	73	2	0	0
419	3	74	2	0	0
420	3	75	2	0	0

INVESTIGATION BGC-21 Page 211 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
421	3	76	2	0	0
422	3	77	2	0	0
423	3	78	2	0	0
424	3	79	2	0	0
425	3	80	2	0	0
426	3	81	2	0	0
427	3	82	2	0	0
428	3	83	2	0	0
429	3	84	2	0	0
430	3	85	2	0	0
431	3	86	2	0	0
432	3	87	2	0	0
433	3	88	2	0	0
434	3	89	2	0	0
435	3	90	2	0	0
436	3	91	2	0	0
437	3	93	3	0	0
438	3	16	3	0	0
439	3	17	3	0	0
440	3	18	3	0	0
441	3	19	3	0	0
442	3	20	3	0	0
443	3	22	3	0	0
444	3	23	3	0	0
445	3	24	3	0	0
446	3	25	3	0	0
447	3	26	3	0	0
448	3	27	3	0	0
449	3	28	3	0	0
450	3	29	3	0	0
451	3	30	3	0	0
452	3	31	3	0	0
453	3	32	3	0	0
454	3	33	3	0	0
455	3	34	3	0	0
456	3	35	3	0	0
457	3	36	3	0	0
458	3	37	3	0	0
459	3	38	3	0	0
460	3	39	3	0	0
461	3	40	3	0	0
462	3	41	3	0	0

INVESTIGATION BGC-21 Page 213 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
463	3	42	3	0	0
464	3	43	3	0	0
465	3	44	3	0	0
466	3	45	3	0	0
467	3	46	3	0	0
468	3	47	3	0	0
469	3	48	3	0	0
470	3	49	3	0	0
471	3	50	3	0	0
472	3	51	3	0	0
473	3	52	3	0	0
474	3	53	3	0	0
475	3	54	3	0	0
476	3	55	3	0	0
477	3	56	3	0	0
478	3	57	3	0	0
479	3	58	3	0	0
480	3	59	3	0	0
481	3	60	3	0	0
482	3	61	3	0	0
483	3	62	3	0	0
484	3	63	3	0	0
485	3	64	3	0	0
486	3	65	3	0	0
487	3	66	3	0	0
488	3	67	3	0	0
489	3	68	3	0	0
490	3	69	3	0	0
491	3	70	3	0	0
492	3	71	3	0	0
493	3	72	3	0	0
494	3	73	3	0	0
495	3	74	3	0	0
496	3	75	3	0	0
497	3	76	3	0	0
498	3	77	3	0	0
499	3	78	3	0	0
500	3	79	3	0	0
501	3	80	3	0	0
502	3	81	3	0	0
503	3	82	3	0	0
504	3	83	3	0	0

INVESTIGATION BGC-21 Page 215 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
505	3	84	3	0	0
506	3	85	3	0	0
507	3	86	3	0	0
508	3	87	3	0	0
509	3	88	3	0	0
510	3	89	3	0	0
511	3	90	3	0	0
512	3	91	3	0	0
513	3	93	4	0	0
514	3	16	4	0	0
515	3	17	4	0	0
516	3	18	4	0	0
517	3	19	4	0	0
518	3	20	4	0	0
519	3	22	4	0	0
520	3	23	4	0	0
521	3	24	4	0	0
522	3	25	4	0	0
523	3	26	4	0	0
524	3	27	4	0	0
525	3	28	4	0	0
526	3	29	4	0	0
527	3	30	4	0	0
528	3	31	4	0	0
529	3	32	4	0	0
530	3	33	4	0	0
531	3	34	4	0	0
532	3	35	4	0	0
533	3	36	4	0	0
534	3	37	4	0	0
535	3	38	4	0	0
536	3	39	4	0	0
537	3	40	4	0	0
538	3	41	4	0	0
539	3	42	4	0	0
540	3	43	4	0	0
541	3	44	4	0	0
542	3	45	4	0	0
543	3	46	4	0	0
544	3	47	4	0	0
545	3	48	4	0	0
546	3	49	4	0	0

INVESTIGATION BGC-21 Page 217 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
547	3	50	4	0	0
548	3	51	4	0	0
549	3	52	4	0	0
550	3	53	4	0	0
551	3	54	4	0	0
552	3	55	4	0	0
553	3	56	4	0	0
554	3	57	4	0	0
555	3	58	4	0	0
556	3	59	4	0	0
557	3	60	4	0	0
558	3	61	4	0	0
559	3	62	4	0	0
560	3	63	4	0	0
561	3	64	4	0	0
562	3	65	4	0	0
563	3	66	4	0	0
564	3	67	4	0	0
565	3	68	4	0	0
566	3	69	4	0	0
567	3	70	4	0	0
568	3	71	4	0	0
569	3	72	4	0	0
570	3	73	4	0	0
571	3	74	4	0	0
572	3	75	4	0	0
573	3	76	4	0	0
574	3	77	4	0	0
575	3	78	4	0	0
576	3	79	4	0	0
577	3	80	4	0	0
578	3	81	4	0	0
579	3	82	4	0	0
580	3	83	4	0	0
581	3	84	4	0	0
582	3	85	4	0	0
583	3	86	4	0	0
584	3	87	4	0	0
585	3	88	4	0	0
586	3	89	4	0	0
587	3	90	4	0	0
588	3	91	4	0	0

INVESTIGATION BGC-21 Page 219 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
589	1	54	-1	0	0
590	1	13	-1	0	0
591	1	14	-1	0	0
592	1	15	-1	0	0
593	1	19	-1	0	0
594	1	20	-1	0	0
595	1	21	-1	0	0
596	1	22	-1	0	0
597	1	23	-1	0	0
598	1	24	-1	0	0
599	1	25	-1	0	0
600	1	26	-1	0	0
601	1	27	-1	0	0
602	1	28	-1	0	0
603	1	29	-1	0	0
604	1	30	-1	0	0
605	1	31	-1	0	0
606	1	32	-1	0	0
607	1	33	-1	0	0
608	1	34	-1	0	0
609	1	35	-1	0	0
610	1	36	-1	0	0
611	1	37	-1	0	0
612	1	38	-1	0	0
613	1	39	-1	0	0
614	1	40	-1	0	0
615	1	41	-1	0	0
616	1	42	-1	0	0
617	1	43	-1	0	0
618	1	44	-1	0	0
619	1	45	-1	0	0
620	1	46	-1	0	0
621	1	47	-1	0	0
622	1	48	-1	0	0
623	1	49	-1	0	0
624	1	50	-1	0	0
625	1	51	-1	0	0
626	1	52	-1	0	0
627	1	53	-1	0	0
628	1	54	261	0	0
629	1	13	261	0	0
630	1	14	261	0	0

OffsetA	OffsetB	SensitivityA	SensitivityB
0	0	0	0
0	0	0	0
-3.5	0	0	0
-3.5	-4	0	0
-1.5	1	0	0
-2	1	0	0
-1.5	2	0	0
0	1	0	0
2.5	-7	0	0
-3	0	0	0
-3.8	-2.5	0	0
0	0	0	0
-0.8	-2	0	0
-0.5	-3	0	0
-0.8	-4.5	0	0
-2	3.5	0	0
-4	-1.5	0	0
-2	-2	0	0
-3	0.5	0	0
-5	2.5	0	0
-2	1.5	0	0
-5	3	0	0
-3	-4	0	0
0	0	0	0
-3	-4.5	0	0
-12	-22	0	0
0	0	0	0
-11	-4	0	0
0	0	0	0
-11	-7	0	0
-11	-1.5	0	0
-3	1	0	0
-11	-5	0	0
0	0	0	0
-4	-1	0	0
0	0	0	0
-2	0	0	0
-10	0	0	0
-10	-3	0	0
0	0	0	0
0	0	0	0
0	0	0	0

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
631	1	15	261	0	0
632	1	19	261	0	0
633	1	20	261	0	0
634	1	21	261	0	0
635	1	22	261	0	0
636	1	23	261	0	0
637	1	24	261	0	0
638	1	25	261	0	0
639	1	26	261	0	0
640	1	27	261	0	0
641	1	28	261	0	0
642	1	29	261	0	0
643	1	30	261	0	0
644	1	31	261	0	0
645	1	32	261	0	0
646	1	33	261	0	0
647	1	34	261	0	0
648	1	35	261	0	0
649	1	36	261	0	0
650	1	37	261	0	0
651	1	38	261	0	0
652	1	39	261	0	0
653	1	40	261	0	0
654	1	41	261	0	0
655	1	42	261	0	0
656	1	43	261	0	0
657	1	44	261	0	0
658	1	45	261	0	0
659	1	46	261	0	0
660	1	47	261	0	0
661	1	48	261	0	0
662	1	49	261	0	0
663	1	50	261	0	0
664	1	51	261	0	0
665	1	52	261	0	0
666	1	53	261	0	0
667	4	67	-1	0	0
668	4	18	-1	0	0
669	4	21	-1	0	0
670	4	23	-1	0	0
671	4	24	-1	0	0
672	4	25	-1	0	0

INVESTIGATION BGC-21 Page 223 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
673	4	26	-1	0	0
674	4	27	-1	0	0
675	4	28	-1	0	0
676	4	29	-1	0	0
677	4	30	-1	0	0
678	4	31	-1	0	0
679	4	32	-1	0	0
680	4	33	-1	0	0
681	4	34	-1	0	0
682	4	35	-1	0	0
683	4	36	-1	0	0
684	4	37	-1	0	0
685	4	38	-1	0	0
686	4	39	-1	0	0
687	4	40	-1	0	0
688	4	41	-1	0	0
689	4	42	-1	0	0
690	4	43	-1	0	0
691	4	44	-1	0	0
692	4	45	-1	0	0
693	4	46	-1	0	0
694	4	47	-1	0	0
695	4	48	-1	0	0
696	4	49	-1	0	0
697	4	50	-1	0	0
698	4	51	-1	0	0
699	4	52	-1	0	0
700	4	53	-1	0	0
701	4	54	-1	0	0
702	4	55	-1	0	0
703	4	56	-1	0	0
704	4	57	-1	0	0
705	4	58	-1	0	0
706	4	59	-1	0	0
707	4	60	-1	0	0
708	4	61	-1	0	0
709	4	62	-1	0	0
710	4	63	-1	0	0
711	4	64	-1	0	0
712	4	65	-1	0	0
713	4	66	-1	0	0
714	4	67	7	0	0

INVESTIGATION BGC-21 Page 225 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
715	4	18	7	0	0
716	4	21	7	0	0
717	4	23	7	0	0
718	4	24	7	0	0
719	4	25	7	0	0
720	4	26	7	0	0
721	4	27	7	0	0
722	4	28	7	0	0
723	4	29	7	0	0
724	4	30	7	0	0
725	4	31	7	0	0
726	4	32	7	0	0
727	4	33	7	0	0
728	4	34	7	0	0
729	4	35	7	0	0
730	4	36	7	0	0
731	4	37	7	0	0
732	4	38	7	0	0
733	4	39	7	0	0
734	4	40	7	0	0
735	4	41	7	0	0
736	4	42	7	0	0
737	4	43	7	0	0
738	4	44	7	0	0
739	4	45	7	0	0
740	4	46	7	0	0
741	4	47	7	0	0
742	4	48	7	0	0
743	4	49	7	0	0
744	4	50	7	0	0
745	4	51	7	0	0
746	4	52	7	0	0
747	4	53	7	0	0
748	4	54	7	0	0
749	4	55	7	0	0
750	4	56	7	0	0
751	4	57	7	0	0
752	4	58	7	0	0
753	4	59	7	0	0
754	4	60	7	0	0
755	4	61	7	0	0
756	4	62	7	0	0

INVESTIGATION BGC-21 Page 227 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
757	4	63	7	0	0
758	4	64	7	0	0
759	4	65	7	0	0
760	4	66	7	0	0
761	1	54	5	0	0
762	1	14	5	0	0
763	1	15	5	0	0
764	1	19	5	0	0
765	1	20	5	0	0
766	1	21	5	0	0
767	1	22	5	0	0
768	1	23	5	0	0
769	1	24	5	0	0
770	1	25	5	0	0
771	1	26	5	0	0
772	1	27	5	0	0
773	1	28	5	0	0
774	1	29	5	0	0
775	1	30	5	0	0
776	1	31	5	0	0
777	1	32	5	0	0
778	1	33	5	0	0
779	1	34	5	0	0
780	1	35	5	0	0
781	1	36	5	0	0
782	1	37	5	0	0
783	1	38	5	0	0
784	1	39	5	0	0
785	1	40	5	0	0
786	1	42	5	0	0
787	1	43	5	0	0
788	1	44	5	0	0
789	1	45	5	0	0
790	1	46	5	0	0
791	1	47	5	0	0
792	1	48	5	0	0
793	1	49	5	0	0
794	1	51	5	0	0
795	1	52	5	0	0
796	1	53	5	0	0
797	4	67	8	0	0
798	4	18	8	0	0

INVESTIGATION BGC-21 Page 229 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
799	4	21	8	0	0
800	4	23	8	0	0
801	4	24	8	0	0
802	4	25	8	0	0
803	4	26	8	0	0
804	4	27	8	0	0
805	4	28	8	0	0
806	4	29	8	0	0
807	4	30	8	0	0
808	4	31	8	0	0
809	4	32	8	0	0
810	4	33	8	0	0
811	4	34	8	0	0
812	4	35	8	0	0
813	4	36	8	0	0
814	4	37	8	0	0
815	4	38	8	0	0
816	4	39	8	0	0
817	4	40	8	0	0
818	4	41	8	0	0
819	4	42	8	0	0
820	4	43	8	0	0
821	4	44	8	0	0
822	4	45	8	0	0
823	4	46	8	0	0
824	4	47	8	0	0
825	4	48	8	0	0
826	4	49	8	0	0
827	4	50	8	0	0
828	4	51	8	0	0
829	4	52	8	0	0
830	4	53	8	0	0
831	4	54	8	0	0
832	4	55	8	0	0
833	4	56	8	0	0
834	4	57	8	0	0
835	4	58	8	0	0
836	4	59	8	0	0
837	4	60	8	0	0
838	4	61	8	0	0
839	4	62	8	0	0
840	4	63	8	0	0

INVESTIGATION BGC-21 Page 231 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
841	4	64	8	0	0
842	4	65	8	0	0
843	4	66	8	0	0
844	4	67	11	0	0
845	4	18	11	0	0
846	4	21	11	0	0
847	4	23	11	0	0
848	4	24	11	0	0
849	4	25	11	0	0
850	4	26	11	0	0
851	4	27	11	0	0
852	4	28	11	0	0
853	4	29	11	0	0
854	4	30	11	0	0
855	4	31	11	0	0
856	4	32	11	0	0
857	4	33	11	0	0
858	4	34	11	0	0
859	4	35	11	0	0
860	4	36	11	0	0
861	4	37	11	0	0
862	4	38	11	0	0
863	4	39	11	0	0
864	4	40	11	0	0
865	4	41	11	0	0
866	4	42	11	0	0
867	4	43	11	0	0
868	4	44	11	0	0
869	4	45	11	0	0
870	4	46	11	0	0
871	4	47	11	0	0
872	4	48	11	0	0
873	4	49	11	0	0
874	4	50	11	0	0
875	4	51	11	0	0
876	4	52	11	0	0
877	4	53	11	0	0
878	4	54	11	0	0
879	4	55	11	0	0
880	4	56	11	0	0
881	4	57	11	0	0
882	4	58	11	0	0

INVESTIGATION BGC-21 Page 233 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
883	4	59	11	0	0
884	4	60	11	0	0
885	4	61	11	0	0
886	4	62	11	0	0
887	4	63	11	0	0
888	4	64	11	0	0
889	4	65	11	0	0
890	4	66	11	0	0
891	4	67	12	0	0
892	4	18	12	0	0
893	4	21	12	0	0
894	4	23	12	0	0
895	4	24	12	0	0
896	4	25	12	0	0
897	4	26	12	0	0
898	4	27	12	0	0
899	4	28	12	0	0
900	4	29	12	0	0
901	4	30	12	0	0
902	4	31	12	0	0
903	4	32	12	0	0
904	4	33	12	0	0
905	4	34	12	0	0
906	4	35	12	0	0
907	4	36	12	0	0
908	4	37	12	0	0
909	4	38	12	0	0
910	4	39	12	0	0
911	4	40	12	0	0
912	4	41	12	0	0
913	4	42	12	0	0
914	4	43	12	0	0
915	4	44	12	0	0
916	4	45	12	0	0
917	4	46	12	0	0
918	4	47	12	0	0
919	4	48	12	0	0
920	4	49	12	0	0
921	4	50	12	0	0
922	4	51	12	0	0
923	4	52	12	0	0
924	4	53	12	0	0

INVESTIGATION BGC-21 Page 235 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
925	4	54	12	0	0
926	4	55	12	0	0
927	4	56	12	0	0
928	4	57	12	0	0
929	4	58	12	0	0
930	4	59	12	0	0
931	4	60	12	0	0
932	4	61	12	0	0
933	4	62	12	0	0
934	4	63	12	0	0
935	4	64	12	0	0
936	4	65	12	0	0
937	4	66	12	0	0
938	2	87	-1	0	0
939	2	88	-1	0	0
940	2	87	13	0	0
941	2	21	13	0	0
942	2	22	13	0	0
943	2	23	13	0	0
944	2	24	13	0	0
945	2	25	13	0	0
946	2	26	13	0	0
947	2	27	13	0	0
948	2	28	13	0	0
949	2	29	13	0	0
950	2	30	13	0	0
951	2	31	13	0	0
952	2	32	13	0	0
953	2	33	13	0	0
954	2	34	13	0	0
955	2	35	13	0	0
956	2	36	13	0	0
957	2	37	13	0	0
958	2	38	13	0	0
959	2	39	13	0	0
960	2	40	13	0	0
961	2	41	13	0	0
962	2	42	13	0	0
963	2	43	13	0	0
964	2	44	13	0	0
965	2	45	13	0	0
966	2	46	13	0	0

INVESTIGATION BGC-21 Page 237 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
967	2	47	13	0	0
968	2	48	13	0	0
969	2	49	13	0	0
970	2	50	13	0	0
971	2	51	13	0	0
972	2	52	13	0	0
973	2	53	13	0	0
974	2	54	13	0	0
975	2	55	13	0	0
976	2	56	13	0	0
977	2	57	13	0	0
978	2	58	13	0	0
979	2	59	13	0	0
980	2	60	13	0	0
981	2	61	13	0	0
982	2	62	13	0	0
983	2	63	13	0	0
984	2	64	13	0	0
985	2	65	13	0	0
986	2	66	13	0	0
987	2	67	13	0	0
988	2	68	13	0	0
989	2	69	13	0	0
990	2	70	13	0	0
991	2	71	13	0	0
992	2	72	13	0	0
993	2	73	13	0	0
994	2	74	13	0	0
995	2	75	13	0	0
996	2	76	13	0	0
997	2	77	13	0	0
998	2	78	13	0	0
999	2	79	13	0	0
1000	2	80	13	0	0
1001	2	81	13	0	0
1002	2	82	13	0	0
1003	2	83	13	0	0
1004	2	84	13	0	0
1005	2	85	13	0	0
1006	2	88	13	0	0
1007	2	87	14	0	0
1008	2	21	14	0	0

INVESTIGATION BGC-21 Page 239 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1009	2	22	14	0	0
1010	2	23	14	0	0
1011	2	24	14	0	0
1012	2	25	14	0	0
1013	2	26	14	0	0
1014	2	27	14	0	0
1015	2	28	14	0	0
1016	2	29	14	0	0
1017	2	30	14	0	0
1018	2	31	14	0	0
1019	2	32	14	0	0
1020	2	33	14	0	0
1021	2	34	14	0	0
1022	2	35	14	0	0
1023	2	36	14	0	0
1024	2	37	14	0	0
1025	2	38	14	0	0
1026	2	39	14	0	0
1027	2	40	14	0	0
1028	2	41	14	0	0
1029	2	42	14	0	0
1030	2	43	14	0	0
1031	2	44	14	0	0
1032	2	45	14	0	0
1033	2	46	14	0	0
1034	2	47	14	0	0
1035	2	48	14	0	0
1036	2	49	14	0	0
1037	2	50	14	0	0
1038	2	51	14	0	0
1039	2	52	14	0	0
1040	2	53	14	0	0
1041	2	54	14	0	0
1042	2	55	14	0	0
1043	2	56	14	0	0
1044	2	57	14	0	0
1045	2	58	14	0	0
1046	2	59	14	0	0
1047	2	60	14	0	0
1048	2	61	14	0	0
1049	2	62	14	0	0
1050	2	63	14	0	0

INVESTIGATION BGC-21 Page 241 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1051	2	64	14	0	0
1052	2	65	14	0	0
1053	2	66	14	0	0
1054	2	67	14	0	0
1055	2	68	14	0	0
1056	2	69	14	0	0
1057	2	70	14	0	0
1058	2	71	14	0	0
1059	2	72	14	0	0
1060	2	73	14	0	0
1061	2	74	14	0	0
1062	2	75	14	0	0
1063	2	76	14	0	0
1064	2	77	14	0	0
1065	2	78	14	0	0
1066	2	79	14	0	0
1067	2	80	14	0	0
1068	2	81	14	0	0
1069	2	82	14	0	0
1070	2	83	14	0	0
1071	2	84	14	0	0
1072	2	85	14	0	0
1073	2	88	14	0	0
1074	2	87	15	0	0
1075	2	21	15	0	0
1076	2	22	15	0	0
1077	2	23	15	0	0
1078	2	24	15	0	0
1079	2	25	15	0	0
1080	2	26	15	0	0
1081	2	27	15	0	0
1082	2	28	15	0	0
1083	2	29	15	0	0
1084	2	30	15	0	0
1085	2	31	15	0	0
1086	2	32	15	0	0
1087	2	33	15	0	0
1088	2	34	15	0	0
1089	2	35	15	0	0
1090	2	36	15	0	0
1091	2	37	15	0	0
1092	2	38	15	0	0

INVESTIGATION BGC-21 Page 243 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1093	2	39	15	0	0
1094	2	40	15	0	0
1095	2	41	15	0	0
1096	2	42	15	0	0
1097	2	43	15	0	0
1098	2	44	15	0	0
1099	2	45	15	0	0
1100	2	46	15	0	0
1101	2	47	15	0	0
1102	2	48	15	0	0
1103	2	49	15	0	0
1104	2	50	15	0	0
1105	2	51	15	0	0
1106	2	52	15	0	0
1107	2	53	15	0	0
1108	2	54	15	0	0
1109	2	55	15	0	0
1110	2	56	15	0	0
1111	2	57	15	0	0
1112	2	58	15	0	0
1113	2	59	15	0	0
1114	2	60	15	0	0
1115	2	61	15	0	0
1116	2	62	15	0	0
1117	2	63	15	0	0
1118	2	64	15	0	0
1119	2	65	15	0	0
1120	2	66	15	0	0
1121	2	67	15	0	0
1122	2	68	15	0	0
1123	2	69	15	0	0
1124	2	70	15	0	0
1125	2	71	15	0	0
1126	2	72	15	0	0
1127	2	73	15	0	0
1128	2	74	15	0	0
1129	2	75	15	0	0
1130	2	76	15	0	0
1131	2	77	15	0	0
1132	2	78	15	0	0
1133	2	79	15	0	0
1134	2	80	15	0	0

Page 54

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1135	2	81	15	0	0
1136	2	82	15	0	0
1137	2	83	15	0	0
1138	2	84	15	0	0
1139	2	85	15	0	0
1140	2	88	15	0	0
1141	2	87	16	0	0
1142	2	21	16	0	0
1143	2	22	16	0	0
1144	2	23	16	0	0
1145	2	24	16	0	0
1146	2	25	16	0	0
1147	2	26	16	0	0
1148	2	27	16	0	0
1149	2	28	16	0	0
1150	2	29	16	0	0
1151	2	30	16	0	0
1152	2	31	16	0	0
1153	2	32	16	0	0
1154	2	33	16	0	0
1155	2	34	16	0	0
1156	2	35	16	0	0
1157	2	36	16	0	0
1158	2	37	16	0	0
1159	2	38	16	0	0
1160	2	39	16	0	0
1161	2	40	16	0	0
1162	2	41	16	0	0
1163	2	42	16	0	0
1164	2	43	16	0	0
1165	2	44	16	0	0
1166	2	45	16	0	0
1167	2	46	16	0	0
1168	2	47	16	0	0
1169	2	48	16	0	0
1170	2	49	16	0	0
1171	2	50	16	0	0
1172	2	51	16	0	0
1173	2	52	16	0	0
1174	2	53	16	0	0
1175	2	54	16	0	0
1176	2	55	16	0	0

Page 56

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1177	2	56	16	0	0
1178	2	57	16	0	0
1179	2	58	16	0	0
1180	2	59	16	0	0
1181	2	60	16	0	0
1182	2	61	16	0	0
1183	2	62	16	0	0
1184	2	63	16	0	0
1185	2	64	16	0	0
1186	2	65	16	0	0
1187	2	66	16	0	0
1188	2	67	16	0	0
1189	2	68	16	0	0
1190	2	69	16	0	0
1191	2	70	16	0	0
1192	2	71	16	0	0
1193	2	72	16	0	0
1194	2	73	16	0	0
1195	2	74	16	0	0
1196	2	75	16	0	0
1197	2	76	16	0	0
1198	2	77	16	0	0
1199	2	78	16	0	0
1200	2	79	16	0	0
1201	2	80	16	0	0
1202	2	81	16	0	0
1203	2	82	16	0	0
1204	2	83	16	0	0
1205	2	84	16	0	0
1206	2	85	16	0	0
1207	2	88	16	0	0
1208	3	95	-1	0	0
1209	3	95	1	0	0
1210	3	95	3	0	0
1211	3	95	2	0	0
1212	2	89	-1	0	0
1213	3	96	-1	0	0
1214	3	96	1	0	0
1215	3	96	2	0	0
1216	3	96	3	0	0
1217	3	95	4	0	0
1218	3	96	4	0	0

INVESTIGATION BGC-21 Page 249 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1219	3	93	17	0	0
1220	3	16	17	0	0
1221	3	17	17	0	0
1222	3	19	17	0	0
1223	3	20	17	0	0
1224	3	22	17	0	0
1225	3	23	17	0	0
1226	3	24	17	0	0
1227	3	25	17	0	0
1228	3	26	17	0	0
1229	3	27	17	0	0
1230	3	28	17	0	0
1231	3	29	17	0	0
1232	3	30	17	0	0
1233	3	32	17	0	0
1234	3	34	17	0	0
1235	3	35	17	0	0
1236	3	36	17	0	0
1237	3	37	17	0	0
1238	3	39	17	0	0
1239	3	40	17	0	0
1240	3	41	17	0	0
1241	3	42	17	0	0
1242	3	43	17	0	0
1243	3	44	17	0	0
1244	3	45	17	0	0
1245	3	46	17	0	0
1246	3	47	17	0	0
1247	3	48	17	0	0
1248	3	49	17	0	0
1249	3	50	17	0	0
1250	3	51	17	0	0
1251	3	52	17	0	0
1252	3	53	17	0	0
1253	3	54	17	0	0
1254	3	55	17	0	0
1255	3	56	17	0	0
1256	3	57	17	0	0
1257	3	58	17	0	0
1258	3	59	17	0	0
1259	3	60	17	0	0
1260	3	61	17	0	0

INVESTIGATION BGC-21 Page 251 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1261	3	63	17	0	0
1262	3	64	17	0	0
1263	3	65	17	0	0
1264	3	67	17	0	0
1265	3	68	17	0	0
1266	3	70	17	0	0
1267	3	71	17	0	0
1268	3	72	17	0	0
1269	3	73	17	0	0
1270	3	74	17	0	0
1271	3	75	17	0	0
1272	3	76	17	0	0
1273	3	87	17	0	0
1274	3	88	17	0	0
1275	3	89	17	0	0
1276	3	90	17	0	0
1277	3	91	17	0	0
1278	3	95	17	0	0
1279	3	96	17	0	0
1280	2	89	13	0	0
1281	1	55	-1	0	0
1282	2	90	-1	0	0
1283	2	90	13	0	0
1284	2	90	15	0	0
1285	2	89	15	0	0
1286	1	55	5	0	0
1287	1	54	9	0	0
1288	1	14	9	0	0
1289	1	15	9	0	0
1290	1	19	9	0	0
1291	1	20	9	0	0
1292	1	21	9	0	0
1293	1	22	9	0	0
1294	1	23	9	0	0
1295	1	24	9	0	0
1296	1	25	9	0	0
1297	1	27	9	0	0
1298	1	28	9	0	0
1299	1	29	9	0	0
1300	1	30	9	0	0
1301	1	31	9	0	0
1302	1	32	9	0	0

INVESTIGATION BGC-21 Page 253 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1303	1	33	9	0	0
1304	1	34	9	0	0
1305	1	35	9	0	0
1306	1	36	9	0	0
1307	1	37	9	0	0
1308	1	39	9	0	0
1309	1	40	9	0	0
1310	1	42	9	0	0
1311	1	44	9	0	0
1312	1	45	9	0	0
1313	1	46	9	0	0
1314	1	47	9	0	0
1315	1	48	9	0	0
1316	1	49	9	0	0
1317	1	51	9	0	0
1318	1	52	9	0	0
1319	1	53	9	0	0
1320	1	55	9	0	0
1321	4	68	-1	0	0
1322	4	68	7	0	0
1323	4	68	11	0	0
1324	2	90	14	0	0
1325	2	89	14	0	0
1326	3	93	18	0	0
1327	3	16	18	0	0
1328	3	17	18	0	0
1329	3	19	18	0	0
1330	3	20	18	0	0
1331	3	22	18	0	0
1332	3	23	18	0	0
1333	3	24	18	0	0
1334	3	25	18	0	0
1335	3	26	18	0	0
1336	3	27	18	0	0
1337	3	28	18	0	0
1338	3	29	18	0	0
1339	3	30	18	0	0
1340	3	32	18	0	0
1341	3	34	18	0	0
1342	3	35	18	0	0
1343	3	36	18	0	0
1344	3	37	18	0	0

INVESTIGATION BGC-21 Page 255 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1345	3	39	18	0	0
1346	3	40	18	0	0
1347	3	41	18	0	0
1348	3	42	18	0	0
1349	3	43	18	0	0
1350	3	44	18	0	0
1351	3	45	18	0	0
1352	3	46	18	0	0
1353	3	47	18	0	0
1354	3	48	18	0	0
1355	3	49	18	0	0
1356	3	50	18	0	0
1357	3	51	18	0	0
1358	3	52	18	0	0
1359	3	53	18	0	0
1360	3	54	18	0	0
1361	3	55	18	0	0
1362	3	56	18	0	0
1363	3	57	18	0	0
1364	3	58	18	0	0
1365	3	59	18	0	0
1366	3	60	18	0	0
1367	3	61	18	0	0
1368	3	63	18	0	0
1369	3	64	18	0	0
1370	3	65	18	0	0
1371	3	67	18	0	0
1372	3	68	18	0	0
1373	3	70	18	0	0
1374	3	71	18	0	0
1375	3	72	18	0	0
1376	3	73	18	0	0
1377	3	74	18	0	0
1378	3	75	18	0	0
1379	3	76	18	0	0
1380	3	87	18	0	0
1381	3	88	18	0	0
1382	3	89	18	0	0
1383	3	90	18	0	0
1384	3	91	18	0	0
1385	3	95	18	0	0
1386	3	96	18	0	0

INVESTIGATION BGC-21 Page 257 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1387	3	93	19	0	0
1388	3	16	19	0	0
1389	3	17	19	0	0
1390	3	19	19	0	0
1391	3	20	19	0	0
1392	3	22	19	0	0
1393	3	23	19	0	0
1394	3	24	19	0	0
1395	3	25	19	0	0
1396	3	26	19	0	0
1397	3	27	19	0	0
1398	3	28	19	0	0
1399	3	29	19	0	0
1400	3	30	19	0	0
1401	3	32	19	0	0
1402	3	34	19	0	0
1403	3	35	19	0	0
1404	3	36	19	0	0
1405	3	37	19	0	0
1406	3	39	19	0	0
1407	3	40	19	0	0
1408	3	41	19	0	0
1409	3	42	19	0	0
1410	3	43	19	0	0
1411	3	44	19	0	0
1412	3	45	19	0	0
1413	3	46	19	0	0
1414	3	47	19	0	0
1415	3	48	19	0	0
1416	3	49	19	0	0
1417	3	50	19	0	0
1418	3	51	19	0	0
1419	3	52	19	0	0
1420	3	53	19	0	0
1421	3	54	19	0	0
1422	3	55	19	0	0
1423	3	56	19	0	0
1424	3	57	19	0	0
1425	3	58	19	0	0
1426	3	59	19	0	0
1427	3	60	19	0	0
1428	3	61	19	0	0

Page 68

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1429	3	63	19	0	0
1430	3	64	19	0	0
1431	3	65	19	0	0
1432	3	67	19	0	0
1433	3	68	19	0	0
1434	3	70	19	0	0
1435	3	71	19	0	0
1436	3	72	19	0	0
1437	3	73	19	0	0
1438	3	74	19	0	0
1439	3	75	19	0	0
1440	3	76	19	0	0
1441	3	87	19	0	0
1442	3	88	19	0	0
1443	3	89	19	0	0
1444	3	90	19	0	0
1445	3	91	19	0	0
1446	3	95	19	0	0
1447	3	96	19	0	0
1448	3	93	487	0	0
1449	3	16	487	0	0
1450	3	17	487	0	0
1451	3	19	487	0	0
1452	3	20	487	0	0
1453	3	22	487	0	0
1454	3	23	487	0	0
1455	3	24	487	0	0
1456	3	25	487	0	0
1457	3	26	487	0	0
1458	3	27	487	0	0
1459	3	28	487	0	0
1460	3	29	487	0	0
1461	3	30	487	0	0
1462	3	32	487	0	0
1463	3	34	487	0	0
1464	3	35	487	0	0
1465	3	36	487	0	0
1466	3	37	487	0	0
1467	3	39	487	0	0
1468	3	40	487	0	0
1469	3	41	487	0	0
1470	3	42	487	0	0

INVESTIGATION BGC-21 Page 261 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1471	3	43	487	0	0
1472	3	44	487	0	0
1473	3	45	487	0	0
1474	3	46	487	0	0
1475	3	47	487	0	0
1476	3	48	487	0	0
1477	3	49	487	0	0
1478	3	50	487	0	0
1479	3	51	487	0	0
1480	3	52	487	0	0
1481	3	53	487	0	0
1482	3	54	487	0	0
1483	3	55	487	0	0
1484	3	56	487	0	0
1485	3	57	487	0	0
1486	3	58	487	0	0
1487	3	59	487	0	0
1488	3	60	487	0	0
1489	3	61	487	0	0
1490	3	63	487	0	0
1491	3	64	487	0	0
1492	3	65	487	0	0
1493	3	67	487	0	0
1494	3	68	487	0	0
1495	3	70	487	0	0
1496	3	71	487	0	0
1497	3	72	487	0	0
1498	3	73	487	0	0
1499	3	74	487	0	0
1500	3	75	487	0	0
1501	3	76	487	0	0
1502	3	87	487	0	0
1503	3	88	487	0	0
1504	3	89	487	0	0
1505	3	90	487	0	0
1506	3	91	487	0	0
1507	3	95	487	0	0
1508	3	96	487	0	0
1509	3	93	20	0	0
1510	3	16	20	0	0
1511	3	17	20	0	0
1512	3	19	20	0	0

INVESTIGATION BGC-21 Page 263 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1513	3	20	20	0	0
1514	3	22	20	0	0
1515	3	23	20	0	0
1516	3	24	20	0	0
1517	3	25	20	0	0
1518	3	26	20	0	0
1519	3	27	20	0	0
1520	3	28	20	0	0
1521	3	29	20	0	0
1522	3	30	20	0	0
1523	3	32	20	0	0
1524	3	34	20	0	0
1525	3	35	20	0	0
1526	3	36	20	0	0
1527	3	37	20	0	0
1528	3	39	20	0	0
1529	3	40	20	0	0
1530	3	41	20	0	0
1531	3	42	20	0	0
1532	3	43	20	0	0
1533	3	44	20	0	0
1534	3	45	20	0	0
1535	3	46	20	0	0
1536	3	47	20	0	0
1537	3	48	20	0	0
1538	3	49	20	0	0
1539	3	50	20	0	0
1540	3	51	20	0	0
1541	3	52	20	0	0
1542	3	53	20	0	0
1543	3	54	20	0	0
1544	3	55	20	0	0
1545	3	56	20	0	0
1546	3	57	20	0	0
1547	3	58	20	0	0
1548	3	59	20	0	0
1549	3	60	20	0	0
1550	3	61	20	0	0
1551	3	63	20	0	0
1552	3	64	20	0	0
1553	3	65	20	0	0
1554	3	67	20	0	0

Page 74

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1555	3	68	20	0	0
1556	3	70	20	0	0
1557	3	71	20	0	0
1558	3	72	20	0	0
1559	3	73	20	0	0
1560	3	74	20	0	0
1561	3	75	20	0	0
1562	3	76	20	0	0
1563	3	87	20	0	0
1564	3	88	20	0	0
1565	3	89	20	0	0
1566	3	90	20	0	0
1567	3	91	20	0	0
1568	3	95	20	0	0
1569	3	96	20	0	0
1570	3	93	22	0	0
1571	3	16	22	0	0
1572	3	17	22	0	0
1573	3	19	22	0	0
1574	3	20	22	0	0
1575	3	22	22	0	0
1576	3	23	22	0	0
1577	3	24	22	0	0
1578	3	25	22	0	0
1579	3	26	22	0	0
1580	3	27	22	0	0
1581	3	28	22	0	0
1582	3	29	22	0	0
1583	3	30	22	0	0
1584	3	32	22	0	0
1585	3	34	22	0	0
1586	3	35	22	0	0
1587	3	36	22	0	0
1588	3	37	22	0	0
1589	3	39	22	0	0
1590	3	40	22	0	0
1591	3	41	22	0	0
1592	3	42	22	0	0
1593	3	43	22	0	0
1594	3	44	22	0	0
1595	3	45	22	0	0
1596	3	46	22	0	0

INVESTIGATION BGC-21 Page 267 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1597	3	47	22	0	0
1598	3	48	22	0	0
1599	3	49	22	0	0
1600	3	50	22	0	0
1601	3	51	22	0	0
1602	3	52	22	0	0
1603	3	53	22	0	0
1604	3	54	22	0	0
1605	3	55	22	0	0
1606	3	56	22	0	0
1607	3	57	22	0	0
1608	3	58	22	0	0
1609	3	59	22	0	0
1610	3	60	22	0	0
1611	3	61	22	0	0
1612	3	63	22	0	0
1613	3	64	22	0	0
1614	3	65	22	0	0
1615	3	67	22	0	0
1616	3	68	22	0	0
1617	3	70	22	0	0
1618	3	71	22	0	0
1619	3	72	22	0	0
1620	3	73	22	0	0
1621	3	74	22	0	0
1622	3	75	22	0	0
1623	3	76	22	0	0
1624	3	87	22	0	0
1625	3	88	22	0	0
1626	3	89	22	0	0
1627	3	90	22	0	0
1628	3	91	22	0	0
1629	3	95	22	0	0
1630	3	96	22	0	0
1631	2	87	24	0	0
1632	2	21	24	0	0
1633	2	22	24	0	0
1634	2	24	24	0	0
1635	2	26	24	0	0
1636	2	27	24	0	0
1637	2	28	24	0	0
1638	2	29	24	0	0

INVESTIGATION BGC-21 Page 269 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1639	2	30	24	0	0
1640	2	31	24	0	0
1641	2	90	24	0	0
1642	2	32	24	0	0
1643	2	33	24	0	0
1644	2	34	24	0	0
1645	2	35	24	0	0
1646	2	36	24	0	0
1647	2	37	24	0	0
1648	2	38	24	0	0
1649	2	39	24	0	0
1650	2	40	24	0	0
1651	2	41	24	0	0
1652	2	42	24	0	0
1653	2	43	24	0	0
1654	2	44	24	0	0
1655	2	45	24	0	0
1656	2	46	24	0	0
1657	2	47	24	0	0
1658	2	48	24	0	0
1659	2	49	24	0	0
1660	2	50	24	0	0
1661	2	51	24	0	0
1662	2	52	24	0	0
1663	2	53	24	0	0
1664	2	54	24	0	0
1665	2	55	24	0	0
1666	2	56	24	0	0
1667	2	57	24	0	0
1668	2	61	24	0	0
1669	2	62	24	0	0
1670	2	63	24	0	0
1671	2	64	24	0	0
1672	2	65	24	0	0
1673	2	66	24	0	0
1674	2	67	24	0	0
1675	2	72	24	0	0
1676	2	73	24	0	0
1677	2	74	24	0	0
1678	2	80	24	0	0
1679	2	81	24	0	0
1680	2	82	24	0	0

INVESTIGATION BGC-21 Page 271 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1681	2	84	24	0	0
1682	2	85	24	0	0
1683	2	88	24	0	0
1684	2	89	24	0	0
1685	2	87	26	0	0
1686	2	21	26	0	0
1687	2	22	26	0	0
1688	2	24	26	0	0
1689	2	26	26	0	0
1690	2	27	26	0	0
1691	2	28	26	0	0
1692	2	29	26	0	0
1693	2	30	26	0	0
1694	2	31	26	0	0
1695	2	90	26	0	0
1696	2	32	26	0	0
1697	2	33	26	0	0
1698	2	34	26	0	0
1699	2	35	26	0	0
1700	2	36	26	0	0
1701	2	37	26	0	0
1702	2	38	26	0	0
1703	2	39	26	0	0
1704	2	40	26	0	0
1705	2	41	26	0	0
1706	2	42	26	0	0
1707	2	43	26	0	0
1708	2	44	26	0	0
1709	2	45	26	0	0
1710	2	46	26	0	0
1711	2	47	26	0	0
1712	2	48	26	0	0
1713	2	49	26	0	0
1714	2	50	26	0	0
1715	2	51	26	0	0
1716	2	52	26	0	0
1717	2	53	26	0	0
1718	2	54	26	0	0
1719	2	55	26	0	0
1720	2	56	26	0	0
1721	2	57	26	0	0
1722	2	61	26	0	0

INVESTIGATION BGC-21 Page 273 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1723	2	62	26	0	0
1724	2	63	26	0	0
1725	2	64	26	0	0
1726	2	65	26	0	0
1727	2	66	26	0	0
1728	2	67	26	0	0
1729	2	72	26	0	0
1730	2	73	26	0	0
1731	2	74	26	0	0
1732	2	80	26	0	0
1733	2	81	26	0	0
1734	2	82	26	0	0
1735	2	84	26	0	0
1736	2	85	26	0	0
1737	2	88	26	0	0
1738	2	89	26	0	0
1739	4	67	488	0	0
1740	4	21	488	0	0
1741	4	23	488	0	0
1742	4	24	488	0	0
1743	4	25	488	0	0
1744	4	26	488	0	0
1745	4	27	488	0	0
1746	4	29	488	0	0
1747	4	30	488	0	0
1748	4	31	488	0	0
1749	4	32	488	0	0
1750	4	33	488	0	0
1751	4	34	488	0	0
1752	4	35	488	0	0
1753	4	36	488	0	0
1754	4	37	488	0	0
1755	4	38	488	0	0
1756	4	39	488	0	0
1757	4	40	488	0	0
1758	4	41	488	0	0
1759	4	42	488	0	0
1760	4	43	488	0	0
1761	4	44	488	0	0
1762	4	45	488	0	0
1763	4	46	488	0	0
1764	4	47	488	0	0

INVESTIGATION BGC-21 Page 275 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1765	4	48	488	0	0
1766	4	49	488	0	0
1767	4	50	488	0	0
1768	4	51	488	0	0
1769	4	52	488	0	0
1770	4	53	488	0	0
1771	4	54	488	0	0
1772	4	56	488	0	0
1773	4	57	488	0	0
1774	4	59	488	0	0
1775	4	60	488	0	0
1776	4	61	488	0	0
1777	4	63	488	0	0
1778	4	64	488	0	0
1779	4	65	488	0	0
1780	4	66	488	0	0
1781	4	68	488	0	0
1782	4	67	487	0	0
1783	4	21	487	0	0
1784	4	23	487	0	0
1785	4	24	487	0	0
1786	4	25	487	0	0
1787	4	26	487	0	0
1788	4	27	487	0	0
1789	4	29	487	0	0
1790	4	30	487	0	0
1791	4	31	487	0	0
1792	4	32	487	0	0
1793	4	33	487	0	0
1794	4	34	487	0	0
1795	4	35	487	0	0
1796	4	36	487	0	0
1797	4	37	487	0	0
1798	4	38	487	0	0
1799	4	39	487	0	0
1800	4	40	487	0	0
1801	4	41	487	0	0
1802	4	42	487	0	0
1803	4	43	487	0	0
1804	4	44	487	0	0
1805	4	45	487	0	0
1806	4	46	487	0	0

INVESTIGATION BGC-21 Page 277 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1807	4	47	487	0	0
1808	4	48	487	0	0
1809	4	49	487	0	0
1810	4	50	487	0	0
1811	4	51	487	0	0
1812	4	52	487	0	0
1813	4	53	487	0	0
1814	4	54	487	0	0
1815	4	56	487	0	0
1816	4	57	487	0	0
1817	4	59	487	0	0
1818	4	60	487	0	0
1819	4	61	487	0	0
1820	4	63	487	0	0
1821	4	64	487	0	0
1822	4	65	487	0	0
1823	4	66	487	0	0
1824	4	68	487	0	0
1825	4	67	39	0	0
1826	4	21	39	0	0
1827	4	23	39	0	0
1828	4	24	39	0	0
1829	4	25	39	0	0
1830	4	26	39	0	0
1831	4	27	39	0	0
1832	4	29	39	0	0
1833	4	30	39	0	0
1834	4	31	39	0	0
1835	4	32	39	0	0
1836	4	33	39	0	0
1837	4	34	39	0	0
1838	4	35	39	0	0
1839	4	36	39	0	0
1840	4	37	39	0	0
1841	4	38	39	0	0
1842	4	39	39	0	0
1843	4	40	39	0	0
1844	4	41	39	0	0
1845	4	42	39	0	0
1846	4	43	39	0	0
1847	4	44	39	0	0
1848	4	45	39	0	0

INVESTIGATION BGC-21 Page 279 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1849	4	46	39	0	0
1850	4	47	39	0	0
1851	4	48	39	0	0
1852	4	49	39	0	0
1853	4	50	39	0	0
1854	4	51	39	0	0
1855	4	52	39	0	0
1856	4	53	39	0	0
1857	4	54	39	0	0
1858	4	56	39	0	0
1859	4	57	39	0	0
1860	4	59	39	0	0
1861	4	60	39	0	0
1862	4	61	39	0	0
1863	4	63	39	0	0
1864	4	64	39	0	0
1865	4	65	39	0	0
1866	4	66	39	0	0
1867	4	68	39	0	0
1868	4	67	37	0	0
1869	4	21	37	0	0
1870	4	23	37	0	0
1871	4	24	37	0	0
1872	4	25	37	0	0
1873	4	26	37	0	0
1874	4	27	37	0	0
1875	4	29	37	0	0
1876	4	30	37	0	0
1877	4	31	37	0	0
1878	4	32	37	0	0
1879	4	33	37	0	0
1880	4	34	37	0	0
1881	4	35	37	0	0
1882	4	36	37	0	0
1883	4	37	37	0	0
1884	4	38	37	0	0
1885	4	39	37	0	0
1886	4	40	37	0	0
1887	4	41	37	0	0
1888	4	42	37	0	0
1889	4	43	37	0	0
1890	4	44	37	0	0

INVESTIGATION BGC-21 Page 281 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1891	4	45	37	0	0
1892	4	46	37	0	0
1893	4	47	37	0	0
1894	4	48	37	0	0
1895	4	49	37	0	0
1896	4	50	37	0	0
1897	4	51	37	0	0
1898	4	52	37	0	0
1899	4	53	37	0	0
1900	4	54	37	0	0
1901	4	56	37	0	0
1902	4	57	37	0	0
1903	4	59	37	0	0
1904	4	60	37	0	0
1905	4	61	37	0	0
1906	4	63	37	0	0
1907	4	64	37	0	0
1908	4	65	37	0	0
1909	4	66	37	0	0
1910	4	68	37	0	0
1911	4	67	35	0	0
1912	4	21	35	0	0
1913	4	23	35	0	0
1914	4	24	35	0	0
1915	4	25	35	0	0
1916	4	26	35	0	0
1917	4	27	35	0	0
1918	4	29	35	0	0
1919	4	30	35	0	0
1920	4	31	35	0	0
1921	4	32	35	0	0
1922	4	33	35	0	0
1923	4	34	35	0	0
1924	4	35	35	0	0
1925	4	36	35	0	0
1926	4	37	35	0	0
1927	4	38	35	0	0
1928	4	39	35	0	0
1929	4	40	35	0	0
1930	4	41	35	0	0
1931	4	42	35	0	0
1932	4	43	35	0	0

INVESTIGATION BGC-21 Page 283 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1933	4	44	35	0	0
1934	4	45	35	0	0
1935	4	46	35	0	0
1936	4	47	35	0	0
1937	4	48	35	0	0
1938	4	49	35	0	0
1939	4	50	35	0	0
1940	4	51	35	0	0
1941	4	52	35	0	0
1942	4	53	35	0	0
1943	4	54	35	0	0
1944	4	56	35	0	0
1945	4	57	35	0	0
1946	4	59	35	0	0
1947	4	60	35	0	0
1948	4	61	35	0	0
1949	4	63	35	0	0
1950	4	64	35	0	0
1951	4	65	35	0	0
1952	4	66	35	0	0
1953	4	68	35	0	0
1954	2	91	-1	0	0
1955	2	87	23	0	0
1956	2	21	23	0	0
1957	2	22	23	0	0
1958	2	24	23	0	0
1959	2	26	23	0	0
1960	2	27	23	0	0
1961	2	28	23	0	0
1962	2	29	23	0	0
1963	2	30	23	0	0
1964	2	31	23	0	0
1965	2	90	23	0	0
1966	2	32	23	0	0
1967	2	33	23	0	0
1968	2	34	23	0	0
1969	2	35	23	0	0
1970	2	36	23	0	0
1971	2	37	23	0	0
1972	2	38	23	0	0
1973	2	39	23	0	0
1974	2	40	23	0	0

INVESTIGATION BGC-21 Page 285 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
1975	2	41	23	0	0
1976	2	42	23	0	0
1977	2	43	23	0	0
1978	2	44	23	0	0
1979	2	45	23	0	0
1980	2	46	23	0	0
1981	2	47	23	0	0
1982	2	48	23	0	0
1983	2	49	23	0	0
1984	2	50	23	0	0
1985	2	51	23	0	0
1986	2	52	23	0	0
1987	2	53	23	0	0
1988	2	54	23	0	0
1989	2	55	23	0	0
1990	2	56	23	0	0
1991	2	57	23	0	0
1992	2	61	23	0	0
1993	2	62	23	0	0
1994	2	63	23	0	0
1995	2	64	23	0	0
1996	2	65	23	0	0
1997	2	66	23	0	0
1998	2	67	23	0	0
1999	2	72	23	0	0
2000	2	73	23	0	0
2001	2	74	23	0	0
2002	2	80	23	0	0
2003	2	81	23	0	0
2004	2	82	23	0	0
2005	2	84	23	0	0
2006	2	85	23	0	0
2007	2	88	23	0	0
2008	2	89	23	0	0
2009	2	91	23	0	0
2010	2	91	24	0	0
2011	1	56	-1	0	0
2012	1	54	29	0	0
2013	1	14	29	0	0
2014	1	15	29	0	0
2015	1	19	29	0	0
2016	1	20	29	0	0

[illegible]

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2017	1	21	29	0	0
2018	1	22	29	0	0
2019	1	23	29	0	0
2020	1	24	29	0	0
2021	1	25	29	0	0
2022	1	27	29	0	0
2023	1	28	29	0	0
2024	1	29	29	0	0
2025	1	30	29	0	0
2026	1	31	29	0	0
2027	1	32	29	0	0
2028	1	33	29	0	0
2029	1	34	29	0	0
2030	1	35	29	0	0
2031	1	36	29	0	0
2032	1	37	29	0	0
2033	1	39	29	0	0
2034	1	40	29	0	0
2035	1	42	29	0	0
2036	1	44	29	0	0
2037	1	45	29	0	0
2038	1	46	29	0	0
2039	1	47	29	0	0
2040	1	48	29	0	0
2041	1	49	29	0	0
2042	1	51	29	0	0
2043	1	52	29	0	0
2044	1	53	29	0	0
2045	1	55	29	0	0
2046	1	56	29	0	0
2047	1	54	30	0	0
2048	1	14	30	0	0
2049	1	15	30	0	0
2050	1	19	30	0	0
2051	1	20	30	0	0
2052	1	21	30	0	0
2053	1	22	30	0	0
2054	1	23	30	0	0
2055	1	24	30	0	0
2056	1	25	30	0	0
2057	1	27	30	0	0
2058	1	28	30	0	0

Page 98

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2059	1	29	30	0	0
2060	1	30	30	0	0
2061	1	31	30	0	0
2062	1	32	30	0	0
2063	1	33	30	0	0
2064	1	34	30	0	0
2065	1	35	30	0	0
2066	1	36	30	0	0
2067	1	37	30	0	0
2068	1	39	30	0	0
2069	1	40	30	0	0
2070	1	42	30	0	0
2071	1	44	30	0	0
2072	1	45	30	0	0
2073	1	46	30	0	0
2074	1	47	30	0	0
2075	1	48	30	0	0
2076	1	49	30	0	0
2077	1	51	30	0	0
2078	1	52	30	0	0
2079	1	53	30	0	0
2080	1	55	30	0	0
2081	1	56	30	0	0
2082	4	69	-1	0	0
2083	4	69	35	0	0
2084	4	67	36	0	0
2085	4	21	36	0	0
2086	4	23	36	0	0
2087	4	24	36	0	0
2088	4	25	36	0	0
2089	4	26	36	0	0
2090	4	27	36	0	0
2091	4	29	36	0	0
2092	4	30	36	0	0
2093	4	31	36	0	0
2094	4	32	36	0	0
2095	4	33	36	0	0
2096	4	34	36	0	0
2097	4	35	36	0	0
2098	4	36	36	0	0
2099	4	37	36	0	0
2100	4	38	36	0	0

INVESTIGATION BGC-21 Page 291 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2101	4	39	36	0	0
2102	4	40	36	0	0
2103	4	41	36	0	0
2104	4	42	36	0	0
2105	4	43	36	0	0
2106	4	44	36	0	0
2107	4	45	36	0	0
2108	4	46	36	0	0
2109	4	47	36	0	0
2110	4	48	36	0	0
2111	4	49	36	0	0
2112	4	50	36	0	0
2113	4	51	36	0	0
2114	4	52	36	0	0
2115	4	53	36	0	0
2116	4	54	36	0	0
2117	4	56	36	0	0
2118	4	57	36	0	0
2119	4	59	36	0	0
2120	4	60	36	0	0
2121	4	61	36	0	0
2122	4	63	36	0	0
2123	4	64	36	0	0
2124	4	65	36	0	0
2125	4	66	36	0	0
2126	4	68	36	0	0
2127	4	69	36	0	0
2128	4	69	37	0	0
2129	4	67	38	0	0
2130	4	21	38	0	0
2131	4	23	38	0	0
2132	4	24	38	0	0
2133	4	25	38	0	0
2134	4	26	38	0	0
2135	4	27	38	0	0
2136	4	29	38	0	0
2137	4	30	38	0	0
2138	4	31	38	0	0
2139	4	32	38	0	0
2140	4	33	38	0	0
2141	4	34	38	0	0
2142	4	35	38	0	0

INVESTIGATION BGC-21 Page 293 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2143	4	36	38	0	0
2144	4	37	38	0	0
2145	4	38	38	0	0
2146	4	39	38	0	0
2147	4	40	38	0	0
2148	4	41	38	0	0
2149	4	42	38	0	0
2150	4	43	38	0	0
2151	4	44	38	0	0
2152	4	45	38	0	0
2153	4	46	38	0	0
2154	4	47	38	0	0
2155	4	48	38	0	0
2156	4	49	38	0	0
2157	4	50	38	0	0
2158	4	51	38	0	0
2159	4	52	38	0	0
2160	4	53	38	0	0
2161	4	54	38	0	0
2162	4	56	38	0	0
2163	4	57	38	0	0
2164	4	59	38	0	0
2165	4	60	38	0	0
2166	4	61	38	0	0
2167	4	63	38	0	0
2168	4	64	38	0	0
2169	4	65	38	0	0
2170	4	66	38	0	0
2171	4	68	38	0	0
2172	4	69	38	0	0
2173	3	97	-1	0	0
2174	3	97	20	0	0
2175	3	97	19	0	0
2176	2	92	-1	0	0
2177	2	92	23	0	0
2178	2	92	24	0	0
2179	2	87	25	0	0
2180	2	21	25	0	0
2181	2	22	25	0	0
2182	2	24	25	0	0
2183	2	26	25	0	0
2184	2	27	25	0	0

INVESTIGATION BGC-21 Page 295 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2185	2	28	25	0	0
2186	2	29	25	0	0
2187	2	30	25	0	0
2188	2	31	25	0	0
2189	2	90	25	0	0
2190	2	32	25	0	0
2191	2	33	25	0	0
2192	2	34	25	0	0
2193	2	35	25	0	0
2194	2	36	25	0	0
2195	2	37	25	0	0
2196	2	38	25	0	0
2197	2	39	25	0	0
2198	2	40	25	0	0
2199	2	41	25	0	0
2200	2	42	25	0	0
2201	2	43	25	0	0
2202	2	44	25	0	0
2203	2	45	25	0	0
2204	2	46	25	0	0
2205	2	47	25	0	0
2206	2	48	25	0	0
2207	2	49	25	0	0
2208	2	50	25	0	0
2209	2	51	25	0	0
2210	2	52	25	0	0
2211	2	53	25	0	0
2212	2	54	25	0	0
2213	2	55	25	0	0
2214	2	56	25	0	0
2215	2	57	25	0	0
2216	2	61	25	0	0
2217	2	62	25	0	0
2218	2	63	25	0	0
2219	2	64	25	0	0
2220	2	65	25	0	0
2221	2	66	25	0	0
2222	2	67	25	0	0
2223	2	72	25	0	0
2224	2	73	25	0	0
2225	2	74	25	0	0
2226	2	80	25	0	0

INVESTIGATION BGC-21 Page 297 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2227	2	81	25	0	0
2228	2	82	25	0	0
2229	2	84	25	0	0
2230	2	85	25	0	0
2231	2	88	25	0	0
2232	2	89	25	0	0
2233	2	91	25	0	0
2234	2	92	25	0	0
2235	2	91	26	0	0
2236	2	92	26	0	0
2237	1	57	-1	0	0
2238	1	57	29	0	0
2239	4	70	-1	0	0
2240	4	70	35	0	0
2241	4	70	36	0	0
2242	4	70	37	0	0
2243	4	70	38	0	0
2244	3	98	-1	0	0
2245	3	97	17	0	0
2246	3	98	17	0	0
2247	3	97	18	0	0
2248	3	98	18	0	0
2249	3	98	19	0	0
2250	3	98	20	0	0
2251	4	71	-1	0	0
2252	4	71	35	0	0
2253	4	71	36	0	0
2254	3	99	-1	0	0
2255	3	99	19	0	0
2256	3	99	20	0	0
2257	2	94	-1	0	0
2258	2	94	23	0	0
2259	2	94	24	0	0
2260	2	94	25	0	0
2261	2	94	26	0	0
2262	1	58	-1	0	0
2263	1	58	29	0	0
2264	1	57	30	0	0
2265	1	58	30	0	0
2266	1	54	31	0	0
2267	1	14	31	0	0
2268	1	15	31	0	0

OffsetA	OffsetB	SensitivityA	SensitivityB
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
-6	0	0	0
0	0	0	0
6.5	-1	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	-5	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
5	0	0	0
0	0	0	0
0	0	0	0
0	-5.5	0	0
0	0	0	0
0	0	0	0
0	-2	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
-6	-1	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2269	1	19	31	0	0
2270	1	20	31	0	0
2271	1	21	31	0	0
2272	1	22	31	0	0
2273	1	23	31	0	0
2274	1	24	31	0	0
2275	1	25	31	0	0
2276	1	27	31	0	0
2277	1	28	31	0	0
2278	1	29	31	0	0
2279	1	30	31	0	0
2280	1	31	31	0	0
2281	1	32	31	0	0
2282	1	33	31	0	0
2283	1	34	31	0	0
2284	1	35	31	0	0
2285	1	36	31	0	0
2286	1	37	31	0	0
2287	1	39	31	0	0
2288	1	40	31	0	0
2289	1	42	31	0	0
2290	1	44	31	0	0
2291	1	45	31	0	0
2292	1	46	31	0	0
2293	1	47	31	0	0
2294	1	48	31	0	0
2295	1	49	31	0	0
2296	1	51	31	0	0
2297	1	52	31	0	0
2298	1	53	31	0	0
2299	1	55	31	0	0
2300	1	56	31	0	0
2301	1	57	31	0	0
2302	1	58	31	0	0
2303	1	54	32	0	0
2304	1	14	32	0	0
2305	1	15	32	0	0
2306	1	19	32	0	0
2307	1	20	32	0	0
2308	1	21	32	0	0
2309	1	22	32	0	0
2310	1	23	32	0	0

INVESTIGATION BGC-21 Page 301 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2311	1	24	32	0	0
2312	1	25	32	0	0
2313	1	27	32	0	0
2314	1	28	32	0	0
2315	1	29	32	0	0
2316	1	30	32	0	0
2317	1	31	32	0	0
2318	1	32	32	0	0
2319	1	33	32	0	0
2320	1	34	32	0	0
2321	1	35	32	0	0
2322	1	36	32	0	0
2323	1	37	32	0	0
2324	1	39	32	0	0
2325	1	40	32	0	0
2326	1	42	32	0	0
2327	1	44	32	0	0
2328	1	45	32	0	0
2329	1	46	32	0	0
2330	1	47	32	0	0
2331	1	48	32	0	0
2332	1	49	32	0	0
2333	1	51	32	0	0
2334	1	52	32	0	0
2335	1	53	32	0	0
2336	1	55	32	0	0
2337	1	56	32	0	0
2338	1	57	32	0	0
2339	1	58	32	0	0
2340	3	100	-1	0	0
2341	3	101	-1	0	0
2342	3	100	19	0	0
2343	3	101	19	0	0
2344	3	100	20	0	0
2345	3	101	20	0	0
2346	4	72	-1	0	0
2347	4	72	35	0	0
2348	4	71	37	0	0
2349	4	72	37	0	0
2350	4	71	38	0	0
2351	4	72	38	0	0
2352	4	72	36	0	0

INVESTIGATION BGC-21 Page 303 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2353	1	59	-1	0	0
2354	1	59	29	0	0
2355	1	59	30	0	0
2356	1	59	31	0	0
2357	1	59	32	0	0
2358	4	73	-1	0	0
2359	4	73	35	0	0
2360	4	73	36	0	0
2361	7	1	-1	0	0
2362	7	2	-1	0	0
2363	7	1	41	0	0
2364	7	2	41	0	0
2365	7	1	937	0	0
2366	7	2	937	0	0
2367	5	1	-1	0	0
2368	5	2	-1	0	0
2369	5	3	-1	0	0
2370	5	65	-1	0	0
2371	5	64	-1	0	0
2372	5	63	-1	0	0
2373	5	62	-1	0	0
2374	5	61	-1	0	0
2375	5	60	-1	0	0
2376	5	59	-1	0	0
2377	5	58	-1	0	0
2378	5	57	-1	0	0
2379	5	56	-1	0	0
2380	5	55	-1	0	0
2381	5	54	-1	0	0
2382	5	53	-1	0	0
2383	5	52	-1	0	0
2384	5	51	-1	0	0
2385	5	50	-1	0	0
2386	5	49	-1	0	0
2387	5	48	-1	0	0
2388	5	47	-1	0	0
2389	5	46	-1	0	0
2390	5	45	-1	0	0
2391	5	44	-1	0	0
2392	5	43	-1	0	0
2393	5	42	-1	0	0
2394	5	41	-1	0	0

INVESTIGATION BGC-21 Page 305 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2395	5	40	-1	0	0
2396	5	39	-1	0	0
2397	5	38	-1	0	0
2398	5	37	-1	0	0
2399	5	36	-1	0	0
2400	5	35	-1	0	0
2401	5	34	-1	0	0
2402	5	33	-1	0	0
2403	5	32	-1	0	0
2404	5	31	-1	0	0
2405	5	30	-1	0	0
2406	5	29	-1	0	0
2407	5	28	-1	0	0
2408	5	27	-1	0	0
2409	5	26	-1	0	0
2410	5	25	-1	0	0
2411	5	24	-1	0	0
2412	5	23	-1	0	0
2413	5	22	-1	0	0
2414	5	21	-1	0	0
2415	5	20	-1	0	0
2416	5	19	-1	0	0
2417	5	18	-1	0	0
2418	5	17	-1	0	0
2419	5	16	-1	0	0
2420	5	15	-1	0	0
2421	5	14	-1	0	0
2422	5	13	-1	0	0
2423	5	12	-1	0	0
2424	5	11	-1	0	0
2425	5	10	-1	0	0
2426	5	9	-1	0	0
2427	5	8	-1	0	0
2428	5	7	-1	0	0
2429	5	6	-1	0	0
2430	5	5	-1	0	0
2431	5	4	-1	0	0
2432	5	66	-1	0	0
2433	6	1	-1	0	0
2434	6	2	-1	0	0
2435	8	1	-1	0	0
2436	8	2	-1	0	0

INVESTIGATION BGC-21 Page 307 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2437	5	1	47	0	0
2438	5	2	47	0	0
2439	5	3	47	0	0
2440	5	65	47	0	0
2441	5	64	47	0	0
2442	5	63	47	0	0
2443	5	62	47	0	0
2444	5	61	47	0	0
2445	5	60	47	0	0
2446	5	59	47	0	0
2447	5	58	47	0	0
2448	5	57	47	0	0
2449	5	56	47	0	0
2450	5	55	47	0	0
2451	5	54	47	0	0
2452	5	53	47	0	0
2453	5	52	47	0	0
2454	5	51	47	0	0
2455	5	50	47	0	0
2456	5	49	47	0	0
2457	5	48	47	0	0
2458	5	47	47	0	0
2459	5	46	47	0	0
2460	5	45	47	0	0
2461	5	44	47	0	0
2462	5	43	47	0	0
2463	5	42	47	0	0
2464	5	41	47	0	0
2465	5	40	47	0	0
2466	5	39	47	0	0
2467	5	38	47	0	0
2468	5	37	47	0	0
2469	5	36	47	0	0
2470	5	35	47	0	0
2471	5	34	47	0	0
2472	5	33	47	0	0
2473	5	32	47	0	0
2474	5	31	47	0	0
2475	5	30	47	0	0
2476	5	29	47	0	0
2477	5	28	47	0	0
2478	5	27	47	0	0

Page 118

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2479	5	26	47	0	0
2480	5	25	47	0	0
2481	5	24	47	0	0
2482	5	23	47	0	0
2483	5	22	47	0	0
2484	5	21	47	0	0
2485	5	20	47	0	0
2486	5	19	47	0	0
2487	5	18	47	0	0
2488	5	17	47	0	0
2489	5	16	47	0	0
2490	5	15	47	0	0
2491	5	14	47	0	0
2492	5	13	47	0	0
2493	5	12	47	0	0
2494	5	11	47	0	0
2495	5	10	47	0	0
2496	5	9	47	0	0
2497	5	8	47	0	0
2498	5	7	47	0	0
2499	5	6	47	0	0
2500	5	5	47	0	0
2501	5	4	47	0	0
2502	5	66	47	0	0
2503	6	1	1039	0	0
2504	6	2	1039	0	0
2505	6	1	57	0	0
2506	6	2	57	0	0
2507	5	1	19	0	0
2508	5	2	19	0	0
2509	5	3	19	0	0
2510	5	65	19	0	0
2511	5	64	19	0	0
2512	5	63	19	0	0
2513	5	62	19	0	0
2514	5	61	19	0	0
2515	5	60	19	0	0
2516	5	59	19	0	0
2517	5	58	19	0	0
2518	5	57	19	0	0
2519	5	56	19	0	0
2520	5	55	19	0	0

INVESTIGATION BGC-21 Page 311 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2521	5	54	19	0	0
2522	5	53	19	0	0
2523	5	52	19	0	0
2524	5	51	19	0	0
2525	5	50	19	0	0
2526	5	49	19	0	0
2527	5	48	19	0	0
2528	5	47	19	0	0
2529	5	46	19	0	0
2530	5	45	19	0	0
2531	5	44	19	0	0
2532	5	43	19	0	0
2533	5	42	19	0	0
2534	5	41	19	0	0
2535	5	40	19	0	0
2536	5	39	19	0	0
2537	5	38	19	0	0
2538	5	37	19	0	0
2539	5	36	19	0	0
2540	5	35	19	0	0
2541	5	34	19	0	0
2542	5	33	19	0	0
2543	5	32	19	0	0
2544	5	31	19	0	0
2545	5	30	19	0	0
2546	5	29	19	0	0
2547	5	28	19	0	0
2548	5	27	19	0	0
2549	5	26	19	0	0
2550	5	25	19	0	0
2551	5	24	19	0	0
2552	5	23	19	0	0
2553	5	22	19	0	0
2554	5	21	19	0	0
2555	5	20	19	0	0
2556	5	19	19	0	0
2557	5	18	19	0	0
2558	5	17	19	0	0
2559	5	16	19	0	0
2560	5	15	19	0	0
2561	5	14	19	0	0
2562	5	13	19	0	0

Page 122

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2563	5	12	19	0	0
2564	5	11	19	0	0
2565	5	10	19	0	0
2566	5	9	19	0	0
2567	5	8	19	0	0
2568	5	7	19	0	0
2569	5	6	19	0	0
2570	5	5	19	0	0
2571	5	4	19	0	0
2572	5	66	19	0	0
2573	5	1	20	0	0
2574	5	2	20	0	0
2575	5	3	20	0	0
2576	5	65	20	0	0
2577	5	64	20	0	0
2578	5	63	20	0	0
2579	5	62	20	0	0
2580	5	61	20	0	0
2581	5	60	20	0	0
2582	5	59	20	0	0
2583	5	58	20	0	0
2584	5	57	20	0	0
2585	5	56	20	0	0
2586	5	55	20	0	0
2587	5	54	20	0	0
2588	5	53	20	0	0
2589	5	52	20	0	0
2590	5	51	20	0	0
2591	5	50	20	0	0
2592	5	49	20	0	0
2593	5	48	20	0	0
2594	5	47	20	0	0
2595	5	46	20	0	0
2596	5	45	20	0	0
2597	5	44	20	0	0
2598	5	43	20	0	0
2599	5	42	20	0	0
2600	5	41	20	0	0
2601	5	40	20	0	0
2602	5	39	20	0	0
2603	5	38	20	0	0
2604	5	37	20	0	0

Page 124

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2605	5	36	20	0	0
2606	5	35	20	0	0
2607	5	34	20	0	0
2608	5	33	20	0	0
2609	5	32	20	0	0
2610	5	31	20	0	0
2611	5	30	20	0	0
2612	5	29	20	0	0
2613	5	28	20	0	0
2614	5	27	20	0	0
2615	5	26	20	0	0
2616	5	25	20	0	0
2617	5	24	20	0	0
2618	5	23	20	0	0
2619	5	22	20	0	0
2620	5	21	20	0	0
2621	5	20	20	0	0
2622	5	19	20	0	0
2623	5	18	20	0	0
2624	5	17	20	0	0
2625	5	16	20	0	0
2626	5	15	20	0	0
2627	5	14	20	0	0
2628	5	13	20	0	0
2629	5	12	20	0	0
2630	5	11	20	0	0
2631	5	10	20	0	0
2632	5	9	20	0	0
2633	5	8	20	0	0
2634	5	7	20	0	0
2635	5	6	20	0	0
2636	5	5	20	0	0
2637	5	4	20	0	0
2638	5	66	20	0	0
2639	5	1	17	0	0
2640	5	2	17	0	0
2641	5	3	17	0	0
2642	5	65	17	0	0
2643	5	64	17	0	0
2644	5	63	17	0	0
2645	5	62	17	0	0
2646	5	61	17	0	0

INVESTIGATION BGC-21 Page 317 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2647	5	60	17	0	0
2648	5	59	17	0	0
2649	5	58	17	0	0
2650	5	57	17	0	0
2651	5	56	17	0	0
2652	5	55	17	0	0
2653	5	54	17	0	0
2654	5	53	17	0	0
2655	5	52	17	0	0
2656	5	51	17	0	0
2657	5	50	17	0	0
2658	5	49	17	0	0
2659	5	48	17	0	0
2660	5	47	17	0	0
2661	5	46	17	0	0
2662	5	45	17	0	0
2663	5	44	17	0	0
2664	5	43	17	0	0
2665	5	42	17	0	0
2666	5	41	17	0	0
2667	5	40	17	0	0
2668	5	39	17	0	0
2669	5	38	17	0	0
2670	5	37	17	0	0
2671	5	36	17	0	0
2672	5	35	17	0	0
2673	5	34	17	0	0
2674	5	33	17	0	0
2675	5	32	17	0	0
2676	5	31	17	0	0
2677	5	30	17	0	0
2678	5	29	17	0	0
2679	5	28	17	0	0
2680	5	27	17	0	0
2681	5	26	17	0	0
2682	5	25	17	0	0
2683	5	24	17	0	0
2684	5	23	17	0	0
2685	5	22	17	0	0
2686	5	21	17	0	0
2687	5	20	17	0	0
2688	5	19	17	0	0

INVESTIGATION BGC-21 Page 319 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2689	5	18	17	0	0
2690	5	17	17	0	0
2691	5	16	17	0	0
2692	5	15	17	0	0
2693	5	14	17	0	0
2694	5	13	17	0	0
2695	5	12	17	0	0
2696	5	11	17	0	0
2697	5	10	17	0	0
2698	5	9	17	0	0
2699	5	8	17	0	0
2700	5	7	17	0	0
2701	5	6	17	0	0
2702	5	5	17	0	0
2703	5	4	17	0	0
2704	5	66	17	0	0
2705	5	1	18	0	0
2706	5	2	18	0	0
2707	5	3	18	0	0
2708	5	65	18	0	0
2709	5	64	18	0	0
2710	5	63	18	0	0
2711	5	62	18	0	0
2712	5	61	18	0	0
2713	5	60	18	0	0
2714	5	59	18	0	0
2715	5	58	18	0	0
2716	5	57	18	0	0
2717	5	56	18	0	0
2718	5	55	18	0	0
2719	5	54	18	0	0
2720	5	53	18	0	0
2721	5	52	18	0	0
2722	5	51	18	0	0
2723	5	50	18	0	0
2724	5	49	18	0	0
2725	5	48	18	0	0
2726	5	47	18	0	0
2727	5	46	18	0	0
2728	5	45	18	0	0
2729	5	44	18	0	0
2730	5	43	18	0	0

Page 130

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2731	5	42	18	0	0
2732	5	41	18	0	0
2733	5	40	18	0	0
2734	5	39	18	0	0
2735	5	38	18	0	0
2736	5	37	18	0	0
2737	5	36	18	0	0
2738	5	35	18	0	0
2739	5	34	18	0	0
2740	5	33	18	0	0
2741	5	32	18	0	0
2742	5	31	18	0	0
2743	5	30	18	0	0
2744	5	29	18	0	0
2745	5	28	18	0	0
2746	5	27	18	0	0
2747	5	26	18	0	0
2748	5	25	18	0	0
2749	5	24	18	0	0
2750	5	23	18	0	0
2751	5	22	18	0	0
2752	5	21	18	0	0
2753	5	20	18	0	0
2754	5	19	18	0	0
2755	5	18	18	0	0
2756	5	17	18	0	0
2757	5	16	18	0	0
2758	5	15	18	0	0
2759	5	14	18	0	0
2760	5	13	18	0	0
2761	5	12	18	0	0
2762	5	11	18	0	0
2763	5	10	18	0	0
2764	5	9	18	0	0
2765	5	8	18	0	0
2766	5	7	18	0	0
2767	5	6	18	0	0
2768	5	5	18	0	0
2769	5	4	18	0	0
2770	5	66	18	0	0
2771	5	1	22	0	0
2772	5	2	22	0	0

Page 132

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2773	5	3	22	0	0
2774	5	65	22	0	0
2775	5	64	22	0	0
2776	5	63	22	0	0
2777	5	62	22	0	0
2778	5	61	22	0	0
2779	5	60	22	0	0
2780	5	59	22	0	0
2781	5	58	22	0	0
2782	5	57	22	0	0
2783	5	56	22	0	0
2784	5	55	22	0	0
2785	5	54	22	0	0
2786	5	53	22	0	0
2787	5	52	22	0	0
2788	5	51	22	0	0
2789	5	50	22	0	0
2790	5	49	22	0	0
2791	5	48	22	0	0
2792	5	47	22	0	0
2793	5	46	22	0	0
2794	5	45	22	0	0
2795	5	44	22	0	0
2796	5	43	22	0	0
2797	5	42	22	0	0
2798	5	41	22	0	0
2799	5	40	22	0	0
2800	5	39	22	0	0
2801	5	38	22	0	0
2802	5	37	22	0	0
2803	5	36	22	0	0
2804	5	35	22	0	0
2805	5	34	22	0	0
2806	5	33	22	0	0
2807	5	32	22	0	0
2808	5	31	22	0	0
2809	5	30	22	0	0
2810	5	29	22	0	0
2811	5	28	22	0	0
2812	5	27	22	0	0
2813	5	26	22	0	0
2814	5	25	22	0	0

INVESTIGATION BGC-21 Page 325 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2815	5	24	22	0	0
2816	5	23	22	0	0
2817	5	22	22	0	0
2818	5	21	22	0	0
2819	5	20	22	0	0
2820	5	19	22	0	0
2821	5	18	22	0	0
2822	5	17	22	0	0
2823	5	16	22	0	0
2824	5	15	22	0	0
2825	5	14	22	0	0
2826	5	13	22	0	0
2827	5	12	22	0	0
2828	5	11	22	0	0
2829	5	10	22	0	0
2830	5	9	22	0	0
2831	5	8	22	0	0
2832	5	7	22	0	0
2833	5	6	22	0	0
2834	5	5	22	0	0
2835	5	4	22	0	0
2836	5	66	22	0	0
2837	5	1	21	0	0
2838	5	2	21	0	0
2839	5	3	21	0	0
2840	5	65	21	0	0
2841	5	64	21	0	0
2842	5	63	21	0	0
2843	5	62	21	0	0
2844	5	61	21	0	0
2845	5	60	21	0	0
2846	5	59	21	0	0
2847	5	58	21	0	0
2848	5	57	21	0	0
2849	5	56	21	0	0
2850	5	55	21	0	0
2851	5	54	21	0	0
2852	5	53	21	0	0
2853	5	52	21	0	0
2854	5	51	21	0	0
2855	5	50	21	0	0
2856	5	49	21	0	0

INVESTIGATION BGC-21 Page 327 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2857	5	48	21	0	0
2858	5	47	21	0	0
2859	5	46	21	0	0
2860	5	45	21	0	0
2861	5	44	21	0	0
2862	5	43	21	0	0
2863	5	42	21	0	0
2864	5	41	21	0	0
2865	5	40	21	0	0
2866	5	39	21	0	0
2867	5	38	21	0	0
2868	5	37	21	0	0
2869	5	36	21	0	0
2870	5	35	21	0	0
2871	5	34	21	0	0
2872	5	33	21	0	0
2873	5	32	21	0	0
2874	5	31	21	0	0
2875	5	30	21	0	0
2876	5	29	21	0	0
2877	5	28	21	0	0
2878	5	27	21	0	0
2879	5	26	21	0	0
2880	5	25	21	0	0
2881	5	24	21	0	0
2882	5	23	21	0	0
2883	5	22	21	0	0
2884	5	21	21	0	0
2885	5	20	21	0	0
2886	5	19	21	0	0
2887	5	18	21	0	0
2888	5	17	21	0	0
2889	5	16	21	0	0
2890	5	15	21	0	0
2891	5	14	21	0	0
2892	5	13	21	0	0
2893	5	12	21	0	0
2894	5	11	21	0	0
2895	5	10	21	0	0
2896	5	9	21	0	0
2897	5	8	21	0	0
2898	5	7	21	0	0

INVESTIGATION BGC-21 Page 329 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2899	5	6	21	0	0
2900	5	5	21	0	0
2901	5	4	21	0	0
2902	5	66	21	0	0
2903	4	74	-1	0	0
2904	4	74	35	0	0
2905	4	73	37	0	0
2906	4	74	37	0	0
2907	4	69	39	0	0
2908	4	70	39	0	0
2909	4	71	39	0	0
2910	4	72	39	0	0
2911	4	73	39	0	0
2912	4	74	39	0	0
2913	4	67	40	0	0
2914	4	21	40	0	0
2915	4	23	40	0	0
2916	4	24	40	0	0
2917	4	25	40	0	0
2918	4	26	40	0	0
2919	4	27	40	0	0
2920	4	29	40	0	0
2921	4	30	40	0	0
2922	4	31	40	0	0
2923	4	32	40	0	0
2924	4	33	40	0	0
2925	4	34	40	0	0
2926	4	35	40	0	0
2927	4	36	40	0	0
2928	4	37	40	0	0
2929	4	38	40	0	0
2930	4	39	40	0	0
2931	4	40	40	0	0
2932	4	41	40	0	0
2933	4	42	40	0	0
2934	4	43	40	0	0
2935	4	44	40	0	0
2936	4	45	40	0	0
2937	4	46	40	0	0
2938	4	47	40	0	0
2939	4	48	40	0	0
2940	4	49	40	0	0

INVESTIGATION BGC-21 Page 331 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2941	4	50	40	0	0
2942	4	51	40	0	0
2943	4	52	40	0	0
2944	4	53	40	0	0
2945	4	54	40	0	0
2946	4	56	40	0	0
2947	4	57	40	0	0
2948	4	59	40	0	0
2949	4	60	40	0	0
2950	4	61	40	0	0
2951	4	63	40	0	0
2952	4	64	40	0	0
2953	4	65	40	0	0
2954	4	66	40	0	0
2955	4	68	40	0	0
2956	4	69	40	0	0
2957	4	70	40	0	0
2958	4	71	40	0	0
2959	4	72	40	0	0
2960	4	73	40	0	0
2961	4	74	40	0	0
2962	7	3	-1	0	0
2963	7	1	43	0	0
2964	7	2	43	0	0
2965	7	3	43	0	0
2966	8	3	-1	0	0
2967	8	1	51	0	0
2968	8	2	51	0	0
2969	8	3	51	0	0
2970	8	1	52	0	0
2971	8	2	52	0	0
2972	8	3	52	0	0
2973	6	3	-1	0	0
2974	6	3	57	0	0
2975	5	67	-1	0	0
2976	5	67	17	0	0
2977	5	67	18	0	0
2978	5	67	19	0	0
2979	5	67	20	0	0
2980	4	75	-1	0	0
2981	4	75	35	0	0
2982	4	74	36	0	0

OffsetA	OffsetB	SensitivityA	SensitivityB
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0.7	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	1	0	0
0	0	0	0
-1.5	-6.5	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
4	3	0	0
0	0	0	0
0	0	0	0

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
2983	4	75	36	0	0
2984	4	75	37	0	0
2985	4	73	38	0	0
2986	4	74	38	0	0
2987	4	75	38	0	0
2988	7	4	-1	0	0
2989	7	4	43	0	0
2990	7	3	41	0	0
2991	7	4	41	0	0
2992	7	1	42	0	0
2993	7	2	42	0	0
2994	7	3	42	0	0
2995	7	4	42	0	0
2996	5	68	-1	0	0
2997	5	68	18	0	0
2998	5	68	17	0	0
2999	5	68	20	0	0
3000	5	68	19	0	0
3001	8	4	-1	0	0
3002	8	4	51	0	0
3003	4	76	-1	0	0
3004	4	76	35	0	0
3005	4	76	36	0	0
3006	4	76	38	0	0
3007	4	76	37	0	0
3008	7	5	-1	0	0
3009	5	69	-1	0	0
3010	8	5	-1	0	0
3011	4	77	-1	0	0
3012	4	77	35	0	0
3013	4	77	36	0	0
3014	5	69	17	0	0
3015	5	69	18	0	0
3016	6	4	-1	0	0
3017	4	77	37	0	0
3018	4	77	38	0	0
3019	5	69	19	0	0
3020	5	69	20	0	0
3021	7	5	43	0	0
3022	7	1	44	0	0
3023	7	2	44	0	0
3024	7	3	44	0	0

INVESTIGATION BGC-21 Page 335 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3025	7	4	44	0	0
3026	7	5	44	0	0
3027	8	5	51	0	0
3028	8	4	52	0	0
3029	8	5	52	0	0
3030	8	1	53	0	0
3031	8	2	53	0	0
3032	8	3	53	0	0
3033	8	4	53	0	0
3034	8	5	53	0	0
3035	8	1	54	0	0
3036	8	2	54	0	0
3037	8	3	54	0	0
3038	8	4	54	0	0
3039	8	5	54	0	0
3040	7	6	-1	0	0
3041	7	5	41	0	0
3042	7	6	41	0	0
3043	7	5	42	0	0
3044	7	6	42	0	0
3045	7	6	43	0	0
3046	7	6	44	0	0
3047	5	70	-1	0	0
3048	5	70	19	0	0
3049	5	70	20	0	0
3050	8	6	-1	0	0
3051	8	6	51	0	0
3052	8	6	52	0	0
3053	8	6	53	0	0
3054	8	6	54	0	0
3055	4	78	-1	0	0
3056	4	78	35	0	0
3057	4	78	36	0	0
3058	4	78	37	0	0
3059	4	78	38	0	0
3060	6	5	-1	0	0
3061	3	1	-1	0	0
3062	3	2	-1	0	0
3063	3	3	-1	0	0
3064	3	4	-1	0	0
3065	3	5	-1	0	0
3066	3	6	-1	0	0

OffsetA	OffsetB	SensitivityA	SensitivityB
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
1	-2	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	-11.5	0	0
0	0	0	0
0	0	0	0
1	1.5	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
4.5	-3.5	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3067	3	7	-1	0	0
3068	5	71	-1	0	0
3069	5	70	17	0	0
3070	5	71	17	0	0
3071	1	60	-1	0	0
3072	1	60	29	0	0
3073	2	95	-1	0	0
3074	2	96	-1	0	0
3075	2	95	23	0	0
3076	2	96	23	0	0
3077	2	95	24	0	0
3078	2	96	24	0	0
3079	2	97	-1	0	0
3080	2	97	23	0	0
3081	2	97	24	0	0
3082	2	95	25	0	0
3083	2	97	25	0	0
3084	2	96	25	0	0
3085	2	95	26	0	0
3086	2	97	26	0	0
3087	2	96	26	0	0
3088	7	8	-1	0	0
3089	7	9	-1	0	0
3090	7	7	-1	0	0
3091	7	11	-1	0	0
3092	7	10	-1	0	0
3093	7	8	41	0	0
3094	7	9	41	0	0
3095	7	7	41	0	0
3096	7	11	41	0	0
3097	7	10	41	0	0
3098	7	8	42	0	0
3099	7	9	42	0	0
3100	7	7	42	0	0
3101	7	11	42	0	0
3102	7	10	42	0	0
3103	7	8	43	0	0
3104	7	9	43	0	0
3105	7	7	43	0	0
3106	7	11	43	0	0
3107	7	10	43	0	0
3108	7	8	44	0	0

INVESTIGATION BGC-21 Page 339 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3109	7	9	44	0	0
3110	7	7	44	0	0
3111	7	11	44	0	0
3112	7	10	44	0	0
3113	7	1	45	0	0
3114	7	2	45	0	0
3115	7	3	45	0	0
3116	7	4	45	0	0
3117	7	5	45	0	0
3118	7	6	45	0	0
3119	7	8	45	0	0
3120	7	9	45	0	0
3121	7	7	45	0	0
3122	7	11	45	0	0
3123	7	10	45	0	0
3124	7	1	46	0	0
3125	7	2	46	0	0
3126	7	3	46	0	0
3127	7	4	46	0	0
3128	7	5	46	0	0
3129	7	6	46	0	0
3130	7	8	46	0	0
3131	7	9	46	0	0
3132	7	7	46	0	0
3133	7	11	46	0	0
3134	7	10	46	0	0
3135	5	73	-1	0	0
3136	5	72	-1	0	0
3137	5	73	17	0	0
3138	5	72	17	0	0
3139	5	70	18	0	0
3140	5	71	18	0	0
3141	5	73	18	0	0
3142	5	72	18	0	0
3143	5	71	19	0	0
3144	5	73	19	0	0
3145	5	72	19	0	0
3146	5	71	20	0	0
3147	5	73	20	0	0
3148	5	72	20	0	0
3149	1	62	-1	0	0
3150	1	61	-1	0	0

INVESTIGATION BGC-21 Page 341 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3151	1	62	29	0	0
3152	1	61	29	0	0
3153	1	60	30	0	0
3154	1	62	30	0	0
3155	1	61	30	0	0
3156	1	60	31	0	0
3157	1	62	31	0	0
3158	1	61	31	0	0
3159	1	60	32	0	0
3160	1	62	32	0	0
3161	1	61	32	0	0
3162	8	8	-1	0	0
3163	8	7	-1	0	0
3164	8	10	-1	0	0
3165	8	9	-1	0	0
3166	8	8	51	0	0
3167	8	7	51	0	0
3168	8	10	51	0	0
3169	8	9	51	0	0
3170	8	8	52	0	0
3171	8	7	52	0	0
3172	8	10	52	0	0
3173	8	9	52	0	0
3174	8	8	53	0	0
3175	8	7	53	0	0
3176	8	10	53	0	0
3177	8	9	53	0	0
3178	8	8	54	0	0
3179	8	7	54	0	0
3180	8	10	54	0	0
3181	8	9	54	0	0
3182	8	1	55	0	0
3183	8	2	55	0	0
3184	8	3	55	0	0
3185	8	4	55	0	0
3186	8	5	55	0	0
3187	8	6	55	0	0
3188	8	8	55	0	0
3189	8	7	55	0	0
3190	8	10	55	0	0
3191	8	9	55	0	0
3192	8	1	56	0	0

INVESTIGATION BGC-21 Page 343 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3193	8	2	56	0	0
3194	8	3	56	0	0
3195	8	4	56	0	0
3196	8	5	56	0	0
3197	8	6	56	0	0
3198	8	8	56	0	0
3199	8	7	56	0	0
3200	8	10	56	0	0
3201	8	9	56	0	0
3202	4	79	-1	0	0
3203	4	81	-1	0	0
3204	4	80	-1	0	0
3205	4	79	35	0	0
3206	4	81	35	0	0
3207	4	80	35	0	0
3208	4	79	36	0	0
3209	4	81	36	0	0
3210	4	80	36	0	0
3211	4	79	37	0	0
3212	4	81	37	0	0
3213	4	80	37	0	0
3214	4	79	38	0	0
3215	4	81	38	0	0
3216	4	80	38	0	0
3217	6	6	-1	0	0
3218	6	7	-1	0	0
3219	6	8	-1	0	0
3220	6	11	-1	0	0
3221	6	10	-1	0	0
3222	6	1	49	0	0
3223	6	2	49	0	0
3224	6	3	49	0	0
3225	6	4	49	0	0
3226	6	5	49	0	0
3227	6	6	49	0	0
3228	6	7	49	0	0
3229	6	8	49	0	0
3230	6	11	49	0	0
3231	6	10	49	0	0
3232	6	1	50	0	0
3233	6	2	50	0	0
3234	6	3	50	0	0

Page 154

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3235	6	4	50	0	0
3236	6	5	50	0	0
3237	6	6	50	0	0
3238	6	7	50	0	0
3239	6	8	50	0	0
3240	6	11	50	0	0
3241	6	10	50	0	0
3242	6	4	57	0	0
3243	6	5	57	0	0
3244	6	6	57	0	0
3245	6	7	57	0	0
3246	6	8	57	0	0
3247	6	11	57	0	0
3248	6	10	57	0	0
3249	6	1	58	0	0
3250	6	2	58	0	0
3251	6	3	58	0	0
3252	6	4	58	0	0
3253	6	5	58	0	0
3254	6	6	58	0	0
3255	6	7	58	0	0
3256	6	8	58	0	0
3257	6	11	58	0	0
3258	6	10	58	0	0
3259	6	1	59	0	0
3260	6	2	59	0	0
3261	6	3	59	0	0
3262	6	4	59	0	0
3263	6	5	59	0	0
3264	6	6	59	0	0
3265	6	7	59	0	0
3266	6	8	59	0	0
3267	6	11	59	0	0
3268	6	10	59	0	0
3269	6	1	60	0	0
3270	6	2	60	0	0
3271	6	3	60	0	0
3272	6	4	60	0	0
3273	6	5	60	0	0
3274	6	6	60	0	0
3275	6	7	60	0	0
3276	6	8	60	0	0

INVESTIGATION BGC-21 Page 347 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3277	6	11	60	0	0
3278	6	10	60	0	0
3279	6	12	-1	0	0
3280	6	12	49	0	0
3281	6	12	58	0	0
3282	6	12	57	0	0
3283	2	98	-1	0	0
3284	7	12	-1	0	0
3285	5	74	-1	0	0
3286	5	74	18	0	0
3287	5	74	19	0	0
3288	6	13	-1	0	0
3289	2	99	-1	0	0
3290	2	100	-1	0	0
3291	2	101	-1	0	0
3292	2	87	63	0	0
3293	2	21	63	0	0
3294	2	22	63	0	0
3295	2	24	63	0	0
3296	2	26	63	0	0
3297	2	27	63	0	0
3298	2	28	63	0	0
3299	2	29	63	0	0
3300	2	30	63	0	0
3301	2	31	63	0	0
3302	2	90	63	0	0
3303	2	32	63	0	0
3304	2	33	63	0	0
3305	2	34	63	0	0
3306	2	35	63	0	0
3307	2	36	63	0	0
3308	2	37	63	0	0
3309	2	38	63	0	0
3310	2	39	63	0	0
3311	2	40	63	0	0
3312	2	41	63	0	0
3313	2	42	63	0	0
3314	2	43	63	0	0
3315	2	44	63	0	0
3316	2	45	63	0	0
3317	2	46	63	0	0
3318	2	47	63	0	0

INVESTIGATION BGC-21 Page 349 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3319	2	48	63	0	0
3320	2	49	63	0	0
3321	2	50	63	0	0
3322	2	51	63	0	0
3323	2	52	63	0	0
3324	2	53	63	0	0
3325	2	54	63	0	0
3326	2	55	63	0	0
3327	2	56	63	0	0
3328	2	57	63	0	0
3329	2	61	63	0	0
3330	2	62	63	0	0
3331	2	63	63	0	0
3332	2	64	63	0	0
3333	2	65	63	0	0
3334	2	66	63	0	0
3335	2	67	63	0	0
3336	2	72	63	0	0
3337	2	73	63	0	0
3338	2	74	63	0	0
3339	2	80	63	0	0
3340	2	81	63	0	0
3341	2	82	63	0	0
3342	2	84	63	0	0
3343	2	85	63	0	0
3344	2	88	63	0	0
3345	2	89	63	0	0
3346	2	91	63	0	0
3347	2	92	63	0	0
3348	2	94	63	0	0
3349	2	95	63	0	0
3350	2	97	63	0	0
3351	2	96	63	0	0
3352	2	98	63	0	0
3353	2	99	63	0	0
3354	2	100	63	0	0
3355	2	101	63	0	0
3356	7	13	-1	0	0
3357	7	14	-1	0	0
3358	7	15	-1	0	0
3359	7	1	965	0	0
3360	7	2	965	0	0

INVESTIGATION BGC-21 Page 351 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3361	7	3	965	0	0
3362	7	4	965	0	0
3363	7	5	965	0	0
3364	7	6	965	0	0
3365	7	8	965	0	0
3366	7	9	965	0	0
3367	7	7	965	0	0
3368	7	11	965	0	0
3369	7	10	965	0	0
3370	7	12	965	0	0
3371	7	13	965	0	0
3372	7	14	965	0	0
3373	7	15	965	0	0
3374	7	1	966	0	0
3375	7	2	966	0	0
3376	7	3	966	0	0
3377	7	4	966	0	0
3378	7	5	966	0	0
3379	7	6	966	0	0
3380	7	8	966	0	0
3381	7	9	966	0	0
3382	7	7	966	0	0
3383	7	11	966	0	0
3384	7	10	966	0	0
3385	7	12	966	0	0
3386	7	13	966	0	0
3387	7	14	966	0	0
3388	7	15	966	0	0
3389	5	75	-1	0	0
3390	5	76	-1	0	0
3391	5	77	-1	0	0
3392	5	1	965	0	0
3393	5	2	965	0	0
3394	5	3	965	0	0
3395	5	65	965	0	0
3396	5	64	965	0	0
3397	5	63	965	0	0
3398	5	62	965	0	0
3399	5	61	965	0	0
3400	5	60	965	0	0
3401	5	59	965	0	0
3402	5	58	965	0	0

INVESTIGATION BGC-21 Page 353 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3403	5	57	965	0	0
3404	5	56	965	0	0
3405	5	55	965	0	0
3406	5	54	965	0	0
3407	5	53	965	0	0
3408	5	52	965	0	0
3409	5	51	965	0	0
3410	5	50	965	0	0
3411	5	49	965	0	0
3412	5	48	965	0	0
3413	5	47	965	0	0
3414	5	46	965	0	0
3415	5	45	965	0	0
3416	5	44	965	0	0
3417	5	43	965	0	0
3418	5	42	965	0	0
3419	5	41	965	0	0
3420	5	40	965	0	0
3421	5	39	965	0	0
3422	5	38	965	0	0
3423	5	37	965	0	0
3424	5	36	965	0	0
3425	5	35	965	0	0
3426	5	34	965	0	0
3427	5	33	965	0	0
3428	5	32	965	0	0
3429	5	31	965	0	0
3430	5	30	965	0	0
3431	5	29	965	0	0
3432	5	28	965	0	0
3433	5	27	965	0	0
3434	5	26	965	0	0
3435	5	25	965	0	0
3436	5	24	965	0	0
3437	5	23	965	0	0
3438	5	22	965	0	0
3439	5	21	965	0	0
3440	5	20	965	0	0
3441	5	19	965	0	0
3442	5	18	965	0	0
3443	5	17	965	0	0
3444	5	16	965	0	0

Page 164

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3445	5	15	965	0	0
3446	5	14	965	0	0
3447	5	13	965	0	0
3448	5	12	965	0	0
3449	5	11	965	0	0
3450	5	10	965	0	0
3451	5	9	965	0	0
3452	5	8	965	0	0
3453	5	7	965	0	0
3454	5	6	965	0	0
3455	5	5	965	0	0
3456	5	4	965	0	0
3457	5	66	965	0	0
3458	5	67	965	0	0
3459	5	68	965	0	0
3460	5	69	965	0	0
3461	5	70	965	0	0
3462	5	71	965	0	0
3463	5	73	965	0	0
3464	5	72	965	0	0
3465	5	74	965	0	0
3466	5	75	965	0	0
3467	5	76	965	0	0
3468	5	77	965	0	0
3469	5	1	966	0	0
3470	5	2	966	0	0
3471	5	3	966	0	0
3472	5	65	966	0	0
3473	5	64	966	0	0
3474	5	63	966	0	0
3475	5	62	966	0	0
3476	5	61	966	0	0
3477	5	60	966	0	0
3478	5	59	966	0	0
3479	5	58	966	0	0
3480	5	57	966	0	0
3481	5	56	966	0	0
3482	5	55	966	0	0
3483	5	54	966	0	0
3484	5	53	966	0	0
3485	5	52	966	0	0
3486	5	51	966	0	0

Page 166

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3487	5	50	966	0	0
3488	5	49	966	0	0
3489	5	48	966	0	0
3490	5	47	966	0	0
3491	5	46	966	0	0
3492	5	45	966	0	0
3493	5	44	966	0	0
3494	5	43	966	0	0
3495	5	42	966	0	0
3496	5	41	966	0	0
3497	5	40	966	0	0
3498	5	39	966	0	0
3499	5	38	966	0	0
3500	5	37	966	0	0
3501	5	36	966	0	0
3502	5	35	966	0	0
3503	5	34	966	0	0
3504	5	33	966	0	0
3505	5	32	966	0	0
3506	5	31	966	0	0
3507	5	30	966	0	0
3508	5	29	966	0	0
3509	5	28	966	0	0
3510	5	27	966	0	0
3511	5	26	966	0	0
3512	5	25	966	0	0
3513	5	24	966	0	0
3514	5	23	966	0	0
3515	5	22	966	0	0
3516	5	21	966	0	0
3517	5	20	966	0	0
3518	5	19	966	0	0
3519	5	18	966	0	0
3520	5	17	966	0	0
3521	5	16	966	0	0
3522	5	15	966	0	0
3523	5	14	966	0	0
3524	5	13	966	0	0
3525	5	12	966	0	0
3526	5	11	966	0	0
3527	5	10	966	0	0
3528	5	9	966	0	0

Page 168

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3529	5	8	966	0	0
3530	5	7	966	0	0
3531	5	6	966	0	0
3532	5	5	966	0	0
3533	5	4	966	0	0
3534	5	66	966	0	0
3535	5	67	966	0	0
3536	5	68	966	0	0
3537	5	69	966	0	0
3538	5	70	966	0	0
3539	5	71	966	0	0
3540	5	73	966	0	0
3541	5	72	966	0	0
3542	5	74	966	0	0
3543	5	75	966	0	0
3544	5	76	966	0	0
3545	5	77	966	0	0
3546	1	63	-1	0	0
3547	1	64	-1	0	0
3548	1	65	-1	0	0
3549	1	66	-1	0	0
3550	1	54	965	0	0
3551	1	14	965	0	0
3552	1	15	965	0	0
3553	1	19	965	0	0
3554	1	20	965	0	0
3555	1	21	965	0	0
3556	1	22	965	0	0
3557	1	23	965	0	0
3558	1	24	965	0	0
3559	1	25	965	0	0
3560	1	27	965	0	0
3561	1	28	965	0	0
3562	1	29	965	0	0
3563	1	30	965	0	0
3564	1	31	965	0	0
3565	1	32	965	0	0
3566	1	33	965	0	0
3567	1	34	965	0	0
3568	1	35	965	0	0
3569	1	36	965	0	0
3570	1	37	965	0	0

INVESTIGATION BGC-21 Page 361 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3571	1	39	965	0	0
3572	1	40	965	0	0
3573	1	42	965	0	0
3574	1	44	965	0	0
3575	1	45	965	0	0
3576	1	46	965	0	0
3577	1	47	965	0	0
3578	1	48	965	0	0
3579	1	49	965	0	0
3580	1	51	965	0	0
3581	1	52	965	0	0
3582	1	53	965	0	0
3583	1	55	965	0	0
3584	1	56	965	0	0
3585	1	57	965	0	0
3586	1	58	965	0	0
3587	1	59	965	0	0
3588	1	60	965	0	0
3589	1	62	965	0	0
3590	1	61	965	0	0
3591	1	63	965	0	0
3592	1	64	965	0	0
3593	1	65	965	0	0
3594	1	66	965	0	0
3595	1	54	966	0	0
3596	1	14	966	0	0
3597	1	15	966	0	0
3598	1	19	966	0	0
3599	1	20	966	0	0
3600	1	21	966	0	0
3601	1	22	966	0	0
3602	1	23	966	0	0
3603	1	24	966	0	0
3604	1	25	966	0	0
3605	1	27	966	0	0
3606	1	28	966	0	0
3607	1	29	966	0	0
3608	1	30	966	0	0
3609	1	31	966	0	0
3610	1	32	966	0	0
3611	1	33	966	0	0
3612	1	34	966	0	0

Page 172

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3613	1	35	966	0	0
3614	1	36	966	0	0
3615	1	37	966	0	0
3616	1	39	966	0	0
3617	1	40	966	0	0
3618	1	42	966	0	0
3619	1	44	966	0	0
3620	1	45	966	0	0
3621	1	46	966	0	0
3622	1	47	966	0	0
3623	1	48	966	0	0
3624	1	49	966	0	0
3625	1	51	966	0	0
3626	1	52	966	0	0
3627	1	53	966	0	0
3628	1	55	966	0	0
3629	1	56	966	0	0
3630	1	57	966	0	0
3631	1	58	966	0	0
3632	1	59	966	0	0
3633	1	60	966	0	0
3634	1	62	966	0	0
3635	1	61	966	0	0
3636	1	63	966	0	0
3637	1	64	966	0	0
3638	1	65	966	0	0
3639	1	66	966	0	0
3640	8	11	-1	0	0
3641	8	12	-1	0	0
3642	8	13	-1	0	0
3643	8	14	-1	0	0
3644	8	1	965	0	0
3645	8	2	965	0	0
3646	8	3	965	0	0
3647	8	4	965	0	0
3648	8	5	965	0	0
3649	8	6	965	0	0
3650	8	8	965	0	0
3651	8	7	965	0	0
3652	8	10	965	0	0
3653	8	9	965	0	0
3654	8	11	965	0	0

OffsetA	OffsetB	SensitivityA	SensitivityB
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	2	0	0
2.5	2	0	0
2	0	0	0
1	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3655	8	12	965	0	0
3656	8	13	965	0	0
3657	8	14	965	0	0
3658	8	1	966	0	0
3659	8	2	966	0	0
3660	8	3	966	0	0
3661	8	4	966	0	0
3662	8	5	966	0	0
3663	8	6	966	0	0
3664	8	8	966	0	0
3665	8	7	966	0	0
3666	8	10	966	0	0
3667	8	9	966	0	0
3668	8	11	966	0	0
3669	8	12	966	0	0
3670	8	13	966	0	0
3671	8	14	966	0	0
3672	4	82	-1	0	0
3673	4	83	-1	0	0
3674	4	84	-1	0	0
3675	4	85	-1	0	0
3676	4	67	965	0	0
3677	4	21	965	0	0
3678	4	23	965	0	0
3679	4	24	965	0	0
3680	4	25	965	0	0
3681	4	26	965	0	0
3682	4	27	965	0	0
3683	4	29	965	0	0
3684	4	30	965	0	0
3685	4	31	965	0	0
3686	4	32	965	0	0
3687	4	33	965	0	0
3688	4	34	965	0	0
3689	4	35	965	0	0
3690	4	36	965	0	0
3691	4	37	965	0	0
3692	4	38	965	0	0
3693	4	39	965	0	0
3694	4	40	965	0	0
3695	4	41	965	0	0
3696	4	42	965	0	0

Page 176

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3697	4	43	965	0	0
3698	4	44	965	0	0
3699	4	45	965	0	0
3700	4	46	965	0	0
3701	4	47	965	0	0
3702	4	48	965	0	0
3703	4	49	965	0	0
3704	4	50	965	0	0
3705	4	51	965	0	0
3706	4	52	965	0	0
3707	4	53	965	0	0
3708	4	54	965	0	0
3709	4	56	965	0	0
3710	4	57	965	0	0
3711	4	59	965	0	0
3712	4	60	965	0	0
3713	4	61	965	0	0
3714	4	63	965	0	0
3715	4	64	965	0	0
3716	4	65	965	0	0
3717	4	66	965	0	0
3718	4	68	965	0	0
3719	4	69	965	0	0
3720	4	70	965	0	0
3721	4	71	965	0	0
3722	4	72	965	0	0
3723	4	73	965	0	0
3724	4	74	965	0	0
3725	4	75	965	0	0
3726	4	76	965	0	0
3727	4	77	965	0	0
3728	4	78	965	0	0
3729	4	79	965	0	0
3730	4	81	965	0	0
3731	4	80	965	0	0
3732	4	82	965	0	0
3733	4	83	965	0	0
3734	4	84	965	0	0
3735	4	85	965	0	0
3736	4	67	966	0	0
3737	4	21	966	0	0
3738	4	23	966	0	0

INVESTIGATION BGC-21 Page 369 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3739	4	24	966	0	0
3740	4	25	966	0	0
3741	4	26	966	0	0
3742	4	27	966	0	0
3743	4	29	966	0	0
3744	4	30	966	0	0
3745	4	31	966	0	0
3746	4	32	966	0	0
3747	4	33	966	0	0
3748	4	34	966	0	0
3749	4	35	966	0	0
3750	4	36	966	0	0
3751	4	37	966	0	0
3752	4	38	966	0	0
3753	4	39	966	0	0
3754	4	40	966	0	0
3755	4	41	966	0	0
3756	4	42	966	0	0
3757	4	43	966	0	0
3758	4	44	966	0	0
3759	4	45	966	0	0
3760	4	46	966	0	0
3761	4	47	966	0	0
3762	4	48	966	0	0
3763	4	49	966	0	0
3764	4	50	966	0	0
3765	4	51	966	0	0
3766	4	52	966	0	0
3767	4	53	966	0	0
3768	4	54	966	0	0
3769	4	56	966	0	0
3770	4	57	966	0	0
3771	4	59	966	0	0
3772	4	60	966	0	0
3773	4	61	966	0	0
3774	4	63	966	0	0
3775	4	64	966	0	0
3776	4	65	966	0	0
3777	4	66	966	0	0
3778	4	68	966	0	0
3779	4	69	966	0	0
3780	4	70	966	0	0

Page 180

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3781	4	71	966	0	0
3782	4	72	966	0	0
3783	4	73	966	0	0
3784	4	74	966	0	0
3785	4	75	966	0	0
3786	4	76	966	0	0
3787	4	77	966	0	0
3788	4	78	966	0	0
3789	4	79	966	0	0
3790	4	81	966	0	0
3791	4	80	966	0	0
3792	4	82	966	0	0
3793	4	83	966	0	0
3794	4	84	966	0	0
3795	4	85	966	0	0
3796	6	14	-1	0	0
3797	6	15	-1	0	0
3798	6	16	-1	0	0
3799	6	1	965	0	0
3800	6	2	965	0	0
3801	6	3	965	0	0
3802	6	4	965	0	0
3803	6	5	965	0	0
3804	6	6	965	0	0
3805	6	7	965	0	0
3806	6	8	965	0	0
3807	6	11	965	0	0
3808	6	10	965	0	0
3809	6	12	965	0	0
3810	6	13	965	0	0
3811	6	14	965	0	0
3812	6	15	965	0	0
3813	6	16	965	0	0
3814	6	1	966	0	0
3815	6	2	966	0	0
3816	6	3	966	0	0
3817	6	4	966	0	0
3818	6	5	966	0	0
3819	6	6	966	0	0
3820	6	7	966	0	0
3821	6	8	966	0	0
3822	6	11	966	0	0

INVESTIGATION BGC-21 Page 373 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3823	6	10	966	0	0
3824	6	12	966	0	0
3825	6	13	966	0	0
3826	6	14	966	0	0
3827	6	15	966	0	0
3828	6	16	966	0	0
3829	2	102	-1	0	0
3830	2	103	-1	0	0
3831	2	102	63	0	0
3832	2	103	63	0	0
3833	2	87	64	0	0
3834	2	21	64	0	0
3835	2	22	64	0	0
3836	2	24	64	0	0
3837	2	26	64	0	0
3838	2	27	64	0	0
3839	2	28	64	0	0
3840	2	29	64	0	0
3841	2	30	64	0	0
3842	2	31	64	0	0
3843	2	90	64	0	0
3844	2	32	64	0	0
3845	2	33	64	0	0
3846	2	34	64	0	0
3847	2	35	64	0	0
3848	2	36	64	0	0
3849	2	37	64	0	0
3850	2	38	64	0	0
3851	2	39	64	0	0
3852	2	40	64	0	0
3853	2	41	64	0	0
3854	2	42	64	0	0
3855	2	43	64	0	0
3856	2	44	64	0	0
3857	2	45	64	0	0
3858	2	46	64	0	0
3859	2	47	64	0	0
3860	2	48	64	0	0
3861	2	49	64	0	0
3862	2	50	64	0	0
3863	2	51	64	0	0
3864	2	52	64	0	0

INVESTIGATION BGC-21 Page 375 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3865	2	53	64	0	0
3866	2	54	64	0	0
3867	2	55	64	0	0
3868	2	56	64	0	0
3869	2	57	64	0	0
3870	2	61	64	0	0
3871	2	62	64	0	0
3872	2	63	64	0	0
3873	2	64	64	0	0
3874	2	65	64	0	0
3875	2	66	64	0	0
3876	2	67	64	0	0
3877	2	72	64	0	0
3878	2	73	64	0	0
3879	2	74	64	0	0
3880	2	80	64	0	0
3881	2	81	64	0	0
3882	2	82	64	0	0
3883	2	84	64	0	0
3884	2	85	64	0	0
3885	2	88	64	0	0
3886	2	89	64	0	0
3887	2	91	64	0	0
3888	2	92	64	0	0
3889	2	94	64	0	0
3890	2	95	64	0	0
3891	2	97	64	0	0
3892	2	96	64	0	0
3893	2	98	64	0	0
3894	2	99	64	0	0
3895	2	100	64	0	0
3896	2	101	64	0	0
3897	2	102	64	0	0
3898	2	103	64	0	0
3899	7	16	-1	0	0
3900	7	17	-1	0	0
3901	7	1	65	0	0
3902	7	2	65	0	0
3903	7	3	65	0	0
3904	7	4	65	0	0
3905	7	5	65	0	0
3906	7	6	65	0	0

INVESTIGATION BGC-21 Page 377 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3907	7	8	65	0	0
3908	7	9	65	0	0
3909	7	7	65	0	0
3910	7	11	65	0	0
3911	7	10	65	0	0
3912	7	12	65	0	0
3913	7	13	65	0	0
3914	7	14	65	0	0
3915	7	15	65	0	0
3916	7	16	65	0	0
3917	7	17	65	0	0
3918	7	1	66	0	0
3919	7	2	66	0	0
3920	7	3	66	0	0
3921	7	4	66	0	0
3922	7	5	66	0	0
3923	7	6	66	0	0
3924	7	8	66	0	0
3925	7	9	66	0	0
3926	7	7	66	0	0
3927	7	11	66	0	0
3928	7	10	66	0	0
3929	7	12	66	0	0
3930	7	13	66	0	0
3931	7	14	66	0	0
3932	7	15	66	0	0
3933	7	16	66	0	0
3934	7	17	66	0	0
3935	5	78	-1	0	0
3936	5	79	-1	0	0
3937	5	1	68	0	0
3938	5	2	68	0	0
3939	5	3	68	0	0
3940	5	65	68	0	0
3941	5	64	68	0	0
3942	5	63	68	0	0
3943	5	62	68	0	0
3944	5	61	68	0	0
3945	5	60	68	0	0
3946	5	59	68	0	0
3947	5	58	68	0	0
3948	5	57	68	0	0

INVESTIGATION BGC-21 Page 379 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3949	5	56	68	0	0
3950	5	55	68	0	0
3951	5	54	68	0	0
3952	5	53	68	0	0
3953	5	52	68	0	0
3954	5	51	68	0	0
3955	5	50	68	0	0
3956	5	49	68	0	0
3957	5	48	68	0	0
3958	5	47	68	0	0
3959	5	46	68	0	0
3960	5	45	68	0	0
3961	5	44	68	0	0
3962	5	43	68	0	0
3963	5	42	68	0	0
3964	5	41	68	0	0
3965	5	40	68	0	0
3966	5	39	68	0	0
3967	5	38	68	0	0
3968	5	37	68	0	0
3969	5	36	68	0	0
3970	5	35	68	0	0
3971	5	34	68	0	0
3972	5	33	68	0	0
3973	5	32	68	0	0
3974	5	31	68	0	0
3975	5	30	68	0	0
3976	5	29	68	0	0
3977	5	28	68	0	0
3978	5	27	68	0	0
3979	5	26	68	0	0
3980	5	25	68	0	0
3981	5	24	68	0	0
3982	5	23	68	0	0
3983	5	22	68	0	0
3984	5	21	68	0	0
3985	5	20	68	0	0
3986	5	19	68	0	0
3987	5	18	68	0	0
3988	5	17	68	0	0
3989	5	16	68	0	0
3990	5	15	68	0	0

INVESTIGATION BGC-21 Page 381 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
3991	5	14	68	0	0
3992	5	13	68	0	0
3993	5	12	68	0	0
3994	5	11	68	0	0
3995	5	10	68	0	0
3996	5	9	68	0	0
3997	5	8	68	0	0
3998	5	7	68	0	0
3999	5	6	68	0	0
4000	5	5	68	0	0
4001	5	4	68	0	0
4002	5	66	68	0	0
4003	5	67	68	0	0
4004	5	68	68	0	0
4005	5	69	68	0	0
4006	5	70	68	0	0
4007	5	71	68	0	0
4008	5	73	68	0	0
4009	5	72	68	0	0
4010	5	74	68	0	0
4011	5	75	68	0	0
4012	5	76	68	0	0
4013	5	77	68	0	0
4014	5	78	68	0	0
4015	5	79	68	0	0
4016	1	67	-1	0	0
4017	1	68	-1	0	0
4018	1	54	69	0	0
4019	1	14	69	0	0
4020	1	15	69	0	0
4021	1	19	69	0	0
4022	1	20	69	0	0
4023	1	21	69	0	0
4024	1	22	69	0	0
4025	1	23	69	0	0
4026	1	24	69	0	0
4027	1	25	69	0	0
4028	1	27	69	0	0
4029	1	28	69	0	0
4030	1	29	69	0	0
4031	1	30	69	0	0
4032	1	31	69	0	0

INVESTIGATION BGC-21 Page 383 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
4033	1	32	69	0	0
4034	1	33	69	0	0
4035	1	34	69	0	0
4036	1	35	69	0	0
4037	1	36	69	0	0
4038	1	37	69	0	0
4039	1	39	69	0	0
4040	1	40	69	0	0
4041	1	42	69	0	0
4042	1	44	69	0	0
4043	1	45	69	0	0
4044	1	46	69	0	0
4045	1	47	69	0	0
4046	1	48	69	0	0
4047	1	49	69	0	0
4048	1	51	69	0	0
4049	1	52	69	0	0
4050	1	53	69	0	0
4051	1	55	69	0	0
4052	1	56	69	0	0
4053	1	57	69	0	0
4054	1	58	69	0	0
4055	1	59	69	0	0
4056	1	60	69	0	0
4057	1	62	69	0	0
4058	1	61	69	0	0
4059	1	63	69	0	0
4060	1	64	69	0	0
4061	1	65	69	0	0
4062	1	66	69	0	0
4063	1	67	69	0	0
4064	1	68	69	0	0
4065	1	54	70	0	0
4066	1	14	70	0	0
4067	1	15	70	0	0
4068	1	19	70	0	0
4069	1	20	70	0	0
4070	1	21	70	0	0
4071	1	22	70	0	0
4072	1	23	70	0	0
4073	1	24	70	0	0
4074	1	25	70	0	0

Page 194

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
4075	1	27	70	0	0
4076	1	28	70	0	0
4077	1	29	70	0	0
4078	1	30	70	0	0
4079	1	31	70	0	0
4080	1	32	70	0	0
4081	1	33	70	0	0
4082	1	34	70	0	0
4083	1	35	70	0	0
4084	1	36	70	0	0
4085	1	37	70	0	0
4086	1	39	70	0	0
4087	1	40	70	0	0
4088	1	42	70	0	0
4089	1	44	70	0	0
4090	1	45	70	0	0
4091	1	46	70	0	0
4092	1	47	70	0	0
4093	1	48	70	0	0
4094	1	49	70	0	0
4095	1	51	70	0	0
4096	1	52	70	0	0
4097	1	53	70	0	0
4098	1	55	70	0	0
4099	1	56	70	0	0
4100	1	57	70	0	0
4101	1	58	70	0	0
4102	1	59	70	0	0
4103	1	60	70	0	0
4104	1	62	70	0	0
4105	1	61	70	0	0
4106	1	63	70	0	0
4107	1	64	70	0	0
4108	1	65	70	0	0
4109	1	66	70	0	0
4110	1	67	70	0	0
4111	1	68	70	0	0
4112	8	15	-1	0	0
4113	8	16	-1	0	0
4114	8	1	71	0	0
4115	8	2	71	0	0
4116	8	3	71	0	0

INVESTIGATION BGC-21 Page 387 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
4117	8	4	71	0	0
4118	8	5	71	0	0
4119	8	6	71	0	0
4120	8	8	71	0	0
4121	8	7	71	0	0
4122	8	10	71	0	0
4123	8	9	71	0	0
4124	8	11	71	0	0
4125	8	12	71	0	0
4126	8	13	71	0	0
4127	8	14	71	0	0
4128	8	15	71	0	0
4129	8	16	71	0	0
4130	8	1	72	0	0
4131	8	2	72	0	0
4132	8	3	72	0	0
4133	8	4	72	0	0
4134	8	5	72	0	0
4135	8	6	72	0	0
4136	8	8	72	0	0
4137	8	7	72	0	0
4138	8	10	72	0	0
4139	8	9	72	0	0
4140	8	11	72	0	0
4141	8	12	72	0	0
4142	8	13	72	0	0
4143	8	14	72	0	0
4144	8	15	72	0	0
4145	8	16	72	0	0
4146	4	86	-1	0	0
4147	4	87	-1	0	0
4148	4	67	73	0	0
4149	4	21	73	0	0
4150	4	23	73	0	0
4151	4	24	73	0	0
4152	4	25	73	0	0
4153	4	26	73	0	0
4154	4	27	73	0	0
4155	4	29	73	0	0
4156	4	30	73	0	0
4157	4	31	73	0	0
4158	4	32	73	0	0

INVESTIGATION BGC-21 Page 389 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
4159	4	33	73	0	0
4160	4	34	73	0	0
4161	4	35	73	0	0
4162	4	36	73	0	0
4163	4	37	73	0	0
4164	4	38	73	0	0
4165	4	39	73	0	0
4166	4	40	73	0	0
4167	4	41	73	0	0
4168	4	42	73	0	0
4169	4	43	73	0	0
4170	4	44	73	0	0
4171	4	45	73	0	0
4172	4	46	73	0	0
4173	4	47	73	0	0
4174	4	48	73	0	0
4175	4	49	73	0	0
4176	4	50	73	0	0
4177	4	51	73	0	0
4178	4	52	73	0	0
4179	4	53	73	0	0
4180	4	54	73	0	0
4181	4	56	73	0	0
4182	4	57	73	0	0
4183	4	59	73	0	0
4184	4	60	73	0	0
4185	4	61	73	0	0
4186	4	63	73	0	0
4187	4	64	73	0	0
4188	4	65	73	0	0
4189	4	66	73	0	0
4190	4	68	73	0	0
4191	4	69	73	0	0
4192	4	70	73	0	0
4193	4	71	73	0	0
4194	4	72	73	0	0
4195	4	73	73	0	0
4196	4	74	73	0	0
4197	4	75	73	0	0
4198	4	76	73	0	0
4199	4	77	73	0	0
4200	4	78	73	0	0

Page 200

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
4201	4	79	73	0	0
4202	4	81	73	0	0
4203	4	80	73	0	0
4204	4	82	73	0	0
4205	4	83	73	0	0
4206	4	84	73	0	0
4207	4	85	73	0	0
4208	4	86	73	0	0
4209	4	87	73	0	0
4210	4	67	74	0	0
4211	4	21	74	0	0
4212	4	23	74	0	0
4213	4	24	74	0	0
4214	4	25	74	0	0
4215	4	26	74	0	0
4216	4	27	74	0	0
4217	4	29	74	0	0
4218	4	30	74	0	0
4219	4	31	74	0	0
4220	4	32	74	0	0
4221	4	33	74	0	0
4222	4	34	74	0	0
4223	4	35	74	0	0
4224	4	36	74	0	0
4225	4	37	74	0	0
4226	4	38	74	0	0
4227	4	39	74	0	0
4228	4	40	74	0	0
4229	4	41	74	0	0
4230	4	42	74	0	0
4231	4	43	74	0	0
4232	4	44	74	0	0
4233	4	45	74	0	0
4234	4	46	74	0	0
4235	4	47	74	0	0
4236	4	48	74	0	0
4237	4	49	74	0	0
4238	4	50	74	0	0
4239	4	51	74	0	0
4240	4	52	74	0	0
4241	4	53	74	0	0
4242	4	54	74	0	0

INVESTIGATION BGC-21 Page 393 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
4243	4	56	74	0	0
4244	4	57	74	0	0
4245	4	59	74	0	0
4246	4	60	74	0	0
4247	4	61	74	0	0
4248	4	63	74	0	0
4249	4	64	74	0	0
4250	4	65	74	0	0
4251	4	66	74	0	0
4252	4	68	74	0	0
4253	4	69	74	0	0
4254	4	70	74	0	0
4255	4	71	74	0	0
4256	4	72	74	0	0
4257	4	73	74	0	0
4258	4	74	74	0	0
4259	4	75	74	0	0
4260	4	76	74	0	0
4261	4	77	74	0	0
4262	4	78	74	0	0
4263	4	79	74	0	0
4264	4	81	74	0	0
4265	4	80	74	0	0
4266	4	82	74	0	0
4267	4	83	74	0	0
4268	4	84	74	0	0
4269	4	85	74	0	0
4270	4	86	74	0	0
4271	4	87	74	0	0
4272	6	17	-1	0	0
4273	6	18	-1	0	0
4274	6	1	75	0	0
4275	6	2	75	0	0
4276	6	3	75	0	0
4277	6	4	75	0	0
4278	6	5	75	0	0
4279	6	6	75	0	0
4280	6	7	75	0	0
4281	6	8	75	0	0
4282	6	11	75	0	0
4283	6	10	75	0	0
4284	6	12	75	0	0

INVESTIGATION BGC-21 Page 395 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
4285	6	13	75	0	0
4286	6	14	75	0	0
4287	6	15	75	0	0
4288	6	16	75	0	0
4289	6	17	75	0	0
4290	6	18	75	0	0
4291	6	1	76	0	0
4292	6	2	76	0	0
4293	6	3	76	0	0
4294	6	4	76	0	0
4295	6	5	76	0	0
4296	6	6	76	0	0
4297	6	7	76	0	0
4298	6	8	76	0	0
4299	6	11	76	0	0
4300	6	10	76	0	0
4301	6	12	76	0	0
4302	6	13	76	0	0
4303	6	14	76	0	0
4304	6	15	76	0	0
4305	6	16	76	0	0
4306	6	17	76	0	0
4307	6	18	76	0	0
4308	4	82	36	0	0
4309	4	83	36	0	0
4310	4	84	36	0	0
4311	4	85	36	0	0
4312	4	86	36	0	0
4313	4	87	36	0	0
4314	4	82	35	0	0
4315	4	83	35	0	0
4316	4	84	35	0	0
4317	4	85	35	0	0
4318	4	86	35	0	0
4319	4	87	35	0	0
4320	4	82	37	0	0
4321	4	83	37	0	0
4322	4	84	37	0	0
4323	4	85	37	0	0
4324	4	86	37	0	0
4325	4	87	37	0	0
4326	4	82	38	0	0

INVESTIGATION BGC-21 Page 397 of 528

SurveyDataID	Pointer	Rdg_Set	GraphCode	RotationA	RotationB
4327	4	83	38	0	0
4328	4	84	38	0	0
4329	4	85	38	0	0
4330	4	86	38	0	0
4331	4	87	38	0	0
4332	4	75	39	0	0
4333	4	76	39	0	0
4334	4	77	39	0	0
4335	4	78	39	0	0
4336	4	79	39	0	0
4337	4	81	39	0	0
4338	4	80	39	0	0
4339	4	82	39	0	0
4340	4	83	39	0	0
4341	4	84	39	0	0
4342	4	85	39	0	0
4343	4	86	39	0	0
4344	4	87	39	0	0
4345	4	75	40	0	0
4346	4	76	40	0	0
4347	4	77	40	0	0
4348	4	78	40	0	0
4349	4	79	40	0	0
4350	4	81	40	0	0
4351	4	80	40	0	0
4352	4	82	40	0	0
4353	4	83	40	0	0
4354	4	84	40	0	0
4355	4	85	40	0	0
4356	4	86	40	0	0
4357	4	87	40	0	0

INVESTIGATION BGC-21 Page 399 of 528

ID	InstID	Site	Inst	Desc	SerialNum
2	2 1		SI06	From DataMate	00000
16	7 1		SI11	From DataMate	00000
14	5 2		SI01	From DataMate	00000
1	1 2		SI06	From DataMate	00000
17	8 2		SI11	From DataMate	00000
4	4 3		SI06	From DataMate	00000
15	6 4		SI11	From DataMate	00000

A0Dir	Deep	Shallow	Interval	InitDate	Azimuth
	43	0.5	0.5	2005-01-01	0
	48	0.5	0.5	2012-01-17	0
	29.5	0	0.5	2005-01-01	0
	32	0.5	0.5	2005-01-01	0
	49.5	0.5	0.5	2012-01-13	0
	41	0.5	0.5	2005-01-01	0
	43.5	0.5	0.5	2012-01-14	0

Stickup	DataLoaded	InstrConstant	OffsetA	OffsetB	SensitivityA
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0
0	0	25000	0	0	0

SensitivityB	RotationA	RotationB	Date	Top	Bottom
0	0	0	2005-01-01	0.5	43
0	0	0	2012-01-17	0.5	48
0	0	0	2005-01-01	0	29.5
0	0	0	2005-01-01	0.5	32
0	0	0	2012-01-13	0.5	49.5
0	0	0	2005-01-01	0.5	41
0	0	0	2012-01-14	0.5	43.5

Orientation	DepthOffset	ElevationOffset	Spiral	CableUnits
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric
0	0	0	0	Metric

DisplayID	DisplayName	DateCreated	DateLastRun
34	Data Correction		.2-06-20 3:26:09 PM
9	Cumulative & Time Displacement A-Axis		.2-02-27 3:29:01 PM
10	Cumulative & Time Displacement B-Axis		.2-09-04 3:16:58 PM
11	Cumulative & Time Displacement AB-Axis		.2-09-04 4:00:06 PM

Include	Exclude	Date_Read	Time_Read
---------	---------	-----------	-----------

DisplayName	DateCreated	DateLastRun	Expr1
-------------	-------------	-------------	-------

Pointer	Rdg_Set	Depth	A_0	A_180	Checksum A
---------	---------	-------	-----	-------	------------

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: D.Ostritchenko/ Arthur Collier	
Date: 23-Jul-11		Weather:		Pond Elevation Level (m):	



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (kPa)
AX1 - 595674 5818388					
A1	RTD		3124.7	Hz	
A2	RTD		2831.5	Hz	
A3	THERM	8.9	8378.9	Hz ²	
A4	RTD		3105.7	Hz	
A5	THERM	8.5	8351.1	Hz ²	
A6	RTD			Hz	
AX2 - 595656 5818395					
A7	RTD			Hz	
A8	THERM	6.3	8310.1	Hz ²	
A9	RTD			Hz	
A10	RTD			Hz	
A11	RTD			Hz	
A12	THERM			Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.4	8862.8	Hz ²	
A14	THERM	6.6	8225.6	Hz ²	
AX4 - 595571 5818493					
A15	THERM			Hz ²	
AX5 - (VW11-05)					
A16	THERM			Hz ²	
A17	THERM			Hz	
A18	THERM			Hz	
AX6 - (VW11-06)					
A19	THERM			Hz	
A20	THERM			Hz	
A21	THERM			Hz ²	
BX1 - 595867 5818539					
B1	RTD	9.2	3140.9	Hz	
B2	RTD		2968.8	Hz	
BX2 - 595876 5818550					
B3	RTD			Hz	
B4	RTD		2901.1	Hz	
B5	RTD			Hz	
B6	RTD		3058.9	Hz	
B7	RTD		3115.4	Hz	
B8	RTD		3127.4	Hz	
BX3 - 595787 5818639					
B9	THERM			Hz ²	
B10	THERM			Hz ²	
BX4 - (VW11-07)					
B11	THERM			Hz ²	
B12	THERM			Hz ²	
B13	THERM			Hz ²	
CX1 - 595540 5818293					
C1	RTD			Hz	
C2	RTD	9.1	3071.7	Hz	
C3	RTD	11.6	3097.7	Hz	
CX2 - 595543 5818297					
C4	RTD	5.1	3141.3	Hz	
C5	RTD	8.5	3013.1	Hz	
C6	THERM	2.2	8953.3	Hz ²	
C7	THERM	3.0	9372.8	Hz ²	
C8	THERM	4.2	9046.9	Hz ²	
CX3 - 595453 5818433					
C9	THERM			Hz ²	
C10	THERM			Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (kPa)
CX4 - (VW11-04)					
C11	THERM			Hz ²	
C12	THERM			Hz ²	
DX1 - 595347 5819823					
D1	RTD			Hz	
D2	RTD			Hz	
DX2 - 595299 5819752					
D3	THERM		8237.5	Hz ²	
D4	THERM		9058	Hz ²	
DX3 - 595286 5819722					
D5	THERM	4.6	8802.6	Hz ²	
DX4 - (VW11-10)					
D6	THERM			Hz ²	
D7	THERM			Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.8	9348.7	Hz ²	
EX2 - 595400 5818353					
E2	THERM			Hz ²	
E3	THERM	6.9	8977.2	Hz ²	
EX3 - 595381 5818371					
E4	THERM	5.7	8395.4	Hz ²	
E5	THERM			Hz ²	
EX4 - (VW11-03)					
E6	THERM			Hz ²	
E7	THERM			Hz ²	
FX1 - 594489 5818561					
F1	THERM	5.4	8071.2	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.8	8170.6	Hz ²	
F3	THERM	7.1	8122.5	Hz ²	
F4	THERM	7.6	8668.2	Hz ²	
FX3 - (VW11-01)					
F5	THERM			Hz ²	
GX1 - 595026 5819898					
G1	THERM	2.9	8023.9	Hz ²	
G2	THERM			Hz ²	
G3	THERM	4.4	8611.1	Hz ²	
GX2 - (VW11-11)					
G4	THERM			Hz ²	
G5	THERM			Hz ²	
HX1 - 595601 5819519					
H1	THERM	5.5	8851.9	Hz ²	
H2	THERM	5	8635.3	Hz ²	
IX1 - 594805 5818404					
I1	THERM			Hz ²	
I2	THERM			Hz ²	
I3	THERM	6.5	8763	Hz ²	
IX2 - 594811 5818431					
I4	THERM			Hz ²	
IX3 - (VW11-02)					
I5	THERM			Hz ²	
I6	THERM			Hz ²	
JX1 - (VW11-09)					
J1	THERM			Hz ²	
KX2 - (VW11-08)					
K1	THERM			Hz ²	
K2	THERM			Hz ²	

COMMENTS:

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: D.Ostritchenko/ Arthur Collier	
Date: Aug 20-21, 2011		Weather:		Pond Elevation Level (m):	
					

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (kPa)
AX1 - 595674 5818388					
A1	RTD	10.2	3124.6	Hz	
A2	RTD		2831.6	Hz	
A3	THERM	8.3	2893.1	Hz ²	
A4	RTD		3105.6	Hz	
A5	THERM	0.8	2888.8	Hz ²	
A6	RTD		3037.8	Hz	
AX2 - 595656 5818395					
A7	RTD	4.9	3062.3	Hz	
A8	THERM	5	8321.4	Hz ²	
A9	RTD		3056.8	Hz	
A10	RTD		3017.6	Hz	
A11	RTD		3124.5	Hz	
A12	THERM		8568.6	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.2	8861.9	Hz ²	
A14	THERM	6.6	8211.5	Hz ²	
AX4 - 595571 5818493					
A15	THERM	10.7	8009.5	Hz ²	
AX5 - (VW11-05)					
A16	THERM			Hz ²	
A17	THERM			Hz	
A18	THERM			Hz	
AX6 - (VW11-06)					
A19	THERM			Hz	
A20	THERM			Hz	
A21	THERM			Hz ²	
BX1 - 595867 5818539					
B1	RTD			Hz	
B2	RTD		2968.8	Hz	
BX2 - 595876 5818550					
B3	RTD		2892	Hz	
B4	RTD		2901.2	Hz	
B5	RTD	6.4	3105.3	Hz	
B6	RTD		3058.4	Hz	
B7	RTD		3115.8	Hz	
B8	RTD		3127.8	Hz	
BX3 - 595787 5818639					
B9	THERM	6.7	8678.5	Hz ²	
B10	THERM	7.4	8909.7	Hz ²	
BX4 - (VW11-07)					
B11	THERM			Hz ²	
B12	THERM			Hz ²	
B13	THERM			Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.3		Hz	
C2	RTD	9.1	3671.5	Hz	
C3	RTD	11.6	3097.6	Hz	
CX2 - 595543 5818297					
C4	RTD	5	3141	Hz	
C5	RTD	8.6	3012.9	Hz	
C6	THERM	2.3	8954.2	Hz ²	
C7	THERM	2.9	9371.6	Hz ²	
C8	THERM	4.2	9048.7	Hz ²	
CX3 - 595453 5818433					
C9	THERM	5.4	8375.4	Hz ²	
C10	THERM	6.3	8586.9	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (kPa)
CX4 - (VW11-04)					
C11	THERM			Hz ²	
C12	THERM			Hz ²	
DX1 - 595347 5819823					
D1	RTD	10	3082.7	Hz	
D2	RTD	7.9	3125.1	Hz	
DX2 - 595299 5819752					
D3	THERM		8229.5	Hz ²	
D4	THERM		9056.4	Hz ²	
DX3 - 595286 5819722					
D5	THERM	4.9	8784.6	Hz ²	
DX4 - (VW11-10)					
D6	THERM			Hz ²	
D7	THERM			Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.8	9353.6	Hz ²	
EX2 - 595400 5818353					
E2	THERM	6.4	8714.2	Hz ²	
E3	THERM	6.7	8976.9	Hz ²	
EX3 - 595381 5818371					
E4	THERM	6.8	8433.1	Hz ²	
E5	THERM	6.5	8682.2	Hz ²	
EX4 - (VW11-03)					
E6	THERM			Hz ²	
E7	THERM			Hz ²	
FX1 - 594489 5818561					
F1	THERM	5.7	8137	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.9	8172.5	Hz ²	
F3	THERM	7.2	8178.5	Hz ²	
F4	THERM	7.4	8668.5	Hz ²	
FX3 - (VW11-01)					
F5	THERM			Hz ²	
GX1 - 595026 5819898					
G1	THERM	4.1	8008.1	Hz ²	
G2	THERM	6.2	8309.1	Hz ²	
G3	THERM	4.8	8601.9	Hz ²	
GX2 - (VW11-11)					
G4	THERM			Hz ²	
G5	THERM			Hz ²	
HX1 - 595601 5819519					
H1	THERM	6	8822.4	Hz ²	
H2	THERM	6.9	8595.4	Hz ²	
IX1 - 594805 5818404					
I1	THERM	6.8	8292.2	Hz ²	
I2	THERM	6.4	8555.8	Hz ²	
I3	THERM	6.5	8762.9	Hz ²	
IX2 - 594811 5818431					
I4	THERM	4.9	8246.2	Hz ²	
IX3 - (VW11-02)					
I5	THERM			Hz ²	
I6	THERM			Hz ²	
JX1 - (VW11-09)					
J1	THERM			Hz ²	
KX2 - (VW11-08)					
K1	THERM			Hz ²	
K2	THERM			Hz ²	

COMMENTS:

Project: **Mt. Polley Tailing Storage Facility**

Project No :

VM00560

Inspector:

Luke Moger

Date:

09-Sep-11

Weather:

25°C and Sunny

Pond Elevation Level (m):



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHg)
AX1 - 595674 5818388					
A1	RTD	10.2	3124.5	Hz	27.11
A2	RTD	error	2831.3	Hz	27.11
A3	THERM	8.3	8362.2	Hz ²	27.11
A4	RTD	error	3105.6	Hz	27.12
A5	THERM	8.5	8339.1	Hz ²	27.12
A6	RTD	error	3036.2	Hz	27.11
AX2 - 595656 5818395					
A7	RTD	6.8	3060.6	Hz	27.14
A8	THERM	5	8135.4	Hz ²	27.14
A9	RTD	error	3055.8	Hz	27.14
A10	RTD	error	3016.5	Hz	27.13
A11	RTD	error	3123.1	Hz	27.14
A12	THERM	4.6	8562	Hz ²	27.14
AX3 - 595590 5818494					
A13	THERM	7.2	8850.2	Hz ²	26.99
A14	THERM	6.6	8205.5	Hz ²	26.99
AX4 - 595571 5818493					
A15	THERM	12.2	7994.5	Hz ²	26.99
BX1 - 595867 5818539					
B1	RTD	8.4	3140.3	Hz	27.12
B2	RTD	-2.7	2968.7	Hz	27.12
BX2 - 595876 5818550					
B3	RTD	error	2890.9	Hz	27.12
B4	RTD	error	2899.8	Hz	27.12
B5	RTD	6.3	3103.7	Hz	27.12
B6	RTD	error	3057.3	Hz	27.12
B7	RTD	error	3116.3	Hz	27.12
B8	RTD	error	3125.7	Hz	27.12
BX3 - 595787 5818639					
B9	THERM	6.7	8672.7	Hz ²	27
B10	THERM	7.5	8897.2	Hz ²	26.99
CX1 - 595540 5818293					
C1	RTD	10.2	error	Hz	27.11
C2	RTD	9.1	3071.4	Hz	27.11
C3	RTD	11.8	3097.7	Hz	27.11
CX2 - 595543 5818297					
C4	RTD	5.2	3140.9	Hz	27.11
C5	RTD	8.6	3011.8	Hz	27.11
C6	THERM	2.2	8945.5	Hz ²	27.11
C7	THERM	2.9	9369	Hz ²	27.11
C8	THERM	4.1	9044.2	Hz ²	27.11
CX3 - 595453 5818433					
C9	THERM	6.3	8358.8	Hz ²	27
C10	THERM	5.7	8579.2	Hz ²	27

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHg)
DX1 - 595347 5819823					
D1	RTD	14.6	3082.5	Hz	27.07
D2	RTD	7.6	3123.9	Hz	27.07
DX2 - 595299 5819752					
D3	THERM	-11.8	8222.1	Hz ²	27.11
D4	THERM	11.8	9044.4	Hz ²	27.11
DX3 - 595286 5819722					
D5	THERM	5.2	8780.8	Hz ²	27.11
EX1 - 595465 5818247					
E1	THERM	4.8	9350.3	Hz ²	27.11
EX2 - 595400 5818353					
E2	THERM	6.5	8710.3	Hz ²	26.99
E3	THERM	6.7	8964.7	Hz ²	26.99
EX3 - 595381 5818371					
E4	THERM	6.6	8676.2	Hz ²	27
E5	THERM	7.7	8421.3	Hz ²	27
FX1 - 594489 5818561					
F1	THERM	6	8160.3	Hz ²	26.99
FX2 - 594466 5818539					
F2	THERM	7.4	8656.7	Hz ²	26.99
F3	THERM	7.3	8191.8	Hz ²	26.99
F4	THERM	6.9	8175.1	Hz ²	26.99
GX1 - 595026 5819898					
G1	THERM	4.9	8015.2	Hz ²	27
G2	THERM	6.2	8307	Hz ²	27
G3	THERM	5.1	8614.1	Hz ²	27
HX1 - 595601 5819519					
H1	THERM	6.4	8817.4	Hz ²	27
H2	THERM	7.8	8589.8	Hz ²	27
IX1 - 594805 5818404					
I1	THERM	6.8	8291.3	Hz ²	27
I2	THERM	6.4	8575.7	Hz ²	27
I3	THERM	6.5	8751.2	Hz ²	27
IX2 - 594811 5818431					
I4	THERM	5	8255.4	Hz ²	27

COMMENTS:

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: _____	
Date: 19-Sep-11		Weather: _____		Pond Elevation Level (m): _____	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (kPa)
AX1 - 595674 5818388					
A1	RTD			Hz	
A2	RTD			Hz	
A3	THERM			Hz ²	
A4	RTD			Hz	
A5	THERM			Hz ²	
A6	RTD			Hz	
AX2 - 595656 5818395					
A7	RTD			Hz	
A8	THERM			Hz ²	
A9	RTD			Hz	
A10	RTD			Hz	
A11	RTD			Hz	
A12	THERM			Hz ²	
AX3 - 595590 5818494					
A13	THERM			Hz ²	
A14	THERM			Hz ²	
AX4 - 595571 5818493					
A15	THERM			Hz ²	
BX1 - 595867 5818539					
B1	RTD			Hz	
B2	RTD			Hz	
BX2 - 595876 5818550					
B3	RTD			Hz	
B4	RTD			Hz	
B5	RTD			Hz	
B6	RTD			Hz	
B7	RTD			Hz	
B8	RTD			Hz	
BX3 - 595787 5818639					
B9	THERM			Hz ²	
B10	THERM			Hz ²	
CX1 - 595540 5818293					
C1	RTD			Hz	
C2	RTD			Hz	
C3	RTD			Hz	
CX2 - 595543 5818297					
C4	RTD			Hz	
C5	RTD			Hz	
C6	THERM			Hz ²	
C7	THERM			Hz ²	
C8	THERM			Hz ²	
CX3 - 595453 5818433					
C9	THERM			Hz ²	
C10	THERM			Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (kPa)
DX1 - 595347 5819823					
D1	RTD			Hz	
D2	RTD			Hz	
DX2 - 595299 5819752					
D3	THERM			Hz ²	
D4	THERM			Hz ²	
DX3 - 595286 5819722					
D5	THERM			Hz ²	
EX1 - 595465 5818247					
E1	THERM			Hz ²	
EX2 - 595400 5818353					
E2	THERM			Hz ²	
E3	THERM			Hz ²	
EX3 - 595381 5818371					
E4	THERM			Hz ²	
E5	THERM			Hz ²	
FX1 - 594489 5818561					
F1	THERM			Hz ²	
FX2 - 594466 5818539					
F2	THERM			Hz ²	
F3	THERM			Hz ²	
F4	THERM			Hz ²	
GX1 - 595026 5819898					
G1	THERM			Hz ²	
G2	THERM			Hz ²	
G3	THERM			Hz ²	
HX1 - 595601 5819519					
H1	THERM			Hz ²	
H2	THERM			Hz ²	
IX1 - 594805 5818404					
I1	THERM			Hz ²	
I2	THERM			Hz ²	
I3	THERM			Hz ²	
IX2 - 594811 5818431					
I4	THERM			Hz ²	

COMMENTS:

Project: Mt. Polley Tailing Storage Facility			Project No : VM00560		Inspector: Luke Moger	
Date: 15-Nov-11		Weather: Snowy and Cloudy		Pond Elevation Level (m):		



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.9	3123.5	Hz	26.4
A2	RTD	Error	2828.6	Hz	26.4
A3	THERM	8.6	8363.6	Hz ²	26.4
A4	RTD	Error	31.5.5	Hz	26.4
A5	THERM	7.9	8340.6	Hz ²	26.4
A6	RTD	Error	3038.8	Hz	26.4
AX2 - 595656 5818395					
A7	RTD	5.9	3063.3	Hz	26.4
A8	THERM	5.0	8331.5	Hz ²	26.4
A9	RTD	Error	3057.4	Hz	26.4
A10	RTD	Error	3020.2	Hz	26.4
A11	RTD	Error	3125.4	Hz	26.4
A12	THERM	4.6	8580.3	Hz ²	26.4
AX3 - 595590 5818494					
A13	THERM	7.4	8878.1	Hz ²	26.4
A14	THERM	7.4	8222.1	Hz ²	26.4
AX4 - 595571 5818493					
A15	THERM	7.9	8018.2	Hz ²	26.4
AX5 - (VW11-05)					
A16	THERM	3.9	8445.4	Hz ²	26.4
A17	THERM	4.9	7291.5	Hz	26.4
A18	THERM	5.2	6824.0	Hz	26.4
AX6 - (VW11-06)					
A19	THERM	5.4	6957.0	Hz	26.4
A20	THERM	5.8	9387.0	Hz	26.4
A21	THERM	5.8	6959.2	Hz ²	26.4
BX1 - 595867 5818539					
B1	RTD	8.8	3140.7	Hz	26.4
B2	RTD	Error	2968.5	Hz	26.4
BX2 - 595876 5818550					
B3	RTD	Missing	Missing	Hz	26.4
B4	RTD	Error	2902.0	Hz	26.4
B5	RTD	6.3	3106.2	Hz	26.4
B6	RTD	Error	3060.1	Hz	26.4
B7	RTD	Error	3116.7	Hz	26.4
B8	RTD	Error	3127.9	Hz	26.4
BX3 - 595787 5818639					
B9	THERM	7.5	8925.7	Hz ²	26.4
B10	THERM	7.2	8655.3	Hz ²	26.4
BX4 - (VW11-07)					
B11	THERM	5.4	8053.2	Hz ²	26.4
B12	THERM	5.4	6860.9	Hz ²	26.4
B13	THERM	5.2	6446.8	Hz ²	26.4
CX1 - 595540 5818293					
C1	RTD	10.0	Error	Hz	26.4
C2	RTD	9.1	3071.0	Hz	26.4
C3	RTD	11.2	3097.0	Hz	26.4
CX2 - 595543 5818297					
C4	RTD	5.1	3141.5	Hz	26.4
C5	RTD	8.6	3014.6	Hz	26.4
C6	THERM	2.2	8960.6	Hz ²	26.4
C7	THERM	Missing	Missing	Hz ²	26.4
C8	THERM	4.1	9095.4	Hz ²	26.4
CX3 - 595453 5818433					
C9	THERM	8.9	8372.0	Hz ²	26.4
C10	THERM	6.7	8579.0	Hz ²	26.4

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.1	8346.0	Hz ²	26.4
C12	THERM	5.1	7554.6	Hz ²	26.4
DX1 - 595347 5819823					
D1	RTD	7.2	3081.8	Hz	26.4
D2	RTD	7.8	3126.4	Hz	26.4
DX2 - 595299 5819752					
D3	THERM	Error	8200.9	Hz ²	26.4
D4	THERM	Error	9072.2	Hz ²	26.4
DX3 - 595286 5819722					
D5	THERM	6.1	8814.0	Hz ²	26.4
DX4 - (VW11-10)					
D6	THERM	5.7	8806.0	Hz ²	26.4
D7	THERM	5.5	8070.0	Hz ²	26.4
EX1 - 595465 5818247					
E1	THERM	4.8	9363.5	Hz ²	26.4
EX2 - 595400 5818353					
E2	THERM	7.3	8740.7	Hz ²	26.4
E3	THERM	6.9	8991.2	Hz ²	26.4
EX3 - 595381 5818371					
E4	THERM	9.2	8448.6	Hz ²	26.4
E5	THERM	7.0	8560.5	Hz ²	26.4
EX4 - (VW11-03)					
E6	THERM	3.7	8276.6	Hz ²	26.4
E7	THERM	4.2	8196.9	Hz ²	26.4
FX1 - 594489 5818561					
F1	THERM	6.9	8154.2	Hz ²	26.4
FX2 - 594466 5818539					
F2	THERM	6.8	8176.7	Hz ²	26.4
F3	THERM	7.6	8171.2	Hz ²	26.4
F4	THERM	7.9	8684.5	Hz ²	26.4
FX3 - (VW11-01)					
F5	THERM	No Access	No Access	Hz ²	26.4
GX1 - 595026 5819898					
G1	THERM	7.8	7999.7	Hz ²	26.4
G2	THERM	6.4	8288.9	Hz ²	26.4
G3	THERM	5.9	8572.4	Hz ²	26.4
GX2 - (VW11-11)					
G4	THERM	6.6	8374.6	Hz ²	26.4
G5	THERM	5.8	7918.0	Hz ²	26.4
HX1 - 595601 5819519					
H1	THERM	7.9	8830.6	Hz ²	26.4
H2	THERM	10.1	8579.5	Hz ²	26.4
IX1 - 594805 5818404					
I1	THERM	need	to strip	Hz ²	26.4
I2	THERM	6.8	8592.0	Hz ²	26.4
I3	THERM	6.8	8776.9	Hz ²	26.4
IX2 - 594811 5818431					
I4	THERM	6.3	8235.6	Hz ²	26.4
IX3 - (VW11-02)					
I5	THERM	No Access	No Access	Hz ²	26.4
I6	THERM	No Access	No Access	Hz ²	26.4
JX1 - (VW11-09)					
J1	THERM	No Access	No Access	Hz ²	26.4
KX2 - (VW11-08)					
K1	THERM	5.9	5181.9	Hz ²	26.4
K2	THERM	5.4	6954.6	Hz ²	26.4

COMMENTS:

B9/B10 could be reversed, as they were extended but the labels are no longer visible.

D1/D3 Temperature keeps rising

I2 needs to be stripped to expose wires (recently extended)

C7 is missing from box and couldn't be found in snow

		Barometric T 1	F1	T 2	F2	T 3	F3
Plane A	15-Nov-11	89.3	9.9	3123.5 Error		2828.6	8.6 8363.6
Plane B			8.8	3140.7 Error		2968.5 Missing	Missing
Plane C			10 Error		9.1	3071	11.2 3097
Plane D			7.2	3081.8	7.8	3126.4 Error	8200.9
Plane E			4.8	9363.5	7.3	8740.7	6.9 8991.2
Plane F			6.9	8154.2	6.8	8176.7	7.6 8171.2
Plane G			7.8	7999.7	6.4	8288.9	5.9 8572.4
Plane H			7.9	8830.6	10.1	8579.5	
Plane I		need		to strip	6.8	8592	6.8 8776.9
Plane J		No Access	No Access				
PlaneK			5.9	5181.9	5.4	6954.6	

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8	
Error	31.5.5		7.9	8340.6	Error	3038.8	5.9	3063.3	5	8331.5
Error	2902		6.3	3106.2	Error	3060.1	Error	3116.7	Error	3127.9
	5.1	3141.5	8.6	3014.6	2.2	8960.6	Missing	Missing	4.1	9095.4
Error		9072.2	6.1	8814	5.7	8806	5.5	8070		
	9.2	8448.6	7	8560.5	3.7	8276.6	4.2	8196.9		
	7.9	8684.5	No Access	No Access						
	6.6	8374.6	5.8	7918						
	6.3	8235.6	No Access	No Access	No Access	No Access				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
Error	3057.4	Error	3020.2	Error	3125.4	4.6	8580.3	7.4	8878.1
7.5	8925.7	7.2	8655.3	5.4	8053.2	5.4	6860.9	5.2	6446.8
8.9	8372	6.7	8579	4.1	8346	5.1	7554.6		

T 14	F14	T 15	F15	T 16	F16	T 17	F17	T 18	F18
7.4	8222.1	7.9	8018.2	3.9	8445.4	4.9	7291.5	5.2	6824

T 19	F19	T 20	F20	T 21	F21
5.4	6957	5.8	9387	5.8	6959.2

Project: Mt. Polley Tailing Storage Facility			Project No : VM00560		Inspector: Braden Fontaine	
Date: 27-Nov-11		Weather: Snowing and Cloudy		Pond Elevation Level (m):		



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHg)
AX1 - 595674 5818388					
A1	RTD	9.9	3123.2	Hz	26.7
A2	RTD	error	2827.9	Hz	26.7
A3	THERM	8.4	8375.8	Hz ²	26.7
A4	RTD	error	3105.5	Hz	26.7
A5	THERM	8.6	8351.2	Hz ²	26.7
A6	RTD	error	3037.4	Hz	26.7
AX2 - 595656 5818395					
A7	RTD	6.3	3061.9	Hz	26.7
A8	THERM	5.0	8321.9	Hz ²	26.7
A9	RTD	error	3056.8	Hz	26.7
A10	RTD	error	3017.6	Hz	26.7
A11	RTD	error	3124.3	Hz	26.7
A12	THERM	4.6	8568.7	Hz ²	26.7
AX3 - 595590 5818494					
A13	THERM	7.5	8860.4	Hz ²	26.7
A14	THERM	7.5	8231.2	Hz ²	26.7
AX4 - 595571 5818493					
A15	THERM	7.2	8006.7	Hz ²	26.7
AX5 - (VW11-05)					
A16	THERM	3.9	8436.9	Hz ²	26.7
A17	THERM	4.9	7262.4	Hz	26.7
A18	THERM	5.2	6816.1	Hz	26.7
AX6 - (VW11-06)					
A19	THERM	5.4	6941.8	Hz	26.7
A20	THERM	5.8	7370.0	Hz	26.7
A21	THERM	5.8	6944.8	Hz ²	26.7
BX1 - 595867 5818539					
B1	RTD	8.5	3140.8	Hz	26.5
B2	RTD	error	2968.5	Hz	26.5
BX2 - 595876 5818550					
B3	RTD	missing	missing	Hz	26.5
B4	RTD	error	2901.8	Hz	26.5
B5	RTD	6.2	3105.6	Hz	26.5
B6	RTD	error	3059.5	Hz	26.5
B7	RTD	error	3116.9	Hz	26.5
B8	RTD	error	3127.8	Hz	26.5
BX3 - 595787 5818639					
B9	THERM	7.3	8658.0	Hz ²	26.7
B10	THERM	7.5	8906.8	Hz ²	26.7
BX4 - (VW11-07)					
B11	THERM	5.4	8046.9	Hz ²	26.7
B12	THERM	5.3	6853.0	Hz ²	26.7
B13	THERM	5.2	6437.7	Hz ²	26.7
CX1 - 595540 5818293					
C1	RTD	10.3	error	Hz	26.5
C2	RTD	9.1	3070.4	Hz	26.5
C3	RTD	11.3	3096.8	Hz	26.5
CX2 - 595543 5818297					
C4	RTD	5.1	3141.7	Hz	26.5
C5	RTD	8.5	3014.3	Hz	26.5
C6	THERM	2.3	8957.1	Hz ²	26.5
C7	THERM	missing	missing	Hz ²	26.5
C8	THERM	4.1	9057.0	Hz ²	26.5
CX3 - 595453 5818433					
C9	THERM	9.0	8369.7	Hz ²	26.7
C10	THERM	6.9	8589.1	Hz ²	26.7

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHg)
CX4 - (VW11-04)					
C11	THERM	4.1	8339.9	Hz ²	26.7
C12	THERM	5.1	7547.5	Hz ²	26.7
DX1 - 595347 5819823					
D1	RTD	11.4	3081.7	Hz	26.7
D2	RTD	7.7	3124.9	Hz	26.7
DX2 - 595299 5819752					
D3	THERM	error	8199.9	Hz ²	26.7
D4	THERM	error	4.53.7	Hz ²	26.7
DX3 - 595286 5819722					
D5	THERM	6.2	8808.1	Hz ²	26.7
DX4 - (VW11-10)					
D6	THERM	5.6	8799.1	Hz ²	26.7
D7	THERM	5.4	8061.0	Hz ²	26.7
EX1 - 595465 5818247					
E1	THERM	4.8	9361.6	Hz ²	26.5
EX2 - 595400 5818353					
E2	THERM	7.4	8741.5	Hz ²	26.7
E3	THERM	7.1	8975.1	Hz ²	26.7
EX3 - 595381 5818371					
E4	THERM	9.0	8445.3	Hz ²	26.7
E5	THERM	9.1	8648.3	Hz ²	26.7
EX4 - (VW11-03)					
E6	THERM	3.7	8268.3	Hz ²	26.7
E7	THERM	4.1	8192.0	Hz ²	26.7
FX1 - 594489 5818561					
F1	THERM	7.0	8174.1	Hz ²	26.1
FX2 - 594466 5818539					
F2	THERM	6.8	8194.3	Hz ²	26.1
F3	THERM	7.6	8182.7	Hz ²	26.1
F4	THERM	7.6	8689.7	Hz ²	26.1
FX3 - (VW11-01)					
F5	THERM	6.5	8215.3	Hz ²	26.5
GX1 - 595026 5819898					
G1	THERM	8.2	8003.1	Hz ²	26.7
G2	THERM	6.4	8290.0	Hz ²	26.7
G3	THERM	6.1	8587.7	Hz ²	26.7
GX2 - (VW11-11)					
G4	THERM	6.6	8372.6	Hz ²	26.7
G5	THERM	5.8	7912.4	Hz ²	26.7
HX1 - 595601 5819519					
H1	THERM	8.1	8816.4	Hz ²	26.7
H2	THERM	error	error	Hz ²	26.7
IX1 - 594805 5818404					
I1	THERM	need	to strip	Hz ²	26.1
I2	THERM	6.9	8594.9	Hz ²	26.1
I3	THERM	6.8	8782.3	Hz ²	26.1
IX2 - 594811 5818431					
I4	THERM	6.3	8229.1	Hz ²	26.1
IX3 - (VW11-02)					
I5	THERM	6.9	8172.5	Hz ²	26.5
I6	THERM	6.3	7959.4	Hz ²	26.5
JX1 - (VW11-09)					
J1	THERM	5.9	8508.1	Hz ²	26.7
KX2 - (VW11-08)					
K1	THERM	5.9	5185.8	Hz ²	26.7
K2	THERM	5.4	6956.0	Hz ²	26.7

COMMENTS: B9/B10 could be reversed, as they were extended but the labels are no longer visible

I2 needs to be stripped to expose wires

C7 is missing from box and couldn't be found in snow

		Barometric T 1	F1	T 2	F2	T 3	F3
Plane A	27-Nov-11	90.1	9.9	3123.2 error		2827.9	8.4 8375.8
Plane B			8.5	3140.8 error		2968.5 missing	missing
Plane C			10.3 error		9.1	3070.4	11.3 3096.8
Plane D			11.4	3081.7	7.7	3124.9 error	8199.9
Plane E			4.8	9361.6	7.4	8741.5	7.1 8975.1
Plane F			7	8174.1	6.8	8194.3	7.6 8182.7
Plane G			8.2	8003.1	6.4	8290	6.1 8587.7
Plane H			8.1	8816.4 error	error		
Plane I		need		to strip	6.9	8594.9	6.8 8782.3
Plane J			5.9	8508.1			
PlaneK			5.9	5185.8	5.4	6956	

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
error	3105.5	8.6	8351.2	error	3037.4	6.3	3061.9	5	8321.9
error	2901.8	6.2	3105.6	error	3059.5	error	3116.9	error	3127.8
5.1	3141.7	8.5	3014.3	2.3	8957.1	missing	missing	4.1	9057
error	4.53.7	6.2	8808.1	5.6	8799.1	5.4	8061		
9	8445.3	9.1	8648.3	3.7	8268.3	4.1	8192		
7.6	8689.7	6.5	8215.3						
6.6	8372.6	5.8	7912.4						
6.3	8229.1	6.9	8172.5	6.3	7959.4				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
error		error		error					
	3056.8		3017.6		3124.3		4.6	8568.7	7.5
7.3	8658	7.5	8906.8	5.4	8046.9	5.3	6853	5.2	8860.4
9	8369.7	6.9	8589.1	4.1	8339.9	5.1	7547.5		6437.7

T 14	F14	T 15	F15	T 16	F16	T 17	F17	T 18	F18
7.5	8231.2	7.2	8006.7	3.9	8436.9	4.9	7262.4	5.2	6816.1

T 19	F19	T 20	F20	T 21	F21
5.4	6941.8	5.8	7370	5.8	6944.8

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: Braden Fontaine	
Date: Dec 11-12/2011		Weather: cloudy		Pond Elevation Level (m): 957.4	



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.8	3122.9	Hz	26.8
A2	RTD	error	2827.5	Hz	
A3	THERM	11.0	8367.2	Hz ²	
A4	RTD	error	3105.5	Hz	
A5	THERM	8.4	8343.6	Hz ²	
A6	RTD	error	3036.9	Hz	
AX2 - 595656 5818395					
A7	RTD	6.6	3061.3	Hz	26.8
A8	THERM	5.0	8322.4	Hz ²	
A9	RTD	error	3056.2	Hz	
A10	RTD	error	3018.4	Hz	
A11	RTD	error	3123.9	Hz	
A12	THERM	4.5	8569.9	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.6	8857.1	Hz ²	26.8
A14	THERM	7.6	8216.1	Hz ²	
AX4 - 595571 5818493					
A15	THERM	6.0	7992.9	Hz ²	26.8
AX5 - (VW11-05)					
A16	THERM	3.9	8427.9	Hz ²	26.9
A17	THERM	4.9	7254.9	Hz	
A18	THERM	5.1	6810.9	Hz	
AX6 - (VW11-06)					
A19	THERM	5.4	6934.6	Hz	26.9
A20	THERM	5.8	7364.0	Hz	
A21	THERM	5.8	6939.5	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.8	3140.4	Hz	26.8
B2	RTD	error	2968.4	Hz	
BX2 - 595876 5818550					
B3	RTD	missing	missing	Hz	
B4	RTD	error	2901.0	Hz	26.8
B5	RTD	6.2	3104.2	Hz	
B6	RTD	error	3057.8	Hz	
B7	RTD	error	3116.9	Hz	
B8	RTD	error	3126.3	Hz	
BX3 - 595787 5818639					
B9	THERM	7.4	8650.4	Hz ²	26.8
B10	THERM	7.6	8904.9	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	8044.2	Hz ²	26.9
B12	THERM	5.3	6849.1	Hz ²	
B13	THERM	5.1	6434.5	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.2	error	Hz	26.8
C2	RTD	9.1	3070.8	Hz	
C3	RTD	11.2	3096.6	Hz	
CX2 - 595543 5818297					
C4	RTD	5.1	3140.7	Hz	26.8
C5	RTD	8.5	3013.2	Hz	
C6	THERM	2.3	8950.1	Hz ²	
C7	THERM	missing	missing	Hz ²	
C8	THERM	4.1	9051.4	Hz ²	
CX3 - 595453 5818433					
C9	THERM	5.6	8354.8	Hz ²	26.8
C10	THERM	need	to strip	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.1	8332.2	Hz ²	26.9
C12	THERM	5.1	7539.4	Hz ²	
DX1 - 595347 5819823					
D1	RTD	8.2	3081.6	Hz	26.8
D2	RTD	7.3	3124.4	Hz	
DX2 - 595299 5819752					
D3	THERM	-10.9	8197.4	Hz ²	26.8
D4	THERM	error	9051.5	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.4	8805.6	Hz ²	26.8
DX4 - (VW11-10)					
D6	THERM	5.6	8797.1	Hz ²	26.8
D7	THERM	5.4	8058.3	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.8	9356.7	Hz ²	26.8
EX2 - 595400 5818353					
E2	THERM	7.6	8726.3	Hz ²	26.8
E3	THERM	7.2	8971.3	Hz ²	
EX3 - 595381 5818371					
E4	THERM	8.5	8430.5	Hz ²	26.8
E5	THERM	7.2	8640.6	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.7	8258.9	Hz ²	26.9
E7	THERM	4.1	8185.2	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.2	8163.2	Hz ²	26.8
FX2 - 594466 5818539					
F2	THERM	6.8	8181.4	Hz ²	26.8
F3	THERM	7.7	8175.2	Hz ²	
F4	THERM	7.6	8664.2	Hz ²	
FX3 - (VW11-01)					
F5	THERM	6.3	8207.2	Hz ²	26.9
GX1 - 595026 5819898					
G1	THERM	8.6	8015.1	Hz ²	26.8
G2	THERM	6.5	8290.5	Hz ²	
G3	THERM	6.3	8595.0	Hz ²	
GX2 - (VW11-11)					
G4	THERM	6.5	8363.8	Hz ²	26.9
G5	THERM	5.8	7902.8	Hz ²	
HX1 - 595601 5819519					
H1	THERM	missing	missing	Hz ²	
H2	THERM	missing	missing	Hz ²	
IX1 - 594805 5818404					
I1	THERM	need	to strip	Hz ²	26.8
I2	THERM	7.0	8574.9	Hz ²	
I3	THERM	6.9	8758.5	Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.5	8151.7	Hz ²	26.8
IX3 - (VW11-02)					
I5	THERM	6.9	8158.4	Hz ²	26.9
I6	THERM	6.4	7944.1	Hz ²	
JX1 - (VW11-09)					
J1	THERM	No Access	No Access	Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	5185.9	Hz ²	26.9
K2	THERM	5.4	6946.5	Hz ²	

COMMENTS:

		Barometric T 1	F1	T 2	F2	T 3	F3
Plane A	Dec 11-12/2011	90.9	9.8	3122.9 error		2827.5	11 8367.2
Plane B			8.8	3140.4 error		2968.4 missing	missing
Plane C			10.2 error		9.1	3070.8	11.2 3096.6
Plane D			8.2	3081.6	7.3	3124.4	-10.9 8197.4
Plane E			4.8	9356.7	7.6	8726.3	7.2 8971.3
Plane F			7.2	8163.2	6.8	8181.4	7.7 8175.2
Plane G			8.6	8015.1	6.5	8290.5	6.3 8595
Plane H		missing	missing	missing	missing		
Plane I		need	to strip		7	8574.9	6.9 8758.5
Plane J		No Access	No Access				
PlaneK			5.9	5185.9	5.4	6946.5	

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
error	3105.5	8.4	8343.6	error	3036.9	6.6	3061.3	5	8322.4
error	2901	6.2	3104.2	error	3057.8	error	3116.9	error	3126.3
5.1	3140.7	8.5	3013.2	2.3	8950.1	missing	missing	4.1	9051.4
error	9051.5	6.4	8805.6	5.6	8797.1	5.4	8058.3		
8.5	8430.5	7.2	8640.6	3.7	8258.9	4.1	8185.2		
7.6	8664.2	6.3	8207.2						
6.5	8363.8	5.8	7902.8						
6.5	8151.7	6.9	8158.4	6.4	7944.1				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13	
error		3056.2 error		3018.4 error		3123.9	4.5	8569.9	7.6	8857.1
	7.4	8650.4	7.6	8904.91	5.3	8044.2	5.3	6849.1	5.1	6434.5
	5.6	8354.8 need		to strip	4.1	8332.2	5.1	7539.4		

T 14	F14	T 15	F15	T 16	F16	T 17	F17	T 18	F18	
7.6	8216.1		6	7992.9	3.9	8427.9	4.9	7254.9	5.1	6810.9

T 19	F19	T 20	F20	T 21	F21
5.4	6934.6	5.8	7364	5.8	6939.5

Project: Mt. Polley Tailing Storage Facility			Project No : VM00560		Inspector: Braden Fontaine	
Date: Dec. 24/2012		Weather: Cloudy		Pond Elevation Level (m): 957.61m		

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.8	3122.7	Hz	26.9
A2	RTD	error	2827.1	Hz	
A3	THERM	8.7	8364.4	Hz ²	
A4	RTD	error	3105.4	Hz	
A5	THERM	8.6	2888.1	Hz ²	
A6	RTD	error	3036.6	Hz	
AX2 - 595656 5818395					
A7	RTD	6.7	3061.1	Hz	
A8	THERM	5.0	8324.2	Hz ²	
A9	RTD	error	3056.3	Hz	
A10	RTD	error	3018.4	Hz	
A11	RTD	error	3123.7	Hz	
A12	THERM	4.5	8572.0	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.6	8854.1	Hz ²	
A14	THERM	7.7	8212.8	Hz ²	
AX4 - 595571 5818493					
A15	THERM	5.5	7975.9	Hz ²	
AX5 - (VW11-05)					
A16	THERM	3.8	8427.4	Hz ²	
A17	THERM	4.8	7258.8	Hz	
A18	THERM	5.1	6815.6	Hz	
AX6 - (VW11-06)					
A19	THERM	5.4	6935.0	Hz	
A20	THERM	5.7	7375.5	Hz	
A21	THERM	5.8	6946.1	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.8	3140.2	Hz	
B2	RTD	error	2968.4	Hz	
BX2 - 595876 5818550					
B3	RTD	missing	missing	Hz	
B4	RTD	error	2900.8	Hz	
B5	RTD	6.2	3104.0	Hz	
B6	RTD	error	3.57.6	Hz	
B7	RTD	error	3117.1	Hz	
B8	RTD	error	3126.1	Hz	
BX3 - 595787 5818639					
B9	THERM	7.7	8900.9	Hz ²	
B10	THERM	7.6	8649.1	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	8043.0	Hz ²	
B12	THERM	5.3	6850.2	Hz ²	
B13	THERM	5.1	6436.6	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.1	error	Hz	
C2	RTD	9.1	3070.7	Hz	
C3	RTD	11.2	3096.4	Hz	
CX2 - 595543 5818297					
C4	RTD	5.2	3140.8	Hz	
C5	RTD	8.5	3013.1	Hz	
C6	THERM	2.3	8948.5	Hz ²	
C7	THERM	missing	missing	Hz ²	
C8	THERM	4.1	9051.2	Hz ²	
CX3 - 595453 5818433					
C9	THERM	8.1	8345.6	Hz ²	
C10	THERM	needs	stripping	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.2	8332.5	Hz ²	
C12	THERM	5.1	7540.3	Hz ²	
DX1 - 595347 5819823					
D1	RTD	10.2	3081.5	Hz	
D2	RTD	7.0	3124.0	Hz	
DX2 - 595299 5819752					
D3	THERM	-10.9	8196.4	Hz ²	
D4	THERM	error	7093.6	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.5	8809.1	Hz ²	
DX4 - (VW11-10)					
D6	THERM	5.6	8798.6	Hz ²	
D7	THERM	5.4	8058.2	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.8	9355.9	Hz ²	
EX2 - 595400 5818353					
E2	THERM	7.6	8726.0	Hz ²	
E3	THERM	7.3	8968.5	Hz ²	
EX3 - 595381 5818371					
E4	THERM	8.1	8409.1	Hz ²	
E5	THERM	7.3	8635.6	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.7	8257.0	Hz ²	
E7	THERM	4.1	8185.7	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.3	8155.3	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.8	8179.6	Hz ²	
F3	THERM	7.8	8169.8	Hz ²	
F4	THERM	7.7	8662.3	Hz ²	
FX3 - (VW11-01)					
F5	THERM	6.2	8203.4	Hz ²	
GX1 - 595026 5819898					
G1	THERM	8.7	8020.5	Hz ²	
G2	THERM	6.5	8291.8	Hz ²	
G3	THERM	6.3	8600.3	Hz ²	
GX2 - (VW11-11)					
G4	THERM	6.3	8357.6	Hz ²	
G5	THERM	5.8	7897.0	Hz ²	
HX1 - 595601 5819519					
H1	THERM	GONE		Hz ²	
H2	THERM	GONE		Hz ²	
IX1 - 594805 5818404					
I1	THERM	needs	stripping	Hz ²	
I2	THERM	7.0	8537.4	Hz ²	
I3	THERM	7.0	8756.4	Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.6	8106.8	Hz ²	
IX3 - (VW11-02)					
I5	THERM	6.8	8152.7	Hz ²	
I6	THERM	6.4	7937.8	Hz ²	
JX1 - (VW11-09)					
J1	THERM	no	access	Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	5158.9	Hz ²	
K2	THERM	5.3	6946.1	Hz ²	

COMMENTS:	B9, B10 - could be reversed H1 bank washed away
-----------	--

		Barometric	T 1	F1	T 2	F2	T 3	F3	T 4	F4	T 5	
Plane A	Dec. 24/2012	91.1	9.8	3122.7	error	2827.1	8.7	8364.4	error	3105.4	8.6	
Plane B			8.8	3140.2	error	2968.4	missing	missing	error	2900.8	6.2	
Plane C			10.1	error	9.1	3070.7	11.2	3096.4	5.2	3140.8	8.5	
Plane D			10.2	3081.5	7.0	3124.0	-10.9	8196.4	error	7093.6	6.5	
Plane E			4.8	9355.9	7.6	8726.0	7.3	8968.5	8.1	8409.1	7.3	
Plane F			7.3	8155.3	6.8	8179.6	7.8	8169.8	7.7	8662.3	6.2	
Plane G			8.7	8020.5	6.5	8291.8	6.3	8600.3	6.3	8357.6	5.8	
Plane H			GONE	0.0	GONE	0.0						
Plane I			needs	stripping	7.0	8537.4	7.0	8756.4	6.6	8106.8	6.8	
Plane J			no	access								
PlaneK			5.9	5158.9	5.3	6946.1						

F5	T 6	F6	T 7	F7	T 8	F8	T 9	F9	T 10	F10	T 11	F11	T 12	F12
2888.1	error	3036.6	6.7	3061.1	5.0	8324.2	error	3056.3	error	3018.4	error	3123.7	4.5	8572.0
3104.0	error	3.57.6	error	3117.1	error	3126.1	7.7	8900.9	7.6	8649.1	5.3	8043.0	5.3	6850.2
3013.1	2.3	8948.5	missing	missing	4.1	9051.2	8.1	8345.6	needs	stripping	4.2	8332.5	5.1	7540.3
8809.1	5.6	8798.6	5.4	8058.2										
8635.6	3.7	8257.0	4.1	8185.7										
8203.4														
7897.0														
8152.7	6.4	7937.8												

T 13	F13	T 14	F14	T 15	F15	T 16	F16	T 17	F17	T 18	F18	T 19	F19	T 20	F20
7.6	8854.1	7.7	8212.8	5.5	7975.9	3.8	8427.4	4.8	7258.8	5.1	6815.6	5.4	6935.0	5.7	7375.5
5.1	6436.6														

T 21	F21
5.8	6946.1

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: Braden Fontaine	
Date: 2012 01 22		Weather: Cloudy		Pond Elevation Level (m): 957.8	



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.7	3122.3	Hz	26.0
A2	RTD	error	2828.3	Hz	
A3	THERM	10.0	8358.7	Hz ²	
A4	RTD	error	3105.4	Hz	
A5	THERM	8.6	8336.9	Hz ²	
A6	RTD	error	3039.5	Hz	
AX2 - 595656 5818395					
A7	RTD	6.7	3064.0	Hz	
A8	THERM	5.0	8331.4	Hz ²	
A9	RTD	error	3057.8	Hz	
A10	RTD	error	3020.6	Hz	
A11	RTD	error	3126.1	Hz	
A12	THERM	4.5	8580.4	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.8	8889.6	Hz ²	
A14	THERM	7.1	8190.6	Hz ²	
AX4 - 595571 5818493					
A15	THERM	4.7	7973.7	Hz ²	
AX5 - (VW11-05)					
A16	THERM	3.8	8443.0	Hz ²	
A17	THERM	4.8	7271.0	Hz	
A18	THERM	5.1	6829.6	Hz	
AX6 - (VW11-06)					
A19	THERM	5.4	6961.6	Hz	
A20	THERM	5.7	7386.8	Hz	
A21	THERM	5.8	6957.2	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.6	3140.4	Hz	
B2	RTD	error	2968.3	Hz	
BX2 - 595876 5818550					
B3	RTD	missing		Hz	
B4	RTD	error	2901.7	Hz	
B5	RTD	6.2	3106.8	Hz	
B6	RTD	error	3060.5	Hz	
B7	RTD	error	3117.2	Hz	
B8	RTD	error	3128.5	Hz	
BX3 - 595787 5818639					
B9	THERM	7.8	8652.6	Hz ²	
B10	THERM	7.9	8935.8	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	8058.9	Hz ²	
B12	THERM	5.3	6858.7	Hz ²	
B13	THERM	5.1	6445.2	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.1	error	Hz	
C2	RTD	9.0	3070.6	Hz	
C3	RTD	11.2	3096.1	Hz	
CX2 - 595543 5818297					
C4	RTD	5.2	3141.2	Hz	
C5	RTD	8.5	3015.6	Hz	
C6	THERM	2.3	8965.0	Hz ²	
C7	THERM	missing		Hz ²	
C8	THERM	4.1	9059.7	Hz ²	
CX3 - 595453 5818433					
C9	THERM	6.8	8310.0	Hz ²	
C10	THERM	needs	stripping	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.2	8346.6	Hz ²	
C12	THERM	5.1	7555.8	Hz ²	
DX1 - 595347 5819823					
D1	RTD	8.1	bouncing around	Hz	
D2	RTD	6.7	3127.4	Hz	
DX2 - 595299 5819752					
D3	THERM	-10.5	8194.5	Hz ²	
D4	THERM	error	9082.8	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.5	8831.4	Hz ²	
DX4 - (VW11-10)					
D6	THERM	5.6	8828.4	Hz ²	
D7	THERM	5.3	8085.2	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.8	9365.5	Hz ²	
EX2 - 595400 5818353					
E2	THERM	7.7	8730.0	Hz ²	
E3	THERM	7.4	9001.9	Hz ²	
EX3 - 595381 5818371					
E4	THERM	7.1	8375.4	Hz ²	
E5	THERM	7.5	8620.9	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.6	8276.2	Hz ²	
E7	THERM	4.0	8205.1	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.4	8084.8	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.7	8183.3	Hz ²	
F3	THERM	7.8	8103.6	Hz ²	
F4	THERM	7.8	8686.7	Hz ²	
FX3 - (VW11-01)					
F5	THERM	6.0	8213.5	Hz ²	
GX1 - 595026 5819898					
G1	THERM	8.6	8073.4	Hz ²	
G2	THERM	6.6	8290.3	Hz ²	
G3	THERM	6.3	8633.9	Hz ²	
GX2 - (VW11-11)					
G4	THERM	6.0	8384.2	Hz ²	
G5	THERM	5.9	7924.1	Hz ²	
HX1 - 595601 5819519					
H1	THERM	gone		Hz ²	
H2	THERM	gone		Hz ²	
IX1 - 594805 5818404					
I1	THERM	needs	stripping	Hz ²	
I2	THERM	7.2	8394.9	Hz ²	
I3	THERM	7.1	8788.5	Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.7	8066.2	Hz ²	
IX3 - (VW11-02)					
I5	THERM	6.7	8159.8	Hz ²	
I6	THERM	6.5	7944.2	Hz ²	
JX1 - (VW11-09)					
J1	THERM	no	access	Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	5189.0	Hz ²	
K2	THERM	5.3	6954.8	Hz ²	

COMMENTS:

C7 is missing from bo and couldn't be found in snow

B9/B10 could be reversed, as the were extended but the labels are no longer visible

I1/C10 needs stripping

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: Braden Fontaine	
Date: 2012 02 04		Weather: sunny		Pond Elevation Level (m): 957.8	



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHg)
AX1 - 595674 5818388					
A1	RTD	9.7	3122.2	Hz	26.9
A2	RTD	error	2827.5	Hz	
A3	THERM	10.9	8327.1	Hz ²	
A4	RTD	error	3105.4	Hz	
A5	THERM	8.6	8314.7	Hz ²	
A6	RTD	error	3036.4	Hz	
AX2 - 595656 5818395					
A7	RTD	6.7	3060.9	Hz	
A8	THERM	5.0	8313.8	Hz ²	
A9	RTD	error	3055.8	Hz	
A10	RTD	error	3016.5	Hz	
A11	RTD	error	3123.6	Hz	
A12	THERM	4.5	8559.3	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.8	8853.4	Hz ²	
A14	THERM	7.7	8181.0	Hz ²	
AX4 - 595571 5818493					
A15	THERM	4.1	7929.0	Hz ²	
AX5 - (VW11-05)					
A16	THERM	3.8	8420.2	Hz ²	
A17	THERM	4.8	2692.1	Hz	
A18	THERM	5.1	2608.8	Hz	
AX6 - (VW11-06)					
A19	THERM	5.4	2632.0	Hz	
A20	THERM	5.7	2712.6	Hz	
A21	THERM	5.8	6932.0	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.2	3140.4	Hz	
B2	RTD	error	2968.2	Hz	
BX2 - 595876 5818550					
B3	RTD	missing		Hz	
B4	RTD	error	2898.8	Hz	
B5	RTD	6.2	3103.9	Hz	
B6	RTD	error	3057.7	Hz	
B7	RTD	error	3116.8	Hz	
B8	RTD	error	3126.0	Hz	
BX3 - 595787 5818639					
B9	THERM	7.8	8650.1	Hz ²	
B10	THERM	8.0	8900.1	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	8039.1	Hz ²	
B12	THERM	5.3	6839.3	Hz ²	
B13	THERM	5.1	6426.4	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.2	error	Hz	
C2	RTD	9.1	3070.5	Hz	
C3	RTD	11.2	3096.1	Hz	
CX2 - 595543 5818297					
C4	RTD	5.2	3141.1	Hz	
C5	RTD	8.5	3012.6	Hz	
C6	THERM	2.3	8947.5	Hz ²	
C7	THERM	missing		Hz ²	
C8	THERM	4.1	9046.4	Hz ²	
CX3 - 595453 5818433					
C9	THERM	6.3	8272.0	Hz ²	
C10	THERM	7.8	8536.2	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHg)
CX4 - (VW11-04)					
C11	THERM	4.2	8326.7	Hz ²	
C12	THERM	5.0	7532.8	Hz ²	
DX1 - 595347 5819823					
D1	RTD	10.1	3081.6	Hz	
D2	RTD	6.4	3124.0	Hz	
DX2 - 595299 5819752					
D3	THERM	-10.5	8194.1	Hz ²	
D4	THERM	error	9047.0	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.5	8815.2	Hz ²	
DX4 - (VW11-10)					
D6	THERM	5.6	8805.3	Hz ²	
D7	THERM	5.3	8062.4	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.8	9353.5	Hz ²	
EX2 - 595400 5818353					
E2	THERM	7.7	8712.0	Hz ²	
E3	THERM	7.5	8967.0	Hz ²	
EX3 - 595381 5818371					
E4	THERM	6.7	8342.8	Hz ²	
E5	THERM	7.6	8612.2	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.6	8252.3	Hz ²	
E7	THERM	4.0	8186.5	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.4	8048.5	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.7	8163.4	Hz ²	
F3	THERM	7.9	8079.4	Hz ²	
F4	THERM	7.8	8660.0	Hz ²	
FX3 - (VW11-01)					
F5	THERM	5.9	8190.8	Hz ²	
GX1 - 595026 5819898					
G1	THERM	8.4	8053.0	Hz ²	
G2	THERM	6.7	8290.6	Hz ²	
G3	THERM	6.3	8634.7	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.8	8354.3	Hz ²	
G5	THERM	5.9	7898.5	Hz ²	
HX1 - 595601 5819519					
H1	THERM			Hz ²	
H2	THERM			Hz ²	
IX1 - 594805 5818404					
I1	THERM	-14.1	error	Hz ²	
I2	THERM	7.2	8384.7	Hz ²	
I3	THERM	7.2	8755.1	Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.7	8031.8	Hz ²	
IX3 - (VW11-02)					
I5	THERM	6.5	8140.6	Hz ²	
I6	THERM	6.4	7924.1	Hz ²	
JX1 - (VW11-09)					
J1	THERM			Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	5188.8	Hz ²	
K2	THERM	5.3	6947.6	Hz ²	

COMMENTS:

		Barometric	T 1	F1	T 2	F2	T 3	F3
Plane A	2012 02 04	91.1	9.7	3122.2	error	2827.5	10.9	8327.1
Plane B			8.2	3140.4	error	2968.2	missing	0.0
Plane C			10.2	error	9.1	3070.5	11.2	3096.1
Plane D			10.1	3081.6	6.4	3124.0	-10.5	8194.1
Plane E			4.8	9353.5	7.7	8712.0	7.5	8967.0
Plane F			7.4	8048.5	6.7	8163.4	7.9	8079.4
Plane G			8.4	8053.0	6.7	8290.6	6.3	8634.7
Plane H			0.0	0.0	0.0	0.0		
Plane I			-14.1	error	7.2	8384.7	7.2	8755.1
Plane J			0.0	0.0				
PlaneK			5.9	5188.8	5.3	6947.6		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
error	3105.4	8.6	8314.7	error	3036.4	6.7	3060.9	5.0	8313.8
error	2898.8	6.2	3103.9	error	3057.7	error	3116.8	error	3126.0
5.2	3141.1	8.5	3012.6	2.3	8947.5	missing	0.0	4.1	9046.4
error	9047.0	6.5	8815.2	5.6	8805.3	5.3	8062.4		
6.7	8342.8	7.6	8612.2	3.6	8252.3	4.0	8186.5		
7.8	8660.0	5.9	8190.8						
5.8	8354.3	5.9	7898.5						
6.7	8031.8	6.5	8140.6	6.4	7924.1				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
error	3055.8	error	3016.5	error	3123.6	4.5	8559.3	7.8	8853.4
7.8	8650.1	8.0	8900.1	5.3	8039.1	5.3	6839.3	5.1	6426.4
6.3	8272.0	7.8	8536.2	4.2	8326.7	5.0	7532.8		

T 14 7.7	F14 8181.0	T 15 4.1	F15 7929.0	T 16 3.8	F16 8420.2	T 17 4.8	F17 2692.1	T 18 5.1	F18 2608.8
-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.4	F19 2632.0	T 20 5.7	F20 2712.6	T 21 5.8	F21 6932.0
-------------	---------------	-------------	---------------	-------------	---------------

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: Braden Fontaine	
Date: 2012 02 18		Weather: sunny		Pond Elevation Level (m): 957.6	



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD			Hz	
A2	RTD			Hz	
A3	THERM			Hz ²	
A4	RTD			Hz	
A5	THERM			Hz ²	
A6	RTD			Hz	
AX2 - 595656 5818395					
A7	RTD			Hz	
A8	THERM			Hz ²	
A9	RTD			Hz	
A10	RTD			Hz	
A11	RTD			Hz	
A12	THERM			Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.9	8871.5	Hz ²	26.5
A14	THERM	7.6	8171.3	Hz ²	26.5
AX4 - 595571 5818493					
A15	THERM	4.2	7940.3	Hz ²	26.5
AX5 - (VW11-05)					
A16	THERM			Hz ²	
A17	THERM			Hz	
A18	THERM			Hz	
AX6 - (VW11-06)					
A19	THERM			Hz	
A20	THERM			Hz	
A21	THERM			Hz ²	
BX1 - 595867 5818539					
B1	RTD			Hz	
B2	RTD			Hz	
BX2 - 595876 5818550					
B3	RTD			Hz	
B4	RTD			Hz	
B5	RTD			Hz	
B6	RTD			Hz	
B7	RTD			Hz	
B8	RTD			Hz	
BX3 - 595787 5818639					
B9	THERM	7.8	8650.1	Hz ²	26.5
B10	THERM	8.0	8917.7	Hz ²	26.5
BX4 - (VW11-07)					
B11	THERM			Hz ²	
B12	THERM			Hz ²	
B13	THERM			Hz ²	
CX1 - 595540 5818293					
C1	RTD			Hz	
C2	RTD			Hz	
C3	RTD			Hz	
CX2 - 595543 5818297					
C4	RTD			Hz	
C5	RTD			Hz	
C6	THERM			Hz ²	
C7	THERM			Hz ²	
C8	THERM			Hz ²	
CX3 - 595453 5818433					
C9	THERM			Hz ²	
C10	THERM			Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.3	8337.1	Hz ²	26.5
C12	THERM	5.0	7545.1	Hz ²	26.5
DX1 - 595347 5819823					
D1	RTD			Hz	
D2	RTD			Hz	
DX2 - 595299 5819752					
D3	THERM	-10.2	8193.5	Hz ²	26.5
D4	THERM	error	9064.8	Hz ²	26.5
DX3 - 595286 5819722					
D5	THERM	6.4	8831.1	Hz ²	26.5
DX4 - (VW11-10)					
D6	THERM			Hz ²	
D7	THERM			Hz ²	
EX1 - 595465 5818247					
E1	THERM			Hz ²	
EX2 - 595400 5818353					
E2	THERM	7.6	8716.7	Hz ²	26.5
E3	THERM	7.6	8984.4	Hz ²	26.5
EX3 - 595381 5818371					
E4	THERM	6.4	8347.0	Hz ²	26.5
E5	THERM	7.6	8605.3	Hz ²	26.5
EX4 - (VW11-03)					
E6	THERM	3.6	8264.5	Hz ²	26.5
E7	THERM	4.0	8197.0	Hz ²	26.5
FX1 - 594489 5818561					
F1	THERM	7.4	8024.0	Hz ²	26.5
FX2 - 594466 5818539					
F2	THERM	6.7	8154.2	Hz ²	26.5
F3	THERM	7.9	8053.7	Hz ²	26.5
F4	THERM	7.8	8673.0	Hz ²	26.5
FX3 - (VW11-01)					
F5	THERM	No Access	No Access	Hz ²	26.5
GX1 - 595026 5819898					
G1	THERM	8.3	8068.5	Hz ²	26.5
G2	THERM	6.7	8290.9	Hz ²	26.5
G3	THERM	6.4	8636.5	Hz ²	26.5
GX2 - (VW11-11)					
G4	THERM	5.7	8358.6	Hz ²	26.5
G5	THERM	5.9	7902.0	Hz ²	26.5
HX1 - 595601 5819519					
H1	THERM			Hz ²	
H2	THERM			Hz ²	
IX1 - 594805 5818404					
I1	THERM	-8.1	error	Hz ²	26.5
I2	THERM	7.2	8359.0	Hz ²	26.5
I3	THERM	7.2	8768.8	Hz ²	26.5
IX2 - 594811 5818431					
I4	THERM	6.7	8014.7	Hz ²	26.5
IX3 - (VW11-02)					
I5	THERM			Hz ²	
I6	THERM			Hz ²	
JX1 - (VW11-09)					
J1	THERM			Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	5189.2	Hz ²	26.5
K2	THERM	5.3	6948.9	Hz ²	26.5

COMMENTS:

	2012 02 18	Barometric 89.7	T 1	F1	T 2	F2	T 3	F3
Plane A			0.0	0.0	0.0	0.0	0.0	0.0
Plane B			0.0	0.0	0.0	0.0	0.0	0.0
Plane C			0.0	0.0	0.0	0.0	0.0	0.0
Plane D			0.0	0.0	0.0	0.0	-10.2	8193.5
Plane E			0.0	0.0	7.6	8716.7	7.6	8984.4
Plane F			7.4	8024.0	6.7	8154.2	7.9	8053.7
Plane G			8.3	8068.5	6.7	8290.9	6.4	8636.5
Plane H			0.0	0.0	0.0	0.0		
Plane I			-8.1	error	7.2	8359.0	7.2	8768.8
Plane J			0.0	0.0				
PlaneK			5.9	5189.2	5.3	6948.9		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
error	9064.8	6.4	8831.1	0.0	0.0	0.0	0.0		
6.4	8347.0	7.6	8605.3	3.6	8264.5	4.0	8197.0		
7.8	8673.0	No Access	No Access						
5.7	8358.6	5.9	7902.0						
6.7	8014.7	0.0	0.0	0.0	0.0				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	8871.5
7.8	8650.1	8.0	8917.7	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	4.3	8337.1	5.0	7545.1		

T 14 7.6	F14 8171.3	T 15 4.2	F15 7940.3	T 16 0.0	F16 0.0	T 17 0.0	F17 0.0	T 18 0.0	F18 0.0
-------------	---------------	-------------	---------------	-------------	------------	-------------	------------	-------------	------------

T 19 0.0	F19 0.0	T 20 0.0	F20 0.0	T 21 0.0	F21 0.0
-------------	------------	-------------	------------	-------------	------------

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: Braden Fontaine	
Date: 2012 02 30		Weather: sunny		Pond Elevation Level (m): 957.8	



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD			Hz	
A2	RTD			Hz	
A3	THERM			Hz ²	
A4	RTD			Hz	
A5	THERM			Hz ²	
A6	RTD			Hz	
AX2 - 595656 5818395					
A7	RTD			Hz	
A8	THERM			Hz ²	
A9	RTD			Hz	
A10	RTD			Hz	
A11	RTD			Hz	
A12	THERM			Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.9	8870.2	Hz ²	
A14	THERM	7.6	8170.2	Hz ²	
AX4 - 595571 5818493					
A15	THERM	3.7	7929.8	Hz ²	
AX5 - (VW11-05)					
A16	THERM			Hz ²	
A17	THERM			Hz	
A18	THERM			Hz	
AX6 - (VW11-06)					
A19	THERM			Hz	
A20	THERM			Hz	
A21	THERM			Hz ²	
BX1 - 595867 5818539					
B1	RTD			Hz	
B2	RTD			Hz	
BX2 - 595876 5818550					
B3	RTD			Hz	
B4	RTD			Hz	
B5	RTD			Hz	
B6	RTD			Hz	
B7	RTD			Hz	
B8	RTD			Hz	
BX3 - 595787 5818639					
B9	THERM	7.8	8650.6	Hz ²	
B10	THERM	8.1	8916.1	Hz ²	
BX4 - (VW11-07)					
B11	THERM			Hz ²	
B12	THERM			Hz ²	
B13	THERM			Hz ²	
CX1 - 595540 5818293					
C1	RTD			Hz	
C2	RTD			Hz	
C3	RTD			Hz	
CX2 - 595543 5818297					
C4	RTD			Hz	
C5	RTD			Hz	
C6	THERM			Hz ²	
C7	THERM			Hz ²	
C8	THERM			Hz ²	
CX3 - 595453 5818433					
C9	THERM			Hz ²	
C10	THERM			Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM			Hz ²	
C12	THERM			Hz ²	
DX1 - 595347 5819823					
D1	RTD			Hz	
D2	RTD			Hz	
DX2 - 595299 5819752					
D3	THERM	-10.4	8193.6	Hz ²	
D4	THERM	1.1	9062.4	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.2	8828.3	Hz ²	
DX4 - (VW11-10)					
D6	THERM			Hz ²	
D7	THERM			Hz ²	
EX1 - 595465 5818247					
E1	THERM			Hz ²	
EX2 - 595400 5818353					
E2	THERM	7.6	8716.9	Hz ²	
E3	THERM	7.6	8983.1	Hz ²	
EX3 - 595381 5818371					
E4	THERM	6.1	8342.1	Hz ²	
E5	THERM	7.6	8599.5	Hz ²	
EX4 - (VW11-03)					
E6	THERM			Hz ²	
E7	THERM			Hz ²	
FX1 - 594489 5818561					
F1	THERM			Hz ²	
FX2 - 594466 5818539					
F2	THERM			Hz ²	
F3	THERM			Hz ²	
F4	THERM			Hz ²	
FX3 - (VW11-01)					
F5	THERM			Hz ²	
GX1 - 595026 5819898					
G1	THERM	8.2	8067.4	Hz ²	
G2	THERM	6.7	8292.1	Hz ²	
G3	THERM	6.4	8641.3	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.6	8366.5	Hz ²	
G5	THERM	5.8	7907.5	Hz ²	
HX1 - 595601 5819519					
H1	THERM			Hz ²	
H2	THERM			Hz ²	
IX1 - 594805 5818404					
I1	THERM	-13.5	error	Hz ²	
I2	THERM	7.2	8359.2	Hz ²	
I3	THERM	7.2	8765.9	Hz ²	
IX2 - 594811 5818431					
I4	THERM			Hz ²	
IX3 - (VW11-02)					
I5	THERM			Hz ²	
I6	THERM			Hz ²	
JX1 - (VW11-09)					
J1	THERM			Hz ²	
KX2 - (VW11-08)					
K1	THERM			Hz ²	
K2	THERM			Hz ²	

COMMENTS:

	2012 02 30	Barometric #DIV/0!	T 1	F1	T 2	F2	T 3	F3
Plane A			0.0	0.0	0.0	0.0	0.0	0.0
Plane B			0.0	0.0	0.0	0.0	0.0	0.0
Plane C			0.0	0.0	0.0	0.0	0.0	0.0
Plane D			0.0	0.0	0.0	0.0	-10.4	8193.6
Plane E			0.0	0.0	7.6	8716.9	7.6	8983.1
Plane F			0.0	0.0	0.0	0.0	0.0	0.0
Plane G			8.2	8067.4	6.7	8292.1	6.4	8641.3
Plane H			0.0	0.0	0.0	0.0		
Plane I			-13.5	error	7.2	8359.2	7.2	8765.9
Plane J			0.0	0.0				
PlaneK			0.0	0.0	0.0	0.0		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.1	9062.4	6.2	8828.3	0.0	0.0	0.0	0.0		
6.1	8342.1	7.6	8599.5	0.0	0.0	0.0	0.0		
0.0	0.0	0.0	0.0						
5.6	8366.5	5.8	7907.5						
0.0	0.0	0.0	0.0	0.0	0.0				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.9	8870.2
7.8	8650.6	8.1	8916.1	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		

T 14 7.6	F14 8170.2	T 15 3.7	F15 7929.8	T 16 0.0	F16 0.0	T 17 0.0	F17 0.0	T 18 0.0	F18 0.0
-------------	---------------	-------------	---------------	-------------	------------	-------------	------------	-------------	------------

T 19 0.0	F19 0.0	T 20 0.0	F20 0.0	T 21 0.0	F21 0.0
-------------	------------	-------------	------------	-------------	------------

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: Braden Fontaine	
Date: 17-Mar-12		Weather: Cloudy		Pond Elevation Level (m): 958.06 March 1st	



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.8	3122.1	Hz	26.6
A2	RTD	error	2829.4	Hz	
A3	THERM	8.7	8346.9	Hz ²	
A4	RTD	error	3105.4	Hz	
A5	THERM	8.6	8239.7	Hz ²	
A6	RTD	error	3038.7	Hz	
AX2 - 595656 5818395					
A7	RTD	5.4	3063.3	Hz	
A8	THERM	5.0	2885.6	Hz ²	
A9	RTD	error	3057.5	Hz	
A10	RTD	error	3019.8	Hz	
A11	RTD	error	3125.6	Hz	
A12	THERM			Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.9	8884.4	Hz ²	
A14	THERM	7.5	8181.0	Hz ²	
AX4 - 595571 5818493					
A15	THERM	3.5	7947.2	Hz ²	
AX5 - (VW11-05)					
A16	THERM	buried in	snow/cant find	Hz ²	
A17	THERM			Hz	
A18	THERM			Hz	
AX6 - (VW11-06)					
A19	THERM	5.3	2631.7	Hz	
A20	THERM	5.7	2716.4	Hz	
A21	THERM	5.8	6951.3	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.3	3140.6	Hz	
B2	RTD	error	2968.1	Hz	
BX2 - 595876 5818550					
B3	RTD			Hz	
B4	RTD	error	2901.3	Hz	
B5	RTD	6.2	3106.2	Hz	
B6	RTD	error	3060.3	Hz	
B7	RTD	error	3117.4	Hz	
B8	RTD	error	3128.0	Hz	
BX3 - 595787 5818639					
B9	THERM	7.8	8653.9	Hz ²	
B10	THERM	8.1	8930.0	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	2837.8	Hz ²	
B12	THERM	5.3	2618.1	Hz ²	
B13	THERM	5.1	2538.3	Hz ²	
CX1 - 595540 5818293					
C1	RTD	9.9	error	Hz	
C2	RTD	9.1	3070.3	Hz	
C3	RTD	11.2	3095.8	Hz	
CX2 - 595543 5818297					
C4	RTD	5.1	3141.3	Hz	
C5	RTD	8.5	3015.0	Hz	
C6	THERM	2.2	8961.1	Hz ²	
C7	THERM	missing		Hz ²	
C8	THERM	4.0	9055.0	Hz ²	
CX3 - 595453 5818433					
C9	THERM	5.1	8280.1	Hz ²	
C10	THERM	7.5	8555.1	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.3	8334.9	Hz ²	
C12	THERM	5.0	7547.4	Hz ²	
DX1 - 595347 5819823					
D1	RTD	11.0	3082.0	Hz	
D2	RTD	5.8	3126.7	Hz	
DX2 - 595299 5819752					
D3	THERM	-10.1	8193.6	Hz ²	
D4	THERM	error	9074.1	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.2	8834.7	Hz ²	
DX4 - (VW11-10)					
D6	THERM	5.6	8830.3	Hz ²	
D7	THERM	5.3	8086.6	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.8	9361.9	Hz ²	
EX2 - 595400 5818353					
E2	THERM	7.5	8732.7	Hz ²	
E3	THERM	7.6	8996.5	Hz ²	
EX3 - 595381 5818371					
E4	THERM	5.9	8369.7	Hz ²	
E5	THERM	7.6	8597.5	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.6	8268.0	Hz ²	
E7	THERM	4.0	8201.5	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.3	8070.4	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.7	8173.7	Hz ²	
F3	THERM	7.8	8089.5	Hz ²	
F4	THERM	7.9	8689.3	Hz ²	
FX3 - (VW11-01)					
F5	THERM	5.5	8196.8	Hz ²	
GX1 - 595026 5819898					
G1	THERM	8.2	8064.9	Hz ²	
G2	THERM	6.7	8293.2	Hz ²	
G3	THERM	6.4	8630.2	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.5	8377.7	Hz ²	
G5	THERM	5.8	7917.7	Hz ²	
HX1 - 595601 5819519					
H1	THERM	gone		Hz ²	
H2	THERM			Hz ²	
IX1 - 594805 5818404					
I1	THERM	-12.6	error	Hz ²	
I2	THERM	7.2	8408.2	Hz ²	
I3	THERM	7.3	8783.9	Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.5	8109.2	Hz ²	
IX3 - (VW11-02)					
I5	THERM	6.2	8151.8	Hz ²	
I6	THERM	6.4	7935.2	Hz ²	
JX1 - (VW11-09)					
J1	THERM	no access		Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	8192.1	Hz ²	
K2	THERM	5.3	6455.5	Hz ²	

COMMENTS: AX6 casing is broke - needs replacing

			T 1	F1	T 2	F2	T 3	F3
Plane A	17-Mar-12	Barometric 90.1	9.8	3122.1	error	2829.4	8.7	8346.9
Plane B			8.3	3140.6	error	2968.1	0.0	0.0
Plane C			9.9	error	9.1	3070.3	11.2	3095.8
Plane D			11.0	3082.0	5.8	3126.7	-10.1	8193.6
Plane E			4.8	9361.9	7.5	8732.7	7.6	8996.5
Plane F			7.3	8070.4	6.7	8173.7	7.8	8089.5
Plane G			8.2	8064.9	6.7	8293.2	6.4	8630.2
Plane H			gone	0.0	0.0	0.0		
Plane I			-12.6	error	7.2	8408.2	7.3	8783.9
Plane J			no access	0.0				
PlaneK			5.9	8192.1	5.3	6455.5		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
error	3105.4	8.6	8239.7	error	3038.7	5.4	3063.3	5.0	2885.6
error	2901.3	6.2	3106.2	error	3060.3	error	3117.4	error	3128.0
5.1	3141.3	8.5	3015.0	2.2	8961.1	missing	0.0	4.0	9055.0
error	9074.1	6.2	8834.7	5.6	8830.3	5.3	8086.6		
5.9	8369.7	7.6	8597.5	3.6	8268.0	4.0	8201.5		
7.9	8689.3	5.5	8196.8						
5.5	8377.7	5.8	7917.7						
6.5	8109.2	6.2	8151.8	6.4	7935.2				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
error	3057.5	error	3019.8	error	3125.6	0.0	0.0	7.9	8884.4
7.8	8653.9	8.1	8930.0	5.3	2837.8	5.3	2618.1	5.1	2538.3
5.1	8280.1	7.5	8555.1	4.3	8334.9	5.0	7547.4		

T 14 7.5	F14 8181.0	T 15 3.5	F15 7947.2	T 16 buried in	F16 now/cant fir	T 17 0.0	F17 0.0	T 18 0.0	F18 0.0
-------------	---------------	-------------	---------------	-------------------	---------------------	-------------	------------	-------------	------------

T 19 5.3	F19 2631.7	T 20 5.7	F20 2716.4	T 21 5.8	F21 6951.3
-------------	---------------	-------------	---------------	-------------	---------------

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: Braden Fontaine	
Date: March 29,2012		Weather: sunny		Pond Elevation Level (m): 958.2	



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.7	3122.1	Hz	26.2
A2	RTD	error	2830.1	Hz	
A3	THERM	8.8	8349.0	Hz ²	
A4	RTD	error	3105.4	Hz	
A5	THERM	8.7	8330.8	Hz ²	
A6	RTD	error	3039.4	Hz	
AX2 - 595656 5818395					
A7	RTD	6.5	3063.9	Hz	
A8	THERM	5.0	8326.3	Hz ²	
A9	RTD	error	3057.7	Hz	
A10	RTD	error	3018.7	Hz	
A11	RTD	error	3125.8	Hz	
A12	THERM	4.5	8574.1	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.9	8884.9	Hz ²	
A14	THERM	7.5	8177.6	Hz ²	
AX4 - 595571 5818493					
A15	THERM	3.3	7949.8	Hz ²	
AX5 - (VW11-05)					
A16	THERM	3.8	5433.2	Hz ²	
A17	THERM	4.7	2695.2	Hz	
A18	THERM	5.1	2612.6	Hz	
AX6 - (VW11-06)					
A19	THERM	5.3	2631.5	Hz	
A20	THERM	5.7	2716.0	Hz	
A21	THERM	5.7	6953.1	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.5	3140.8	Hz	
B2	RTD	error	2968.0	Hz	
BX2 - 595876 5818550					
B3	RTD	missing		Hz	
B4	RTD	error	2902.7	Hz	
B5	RTD	6.2	3106.9	Hz	
B6	RTD	error	3060.3	Hz	
B7	RTD	error	3117.4	Hz	
B8	RTD	error	3128.5	Hz	
BX3 - 595787 5818639					
B9	THERM	7.7	8652.8	Hz ²	
B10	THERM	8.2	8930.4	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	8057.6	Hz ²	
B12	THERM	5.2	6862.7	Hz ²	
B13	THERM	5.1	6450.9	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.5	error	Hz	
C2	RTD	9.0	3070.3	Hz	
C3	RTD	11.2	3095.8	Hz	
CX2 - 595543 5818297					
C4	RTD	5.1	3141.3	Hz	
C5	RTD	8.4	3014.8	Hz	
C6	THERM	2.4	8965.3	Hz ²	
C7	THERM	missing		Hz ²	
C8	THERM	4.0	9056.1	Hz ²	
CX3 - 595453 5818433					
C9	THERM	4.8	8280.8	Hz ²	
C10	THERM	7.5	8552.8	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.3	8341.1	Hz ²	
C12	THERM	5.0	7549.6	Hz ²	
DX1 - 595347 5819823					
D1	RTD	11.2	3082.1	Hz	
D2	RTD	5.7	3122.1	Hz	
DX2 - 595299 5819752					
D3	THERM	-10.7	8193.6	Hz ²	
D4	THERM	error	9078.2	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.1	8838.6	Hz ²	
DX4 - (VW11-10)					
D6	THERM	5.5	8826.5	Hz ²	
D7	THERM	5.3	8083.3	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.8	9361.0	Hz ²	
EX2 - 595400 5818353					
E2	THERM	7.5	8731.3	Hz ²	
E3	THERM	7.6	8991.5	Hz ²	
EX3 - 595381 5818371					
E4	THERM	4.9	8377.6	Hz ²	
E5	THERM	7.6	8594.1	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.6	8266.9	Hz ²	
E7	THERM	3.9	8200.4	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.2	8109.2	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.7	8164.7	Hz ²	
F3	THERM	7.8	8111.3	Hz ²	
F4	THERM	7.9	8682.9	Hz ²	
FX3 - (VW11-01)					
F5	THERM	5.3	8199.6	Hz ²	
GX1 - 595026 5819898					
G1	THERM	8.2	8043.0	Hz ²	
G2	THERM	6.7	8296.6	Hz ²	
G3	THERM	6.5	8604.3	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.4	8371.2	Hz ²	
G5	THERM	5.8	7911.9	Hz ²	
HX1 - 595601 5819519					
H1	THERM	missing		Hz ²	
H2	THERM			Hz ²	
IX1 - 594805 5818404					
I1	THERM	-13.9	error	Hz ²	
I2	THERM	7.2	8444.1	Hz ²	
I3	THERM	7.3	8778.9	Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.4	8126.6	Hz ²	
IX3 - (VW11-02)					
I5	THERM	6.1	8151.8	Hz ²	
I6	THERM	6.3	7935.7	Hz ²	
JX1 - (VW11-09)					
J1	THERM	no access		Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	5196.7	Hz ²	
K2	THERM	5.3	6955.8	Hz ²	

COMMENTS:

Project: Mt. Polley Tailing Storage Facility			Project No : VM00560		Inspector: Braden Fontaine	
Date: April 14/2012		Weather: Sunny		Pond Elevation Level (m): Apr 1st 958.22		



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHg)
AX1 - 595674 5818388					
A1	RTD	9.8	3122.2	Hz	26.7
A2	RTD	error	2830.1	Hz	
A3	THERM	9.1	8323.3	Hz ²	
A4	RTD	error	3105.5	Hz	
A5	THERM	8.7	8315.0	Hz ²	
A6	RTD	error	3036.9	Hz	
AX2 - 595656 5818395					
A7	RTD	9.9	3061.3	Hz	
A8	THERM	5.0	8324.4	Hz ²	
A9	RTD	error	3056.1	Hz	
A10	RTD	error	3019.8	Hz	
A11	RTD	error	3123.9	Hz	
A12	THERM	4.5	8572.8	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.9	8863.6	Hz ²	
A14	THERM	7.4	8185.6	Hz ²	
AX4 - 595571 5818493					
A15	THERM	3.2	7944.3	Hz ²	
AX5 - (VW11-05)					
A16	THERM	3.8	8417.5	Hz ²	
A17	THERM	5.1	2610.4	Hz	
A18	THERM	4.7	2693.2	Hz	
AX6 - (VW11-06)					
A19	THERM	5.3	2627.0	Hz	
A20	THERM	5.7	2716.0	Hz	
A21	THERM	5.8	6947.8	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.9	3140.5	Hz	
B2	RTD	error	2968.0	Hz	
BX2 - 595876 5818550					
B3	RTD	missing		Hz	
B4	RTD	error	2900.8	Hz	
B5	RTD	6.3	3104.5	Hz	
B6	RTD	error	3057.7	Hz	
B7	RTD	error	3115.0	Hz	
B8	RTD	error	3126.4	Hz	
BX3 - 595787 5818639					
B9	THERM	7.7	8651.2	Hz ²	
B10	THERM	8.1	8909.3	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	8040.3	Hz ²	
B12	THERM	5.3	6052.2	Hz ²	
B13	THERM	5.1	6442.0	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.8	error	Hz	
C2	RTD	9.1	3070.2	Hz	
C3	RTD	11.3	3095.8	Hz	
CX2 - 595543 5818297					
C4	RTD	5.2	3141.2	Hz	
C5	RTD	8.4	3013.1	Hz	
C6	THERM	2.3	8951.0	Hz ²	
C7	THERM	3.0	9373.3	Hz ²	
C8	THERM	4.0	9045.5	Hz ²	
CX3 - 595453 5818433					
C9	THERM	4.5	8298.0	Hz ²	
C10	THERM	7.1	8533.0	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHg)
CX4 - (VW11-04)					
C11	THERM	4.3	8323.5	Hz ²	
C12	THERM	5.0	7530.5	Hz ²	
DX1 - 595347 5819823					
D1	RTD	11.5	3082.4	Hz	
D2	RTD	5.4	3114.7	Hz	
DX2 - 595299 5819752					
D3	THERM	-10.5	8194.5	Hz ²	
D4	THERM	error	9056.6	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.0	8831.4	Hz ²	
DX4 - (VW11-10)					
D6	THERM	5.5	8800.0	Hz ²	
D7	THERM	5.3	8057.4	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9350.4	Hz ²	
EX2 - 595400 5818353					
E2	THERM	7.4	8740.4	Hz ²	
E3	THERM	7.6	8976.5	Hz ²	
EX3 - 595381 5818371					
E4	THERM	5.5	8438.7	Hz ²	
E5	THERM	7.5	8589.6	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.6	8243.9	Hz ²	
E7	THERM	4.0	8180.4	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.2	8118.0	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.7	8164.4	Hz ²	
F3	THERM	7.7	8139.1	Hz ²	
F4	THERM	8.0	8667.6	Hz ²	
FX3 - (VW11-01)					
F5	THERM	5.2	8186.4	Hz ²	
GX1 - 595026 5819898					
G1	THERM	7.8	8011.2	Hz ²	
G2	THERM	6.7	8293.3	Hz ²	
G3	THERM	6.5	8572.6	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.2	8350.9	Hz ²	
G5	THERM	5.8	7888.6	Hz ²	
HX1 - 595601 5819519					
H1	THERM	missing		Hz ²	
H2	THERM	missing		Hz ²	
IX1 - 594805 5818404					
I1	THERM	-10.4	error	Hz ²	
I2	THERM	7.1	8529.3	Hz ²	
I3	THERM	7.3	8764.2	Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.3	8216.6	Hz ²	
IX3 - (VW11-02)					
I5	THERM	5.9	8141.2	Hz ²	
I6	THERM	6.2	7924.7	Hz ²	
JX1 - (VW11-09)					
J1	THERM	5.9	8304.6	Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	5196.8	Hz ²	
K2	THERM	5.3	6950.7	Hz ²	

COMMENTS:

		Barometric	T 1	F1	T 2	F2	T 3	F3
Plane A	April 14/2012	90.4	9.8	3122.2	error	2830.1	9.1	8323.3
Plane B			8.9	3140.5	error	2968.0	missing	0.0
Plane C			10.8	error	9.1	3070.2	11.3	3095.8
Plane D			11.5	3082.4	5.4	3114.7	-10.5	8194.5
Plane E			4.7	9350.4	7.4	8740.4	7.6	8976.5
Plane F			7.2	8118.0	6.7	8164.4	7.7	8139.1
Plane G			7.8	8011.2	6.7	8293.3	6.5	8572.6
Plane H			missing	0.0	missing	0.0		
Plane I			-10.4	error	7.1	8529.3	7.3	8764.2
Plane J			5.9	8304.6				
PlaneK			5.9	5196.8	5.3	6950.7		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
error	3105.5	8.7	8315.0	error	3036.9	9.9	3061.3	5.0	8324.4
error	2900.8	6.3	3104.5	error	3057.7	error	3115.0	error	3126.4
5.2	3141.2	8.4	3013.1	2.3	8951.0	3.0	9373.3	4.0	9045.5
error	9056.6	6.0	8831.4	5.5	8800.0	5.3	8057.4		
5.5	8438.7	7.5	8589.6	3.6	8243.9	4.0	8180.4		
8.0	8667.6	5.2	8186.4						
5.2	8350.9	5.8	7888.6						
6.3	8216.6	5.9	8141.2	6.2	7924.7				

T 9 error 7.7 4.5	F9 3056.1 8651.2 8298.0	T 10 error 8.1 7.1	F10 3019.8 8909.3 8533.0	T 11 error 5.3 4.3	F11 3123.9 8040.3 8323.5	T 12 4.5 5.3 5.0	F12 8572.8 6052.2 7530.5	T 13 7.9 5.1	F13 8863.6 6442.0
----------------------------	----------------------------------	-----------------------------	-----------------------------------	-----------------------------	-----------------------------------	---------------------------	-----------------------------------	--------------------	-------------------------

T 14 7.4	F14 8185.6	T 15 3.2	F15 7944.3	T 16 3.8	F16 8417.5	T 17 5.1	F17 2610.4	T 18 4.7	F18 2693.2
-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.3	F19 2627.0	T 20 5.7	F20 2716.0	T 21 5.8	F21 6947.8
-------------	---------------	-------------	---------------	-------------	---------------

Project: Mt. Polley Tailing Storage Facility			Project No : VM00560		Inspector: Braden Fontaine	
Date: 20-Sep-29		Weather: Cloudy		Pond Elevation Level (m): 958.8		



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.8	3122.1	Hz	26.8
A2	RTD	error	2830.0	Hz	
A3	THERM	10.9	8294.7	Hz ²	
A4	RTD	error	3105.4	Hz	
A5	THERM	8.7	8294.3	Hz ²	
A6	RTD	error	3037.3	Hz	
AX2 - 595656 5818395					
A7	RTD	6.0	3061.7	Hz	
A8	THERM	4.9	8324.0	Hz ²	
A9	RTD	error	3056.4	Hz	
A10	RTD	error	3016.4	Hz	
A11	RTD	error	3124.1	Hz	
A12	THERM	4.5	8572.1	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.9	8861.0	Hz ²	
A14	THERM	7.3	8169.7	Hz ²	
AX4 - 595571 5818493					
A15	THERM	3.3	7913.9	Hz ²	
AX5 - (VW11-05)					
A16	THERM	3.8	8421.0	Hz ²	
A17	THERM	4.7	2693.0	Hz	
A18	THERM	5.1	2610.4	Hz	
AX6 - (VW11-06)					
A19	THERM	5.3	2627.3	Hz	
A20	THERM	5.7	2716.1	Hz	
A21	THERM	5.7	6948.7	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.4	3140.4	Hz	
B2	RTD	error	2968.0	Hz	
BX2 - 595876 5818550					
B3	RTD	error	2892.0	Hz	
B4	RTD	error	2900.7	Hz	
B5	RTD	6.4	3104.7	Hz	
B6	RTD	error	3057.8	Hz	
B7	RTD	error	3115.6	Hz	
B8	RTD	error	3126.5	Hz	
BX3 - 595787 5818639					
B9	THERM	7.6	8648.9	Hz ²	
B10	THERM	8.1	8906.7	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	8037.8	Hz ²	
B12	THERM	5.2	6846.1	Hz ²	
B13	THERM	5.1	6436.1	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.8	error	Hz	
C2	RTD	9.0	3070.1	Hz	
C3	RTD	11.4	3095.7	Hz	
CX2 - 595543 5818297					
C4	RTD	5.2	3141.1	Hz	
C5	RTD	8.5	3012.3	Hz	
C6	THERM	2.2	8452.5	Hz ²	
C7	THERM	3.0	9372.6	Hz ²	
C8	THERM	4.0	9045.9	Hz ²	
CX3 - 595453 5818433					
C9	THERM	4.3	8273.2	Hz ²	
C10	THERM	7.1	8501.8	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.3	8325.4	Hz ²	
C12	THERM	5.0	7531.3	Hz ²	
DX1 - 595347 5819823					
D1	RTD	16.2	3082.4	Hz	
D2	RTD	5.4	3115.7	Hz	
DX2 - 595299 5819752					
D3	THERM	-11.0	8194.5	Hz ²	
D4	THERM	error	9053.4	Hz ²	
DX3 - 595286 5819722					
D5	THERM	5.9	8771.5	Hz ²	
DX4 - (VW11-10)					
D6	THERM	5.5	8754.0	Hz ²	
D7	THERM	5.3	8013.3	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	4349.7	Hz ²	
EX2 - 595400 5818353					
E2	THERM	7.3	8738.3	Hz ²	
E3	THERM	7.5	8974.0	Hz ²	
EX3 - 595381 5818371					
E4	THERM	5.3	8445.9	Hz ²	26.2
E5	THERM	7.5	8586.4	Hz ²	26.2
EX4 - (VW11-03)					
E6	THERM	3.5	8245.6	Hz ²	
E7	THERM	3.9	8180.8	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.1	8092.4	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.7	8153.0	Hz ²	
F3	THERM	7.7	8122.9	Hz ²	
F4	THERM	8.0	8666.2	Hz ²	
FX3 - (VW11-01)					
F5	THERM	5.0	8184.9	Hz ²	
GX1 - 595026 5819898					
G1	THERM	6.9	7958.0	Hz ²	
G2	THERM	6.7	8291.7	Hz ²	
G3	THERM	6.2	8516.4	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.2	8345.5	Hz ²	
G5	THERM	5.7	7880.1	Hz ²	
HX1 - 595601 5819519					
H1	THERM			Hz ²	
H2	THERM			Hz ²	
IX1 - 594805 5818404					
I1	THERM	2.7	error	Hz ²	
I2	THERM	7.0	8568.9	Hz ²	
I3	THERM	7.2	8762.0	Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.2	8180.1	Hz ²	
IX3 - (VW11-02)					
I5	THERM	5.8	8143.3	Hz ²	
I6	THERM	6.2	7926.8	Hz ²	
JX1 - (VW11-09)					
J1	THERM	5.8	8290.7	Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	5197.2	Hz ²	
K2	THERM	5.3	6947.5	Hz ²	

COMMENTS:

E4/E5 were extended
D1 temp starts high and keeps slowly dropping

Project: **Mt. Polley Tailing Storage Facility**

Date: **12-May-12**

Project No : **VM00560**

Weather: **Sunny**

Inspector: **Mitchell Regenstreif / James**

Pond Elevation Level (m): **958.8**



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.9	3122.2	Hz	27.0
A2	RTD	error	2830.4	Hz	27.0
A3	THERM	9.1	8314.6	Hz ²	27.0
A4	RTD	error	3105.5	Hz	27.0
A5	THERM	8.2	8310.6	Hz ²	27.0
A6	RTD	error	3036.6	Hz	27.0
AX2 - 595656 5818395					
A7	RTD	6.4	3061.3	Hz	26.8
A8	THERM	4.9	8329.5	Hz ²	26.8
A9	RTD	error	3057.0	Hz	26.8
A10	RTD	error	3016.5	Hz	26.8
A11	RTD	error	3123.6	Hz	26.8
A12	THERM	4.5	8578.3	Hz ²	26.8
AX3 - 595590 5818494					
A13	THERM	7.8	8856.2	Hz ²	26.9
A14	THERM	7.2	8149.2	Hz ²	26.9
AX4 - 595571 5818493					
A15	THERM	4.2	7903.1	Hz ²	26.9
AX5 - (VW11-05)					
A16	THERM	3.8	8424.7	Hz ²	
A17	THERM	4.7	2694.0	Hz	27.0
A18	THERM	5.0	2611.6	Hz	27.0
AX6 - (VW11-06)					
A19	THERM	5.2	2627.7	Hz	27.0
A20	THERM	5.7	2717.7	Hz	27.0
A21	THERM	5.7	6957.5	Hz ²	27.0
BX1 - 595867 5818539					
B1	RTD	8.4	3140.3	Hz	
B2	RTD	error	2968.0	Hz	
BX2 - 595876 5818550					
B3	RTD	error	2891.0	Hz	
B4	RTD	error	2900.7	Hz	
B5	RTD	6.2	3103.8	Hz	
B6	RTD	error	3057.4	Hz	
B7	RTD	error	3116.1	Hz	
B8	RTD	error	3125.8	Hz	
BX3 - 595787 5818639					
B9	THERM	7.5	8642.9	Hz ²	26.9
B10	THERM	8.1	8902.0	Hz ²	26.9
BX4 - (VW11-07)					
B11	THERM	5.3	8038.9	Hz ²	
B12	THERM	5.2	6850.4	Hz ²	27.1
B13	THERM	5.1	6442.3	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.9	error	Hz	
C2	RTD	9.0	3070.1	Hz	
C3	RTD	11.4	3095.7	Hz	
CX2 - 595543 5818297					
C4	RTD	5.2	3141.0	Hz	26.8
C5	RTD	8.5	3012.2	Hz	26.8
C6	THERM	2.3	8949.2	Hz ²	26.8
C7	THERM	3.0	9370.3	Hz ²	26.8
C8	THERM	4.0	9048.7	Hz ²	26.8
CX3 - 595453 5818433					
C9	THERM	4.1	8265.7	Hz ²	26.9
C10	THERM	6.9	8517.8	Hz ²	26.9

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.3	8327.7	Hz ²	27.0
C12	THERM	5.0	7537.2	Hz ²	27.0
DX1 - 595347 5819823					
D1	RTD		3082.3	Hz	
D2	RTD	5.8	3124.0	Hz	
DX2 - 595299 5819752					
D3	THERM	-11.0	8193.7	Hz ²	27.0
D4	THERM	error	9047.0	Hz ²	27.0
DX3 - 595286 5819722					
D5	THERM	5.9	8732.3	Hz ²	26.8
DX4 - (VW11-10)					
D6	THERM	5.5	8749.0	Hz ²	
D7	THERM	5.3	8010.1	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9349.8	Hz ²	26.9
EX2 - 595400 5818353					
E2	THERM	7.2	8732.3	Hz ²	26.9
E3	THERM	7.4	8969.3	Hz ²	26.9
EX3 - 595381 5818371					
E4	THERM	5.2	8423.8	Hz ²	26.9
E5	THERM	7.4	8582.7	Hz ²	26.9
EX4 - (VW11-03)					
E6	THERM	3.5	8246.5	Hz ²	
E7	THERM	3.9	8181.7	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.1	8080.5	Hz ²	
FX2 - 594466 5818539					
F2	THERM	6.7	8153.1	Hz ²	
F3	THERM	7.6	8109.4	Hz ²	
F4	THERM	7.9	8668.4	Hz ²	
FX3 - (VW11-01)					
F5	THERM	4.9	8186.2	Hz ²	
GX1 - 595026 5819898					
G1	THERM	6.2	7921.2	Hz ²	
G2	THERM	6.7	8289.1	Hz ²	
G3	THERM	6.1	8472.4	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.2	8344.7	Hz ²	
G5	THERM	5.7	7869.6	Hz ²	
HX1 - 595601 5819519					
H1	THERM			Hz ²	
H2	THERM			Hz ²	
IX1 - 594805 5818404					
I1	THERM	-14.1	error	Hz ²	
I2	THERM	7.0	8578.3	Hz ²	
I3	THERM	7.2		Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.1	8165.1	Hz ²	
IX3 - (VW11-02)					
I5	THERM	5.7	8139.1	Hz ²	27.0
I6	THERM	6.1	7921.7	Hz ²	27.0
JX1 - (VW11-09)					
J1	THERM	5.8	8275.0	Hz ²	
KX2 - (VW11-08)					
K1	THERM	5.9	5195.8	Hz ²	27.0
K2	THERM	5.3	6943.1	Hz ²	27.0

COMMENTS:

E4/E5 were extended

D1 temp starts high and keeps slowly dropping

Plane A	12-May-12	Barometric 91.2	T 1	F1	T 2	F2	T 3	F3
Plane B			9.9	3122.2	error	2830.4	9.1	8314.6
Plane C			8.4	3140.3	error	2968.0	error	2891.0
Plane D			10.9	error	9.0	3070.1	11.4	3095.7
Plane E			0.0	3082.3	5.8	3124.0	-11.0	8193.7
Plane F			4.7	9349.8	7.2	8732.3	7.4	8969.3
Plane G			7.1	8080.5	6.7	8153.1	7.6	8109.4
Plane H			6.2	7921.2	6.7	8289.1	6.1	8472.4
Plane I			0.0	0.0	0.0	0.0		
Plane J			-14.1	error	7.0	8578.3	7.2	0.0
PlaneK			5.8	8275.0				
			5.9	5195.8	5.3	6943.1		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
error	3105.5	8.2	8310.6	error	3036.6	6.4	3061.3	4.9	8329.5
error	2900.7	6.2	3103.8	error	3057.4	error	3116.1	error	3125.8
5.2	3141.0	8.5	3012.2	2.3	8949.2	3.0	9370.3	4.0	9048.7
error	9047.0	5.9	8732.3	5.5	8749.0	5.3	8010.1		
5.2	8423.8	7.4	8582.7	3.5	8246.5	3.9	8181.7		
7.9	8668.4	4.9	8186.2						
5.2	8344.7	5.7	7869.6						
6.1	8165.1	5.7	8139.1	6.1	7921.7				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
error	3057.0	error	3016.5	error	3123.6	4.5	8578.3	7.8	8856.2
7.5	8642.9	8.1	8902.0	5.3	8038.9	5.2	6850.4	5.1	6442.3
4.1	8265.7	6.9	8517.8	4.3	8327.7	5.0	7537.2		

T 14 7.2	F14 8149.2	T 15 4.2	F15 7903.1	T 16 3.8	F16 8424.7	T 17 4.7	F17 2694.0	T 18 5.0	F18 2611.6
-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.2	F19 2627.7	T 20 5.7	F20 2717.7	T 21 5.7	F21 6957.5
-------------	---------------	-------------	---------------	-------------	---------------

Project: **Mt. Polley Tailing Storage Facility**

Date: **26-May-12**

Project No : **VM00560**

Weather: **14 degrees, Sunny**

Inspector: **Mitchell Regenstreif**

Pond Elevation Level (m): **959.05**



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.8	3122.2	Hz	26.8
A2	RTD	error	2831.2	Hz	
A3	THERM	10.0	8327.1	Hz ²	
A4	RTD	error	3105.5	Hz	
A5	THERM	8.7	8318.9	Hz ²	
A6	RTD	error	3037.2	Hz	
AX2 - 595656 5818395					
A7	RTD	6.6	3061.8	Hz	26.8
A8	THERM	4.9	8329.4	Hz ²	
A9	RTD	error	3057.1	Hz	
A10	RTD	error	3016.8	Hz	
A11	RTD	error	3124.1	Hz	
A12	THERM	4.5	8578.4	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.8	8863.9	Hz ²	26.8
A14	THERM	7.1	8148.1	Hz ²	
AX4 - 595571 5818493					
A15	THERM	5.1	7904.4	Hz ²	26.8
AX5 - (VW11-05)					
A16	THERM	3.8	8423.9	Hz ²	26.8
A17	THERM	4.7	2694.2	Hz	
A18	THERM	5.0	2611.8	Hz	
AX6 - (VW11-06)					
A19	THERM	5.2	2626.8	Hz	26.8
A20	THERM	5.7	2717.6	Hz	
A21	THERM	5.7	6957.2	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.4	3140.4	Hz	26.8
B2	RTD	error	2967.9	Hz	
BX2 - 595876 5818550					
B3	RTD	error	2892.4	Hz	26.8
B4	RTD	error	2901.2	Hz	
B5	RTD	6.2	3104.6	Hz	
B6	RTD	error	3058.4	Hz	
B7	RTD	error	3116.2	Hz	
B8	RTD	error	3126.5	Hz	
BX3 - 595787 5818639					
B9	THERM	7.4	8644.2	Hz ²	26.8
B10	THERM	8.0	8909.2	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	8048.1	Hz ²	
B12	THERM	5.2	6852.6	Hz ²	
B13	THERM	5.1	6443.5	Hz ²	
CX1 - 595540 5818293					
C1	RTD	9.7	error	Hz	26.8
C2	RTD	9.0	3070.0	Hz	
C3	RTD	11.3	3095.7	Hz	
CX2 - 595543 5818297					
C4	RTD	5.2	3141.0	Hz	26.8
C5	RTD	8.5	3012.6	Hz	
C6	THERM	2.2	8952.0	Hz ²	
C7	THERM	3.0	9373.8	Hz ²	
C8	THERM	4.0	9049.7	Hz ²	
CX3 - 595453 5818433					
C9	THERM	4.1	8267.4	Hz ²	26.7
C10	THERM	6.9	8530.9	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.3	8331.8	Hz ²	26.8
C12	THERM	5.0	7538.1	Hz ²	
DX1 - 595347 5819823					
D1	RTD	16.5	3082.3	Hz	26.7
D2	RTD	5.9	3124.7	Hz	
DX2 - 595299 5819752					
D3	THERM	-11.2	8192.7	Hz ²	26.7
D4	THERM	error	9055.7	Hz ²	
DX3 - 595286 5819722					
D5	THERM	5.8	8729.4	Hz ²	26.7
DX4 - (VW11-10)					
D6	THERM	5.5	8756.3	Hz ²	26.7
D7	THERM	5.3	8016.8	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9352.3	Hz ²	26.8
EX2 - 595400 5818353					
E2	THERM	7.1	8739.8	Hz ²	26.7
E3	THERM	7.4	8976.7	Hz ²	
EX3 - 595381 5818371					
E4	THERM	5.3	8429.0	Hz ²	26.7
E5	THERM	7.3	8582.1	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.5	8250.2	Hz ²	26.7
E7	THERM	3.9	8185.6	Hz ²	
FX1 - 594489 5818561					
F1	THERM	7.0	8072.6	Hz ²	26.7
FX2 - 594466 5818539					
F2	THERM	6.7	8155.0	Hz ²	26.7
F3	THERM	7.6	8105.7	Hz ²	
F4	THERM	7.9	8668.3	Hz ²	
FX3 - (VW11-01)					
F5	THERM	4.8	8201.2	Hz ²	26.6
GX1 - 595026 5819898					
G1	THERM	6.2	7920.4	Hz ²	26.7
G2	THERM	6.7	8286.9	Hz ²	
G3	THERM	6.1	8463.0	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.2	8353.6	Hz ²	26.7
G5	THERM	5.7	7877.8	Hz ²	
HX1 - 595601 5819519					
H1	THERM	Destroyed	Destroyed	Hz ²	
H2	THERM	Destroyed	Destroyed	Hz ²	
IX1 - 594805 5818404					
I1	THERM	-12.2	error	Hz ²	26.7
I2	THERM	6.9	8569.7	Hz ²	
I3	THERM	7.2	8763.9	Hz ²	
IX2 - 594811 5818431					
I4	THERM	6.1	8210.2	Hz ²	
IX3 - (VW11-02)					
I5	THERM	5.4	8150.0	Hz ²	26.6
I6	THERM	6.0	7933.4	Hz ²	
8268.3					
J1	THERM	5.8	8268.3	Hz ²	26.8
KX2 - (VW11-08)					
K1	THERM	5.9	5194.4	Hz ²	26.8
K2	THERM	5.3	6939.2	Hz ²	

COMMENTS:

			T 1	F1	T 2	F2	T 3	F3
Plane A	26-May-12	Barometric 90.5	9.8	3122.2	error	2831.2	10.0	8327.1
Plane B			8.4	3140.4	error	2967.9	error	2892.4
Plane C			9.7	error	9.0	3070.0	11.3	3095.7
Plane D			16.5	3082.3	5.9	3124.7	-11.2	8192.7
Plane E			4.7	9352.3	7.1	8739.8	7.4	8976.7
Plane F			7.0	8072.6	6.7	8155.0	7.6	8105.7
Plane G			6.2	7920.4	6.7	8286.9	6.1	8463.0
Plane H			Destoryed	Destoryed	Destoryed	Destoryed		
Plane I			-12.2	error	6.9	8569.7	7.2	8763.9
Plane J			5.8	8268.3				
PlaneK			5.9	5194.4	5.3	6939.2		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
error	3105.5	8.7	8318.9	error	3037.2	6.6	3061.8	4.9	8329.4
error	2901.2	6.2	3104.6	error	3058.4	error	3116.2	error	3126.5
5.2	3141.0	8.5	3012.6	2.2	8952.0	3.0	9373.8	4.0	9049.7
error	9055.7	5.8	8729.4	5.5	8756.3	5.3	8016.8		
5.3	8429.0	7.3	8582.1	3.5	8250.2	3.9	8185.6		
7.9	8668.3	4.8	8201.2						
5.2	8353.6	5.7	7877.8						
6.1	8210.2	5.4	8150.0	6.0	7933.4				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
error	3057.1	error	3016.8	error	3124.1	4.5	8578.4	7.8	8863.9
7.4	8644.2	8.0	8909.2	5.3	8048.1	5.2	6852.6	5.1	6443.5
4.1	8267.4	6.9	8530.9	4.3	8331.8	5.0	7538.1		

T 14 7.1	F14 8148.1	T 15 5.1	F15 7904.4	T 16 3.8	F16 8423.9	T 17 4.7	F17 2694.2	T 18 5.0	F18 2611.8
-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.2	F19 2626.8	T 20 5.7	F20 2717.6	T 21 5.7	F21 6957.2
-------------	---------------	-------------	---------------	-------------	---------------

Project: **Mt. Polley Tailing Storage Facility**

Date: **08-Jun-12**

Project No : **VM00560**

Weather: **14 degrees, Cloudy with sunny breaks**

Inspector: **Mitchell Regenstreif**

Pond Elevation Level (m): **959.23**



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.9	3122.4	Hz	26.6
A2	RTD	x	2831.8	Hz	
A3	THERM	9.0	8333.9	Hz ²	
A4	RTD	x	3105.6	Hz	
A5	THERM	8.5	8323.4	Hz ²	
A6	RTD	x	3037.7	Hz	
AX2 - 595656 5818395					
A7	RTD	5.5	3062.4	Hz	26.7
A8	THERM	4.9	8331.6	Hz ²	
A9	RTD	x	3057.5	Hz	
A10	RTD	x	3017.2	Hz	
A11	RTD	x	3124.4	Hz	
A12	THERM	4.5	8581.0	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.0	8139.2	Hz ²	26.6
A14	THERM	7.7	8868.4	Hz ²	
AX4 - 595571 5818493					
A15	THERM	6.6	7890.3	Hz ²	26.6
AX5 - (VW11-05)					
A16	THERM	3.8	8426.3	Hz ²	26.6
A17	THERM	4.7	2694.7	Hz	
A18	THERM	5.0	2612.5	Hz	
AX6 - (VW11-06)					
A19	THERM	5.2	2628.7	Hz	26.6
A20	THERM	5.7	2718.7	Hz	
A21	THERM	5.8	6961.1	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.4	3140.6	Hz	26.6
B2	RTD	x	2968.0	Hz	
BX2 - 595876 5818550					
B3	RTD	x	2829.9	Hz	26.6
B4	RTD	x	2901.6	Hz	
B5	RTD	6.3	3105.1	Hz	
B6	RTD	x	3058.8	Hz	
B7	RTD	x	3116.5	Hz	
B8	RTD	x	3126.9	Hz	
BX3 - 595787 5818639					
B9	THERM	7.3	8644.8	Hz ²	26.6
B10	THERM	8.0	8913.8	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.3	8049.5	Hz ²	26.6
B12	THERM	5.3	6854.5	Hz ²	
B13	THERM	5.1	6446.1	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.2	x	Hz	26.7
C2	RTD	8.9	3070.0	Hz	
C3	RTD	11.4	3095.8	Hz	
CX2 - 595543 5818297					
C4	RTD	5.2	3141.0	Hz	26.7
C5	RTD	8.6	3012.8	Hz	
C6	THERM	2.1	8955.0	Hz ²	
C7	THERM	2.9	9375.2	Hz ²	
C8	THERM	4.0	9052.0	Hz ²	
CX3 - 595453 5818433					
C9	THERM	4.3	8262.3	Hz ²	26.6
C10	THERM	7.3	8530.5	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.3	8334.0	Hz ²	26.6
C12	THERM	5.0	7541.0	Hz ²	
DX1 - 595347 5819823					
D1	RTD	17.9	3082.1	Hz	26.6
D2	RTD	6.2	3122.6	Hz	
DX2 - 595299 5819752					
D3	THERM	-10.9	8191.2	Hz ²	26.6
D4	THERM	x	9060.8	Hz ²	
DX3 - 595286 5819722					
D5	THERM	5.8	8721.2	Hz ²	26.6
DX4 - (VW11-10)					
D6	THERM	5.5	8766.1	Hz ²	26.6
D7	THERM	5.3	8026.1	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9354.3	Hz ²	26.7
EX2 - 595400 5818353					
E2	THERM	7.0	8741.0	Hz ²	26.6
E3	THERM	7.3	8980.9	Hz ²	
EX3 - 595381 5818371					
E4	THERM	5.4	8417.8	Hz ²	26.6
E5	THERM	7.2	8580.4	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.5	8252.8	Hz ²	26.6
E7	THERM	3.9	8188.2	Hz ²	
FX1 - 594489 5818561					
F1	THERM	6.9	8066.5	Hz ²	26.6
FX2 - 594466 5818539					
F2	THERM	6.7	8156.6	Hz ²	26.6
F3	THERM	7.5	8097.7	Hz ²	
F4	THERM	7.8	8673.8	Hz ²	
FX3 - (VW11-01)					
F5	THERM	4.8	8194.1	Hz ²	26.6
GX1 - 595026 5819898					
G1	THERM	6.4	7925.5	Hz ²	26.6
G2	THERM	6.7	8285.3	Hz ²	
G3	THERM	7.0	8462.9	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.3	8353.5	Hz ²	26.6
G5	THERM	5.7	7879.1	Hz ²	
HX1 - 595601 5819519					
H1	THERM	Destroyed	Destroyed	Hz ²	26.6
H2	THERM	Destroyed	Destroyed	Hz ²	
IX1 - 594805 5818404					
I1	THERM	-8.5	x	Hz ²	26.6
I2	THERM	6.8	8558.3	Hz ²	
I3	THERM	7.1	8768.6	Hz ²	
IX2 - 594811 5818431					
I4	THERM	5.9	8138.7	Hz ²	26.6
IX3 - (VW11-02)					
I5	THERM	5.6	8147.3	Hz ²	26.6
I6	THERM	6.0	7931.4	Hz ²	
8268.3					
J1	THERM	5.9	8259.8	Hz ²	26.6
KX2 - (VW11-08)					
K1	THERM	5.9	5194.2	Hz ²	26.6
K2	THERM	5.3	6937.3	Hz ²	

COMMENTS:

		Barometric	T 1	F1	T 2	F2	T 3	F3
Plane A	08-Jun-12	90.0	9.9	3122.4	x	2831.8	9.0	8333.9
Plane B			8.4	3140.6	x	2968.0	x	2829.9
Plane C			10.2	x	8.9	3070.0	11.4	3095.8
Plane D			17.9	3082.1	6.2	3122.6	-10.9	8191.2
Plane E			4.7	9354.3	7.0	8741.0	7.3	8980.9
Plane F			6.9	8066.5	6.7	8156.6	7.5	8097.7
Plane G			6.4	7925.5	6.7	8285.3	7.0	8462.9
Plane H			Destroyed	Destroyed	Destroyed	Destroyed		
Plane I			-8.5	x	6.8	8558.3	7.1	8768.6
Plane J			5.9	8259.8				
PlaneK	5.9	5194.2	5.3	6937.3				

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
x	3105.6	8.5	8323.4	x	3037.7	5.5	3062.4	4.9	8331.6
x	2901.6	6.3	3105.1	x	3058.8	x	3116.5	x	3126.9
5.2	3141.0	8.6	3012.8	2.1	8955.0	2.9	9375.2	4.0	9052.0
x	9060.8	5.8	8721.2	5.5	8766.1	5.3	8026.1		
5.4	8417.8	7.2	8580.4	3.5	8252.8	3.9	8188.2		
7.8	8673.8	4.8	8194.1						
5.3	8353.5	5.7	7879.1						
5.9	8138.7	5.6	8147.3	6.0	7931.4				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
x	3057.5	x	3017.2	x	3124.4	4.5	8581.0	7.0	8139.2
7.3	8644.8	8.0	8913.8	5.3	8049.5	5.3	6854.5	5.1	6446.1
4.3	8262.3	7.3	8530.5	4.3	8334.0	5.0	7541.0		

T 14 7.7	F14 8868.4	T 15 6.6	F15 7890.3	T 16 3.8	F16 8426.3	T 17 4.7	F17 2694.7	T 18 5.0	F18 2612.5
-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.2	F19 2628.7	T 20 5.7	F20 2718.7	T 21 5.8	F21 6961.1
-------------	---------------	-------------	---------------	-------------	---------------

Project: **Mt. Polley Tailing Storage Facility**

Date: **21-Jun-12**

Project No : **VM00560**

Weather: **17 degrees, Sunny**

Inspector: **Mitchell Regenstreif**

Pond Elevation Level (m): **959.4**



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.9	3122.5	Hz	26.8
A2	RTD	x	2831.9	Hz	
A3	THERM	9.9	8332.2	Hz ²	
A4	RTD	x	3105.5	Hz	
A5	THERM	8.5	8321.2	Hz ²	
A6	RTD	x	3037.2	Hz	
AX2 - 595656 5818395					
A7	RTD	5.5	3061.8	Hz	26.8
A8	THERM	4.9	8328.7	Hz ²	
A9	RTD	x	3057.0	Hz	
A10	RTD	x	3017.1	Hz	
A11	RTD	x	3123.8	Hz	
A12	THERM	4.4	8578.0	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.7	8864.3	Hz ²	26.7
A14	THERM	6.9	8121.6	Hz ²	
AX4 - 595571 5818493					
A15	THERM	7.6	7864.8	Hz ²	26.7
AX5 - (VW11-05)					
A16	THERM	3.7	8421.7	Hz ²	26.8
A17	THERM	4.7	2693.7	Hz	
A18	THERM	5.0	2611.4	Hz	
AX6 - (VW11-06)					
A19	THERM	5.2	2627.0	Hz	26.8
A20	THERM	5.7	2717.5	Hz	
A21	THERM	5.7	6955.1	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.4	3140.5	Hz	26.8
B2	RTD	x	2967.9	Hz	
BX2 - 595876 5818550					
B3	RTD	x	2892.7	Hz	26.8
B4	RTD	x	2901.2	Hz	
B5	RTD	6.2	3104.6	Hz	
B6	RTD	x	3058.1	Hz	
B7	RTD	x	3116.5	Hz	
B8	RTD	x	3126.4	Hz	
BX3 - 595787 5818639					
B9	THERM	7.2	8642.4	Hz ²	26.7
B10	THERM	7.9	8909.6	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.2	8044.9	Hz ²	26.8
B12	THERM	5.2	6852.1	Hz ²	
B13	THERM	5.0	6442.4	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.8	x	Hz	26.8
C2	RTD	9.0	3069.9	Hz	
C3	RTD	11.4	3095.7	Hz	
CX2 - 595543 5818297					
C4	RTD	5.1	3141.0	Hz	26.8
C5	RTD	8.4	3012.4	Hz	
C6	THERM	2.3	8952.0	Hz ²	
C7	THERM	3.0	9373.0	Hz ²	
C8	THERM	4.0	9048.5	Hz ²	
CX3 - 595453 5818433					
C9	THERM	4.5	8242.3	Hz ²	26..67
C10	THERM	6.9	8518.5	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.2	8328.3	Hz ²	26.8
C12	THERM	5.0	7534.8	Hz ²	
DX1 - 595347 5819823					
D1	RTD	12.9	3081.9	Hz	26.7
D2	RTD	6.7	3124.6	Hz	
DX2 - 595299 5819752					
D3	THERM	-11.4	8188.6	Hz ²	26.7
D4	THERM	x	9056.3	Hz ²	
DX3 - 595286 5819722					
D5	THERM	5.9	8708.8	Hz ²	26.7
DX4 - (VW11-10)					
D6	THERM	5.5	8756.6	Hz ²	26.7
D7	THERM	5.3	8017.1	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9350.9	Hz ²	26.8
EX2 - 595400 5818353					
E2	THERM	6.8	8731.4	Hz ²	26.8
E3	THERM	7.2	8976.7	Hz ²	
EX3 - 595381 5818371					
E4	THERM	5.9	8382.7	Hz ²	26.7
E5	THERM	7.1	8576.5	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.4	8246.0	Hz ²	26.8
E7	THERM	3.9	8182.4	Hz ²	
FX1 - 594489 5818561					
F1	THERM	6.8	8025.1	Hz ²	26.7
FX2 - 594466 5818539					
F2	THERM	6.7	8136.2	Hz ²	26.7
F3	THERM	7.5	8068.5	Hz ²	
F4	THERM	7.8	8668.0	Hz ²	
FX3 - (VW11-01)					
F5	THERM	4.8	8183.0	Hz ²	26.7
GX1 - 595026 5819898					
G1	THERM	6.4	7921.4	Hz ²	26.7
G2	THERM	6.6	8285.2	Hz ²	
G3	THERM	7.4	8451.9	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.4	8346.8	Hz ²	26.7
G5	THERM	5.6	7874.8	Hz ²	
HX1 - 595601 5819519					
H1	THERM	Destoryed	Destoryed	Hz ²	
H2	THERM	Destoryed	Destoryed	Hz ²	
IX1 - 594805 5818404					
I1	THERM	-11.2	x	Hz ²	26.7
I2	THERM	6.8	8545.4	Hz ²	
I3	THERM	7.1	8765.0	Hz ²	
IX2 - 594811 5818431					
I4	THERM	5.9	8114.8	Hz ²	26.7
IX3 - (VW11-02)					
I5	THERM	5.5	8131.7	Hz ²	26.7
I6	THERM	5.9	7915.1	Hz ²	
8268.3					
J1	THERM	5.8	8244.9	Hz ²	26.7
KX2 - (VW11-08)					
K1	THERM	5.9	5193.6	Hz ²	26.7
K2	THERM	5.3	6934.1	Hz ²	

COMMENTS:

		Barometric	T 1	F1	T 2	F2	T 3	F3
Plane A	21-Jun-12	90.5	9.9	3122.5	x	2831.9	9.9	8332.2
Plane B			8.4	3140.5	x	2967.9	x	2892.7
Plane C			10.8	x	9.0	3069.9	11.4	3095.7
Plane D			12.9	3081.9	6.7	3124.6	-11.4	8188.6
Plane E			4.7	9350.9	6.8	8731.4	7.2	8976.7
Plane F			6.8	8025.1	6.7	8136.2	7.5	8068.5
Plane G			6.4	7921.4	6.6	8285.2	7.4	8451.9
Plane H			Destroyed	Destroyed	Destroyed	Destroyed		
Plane I			-11.2	x	6.8	8545.4	7.1	8765.0
Plane J			5.8	8244.9				
PlaneK	5.9	5193.6	5.3	6934.1				

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
x	3105.5	8.5	8321.2	x	3037.2	5.5	3061.8	4.9	8328.7
x	2901.2	6.2	3104.6	x	3058.1	x	3116.5	x	3126.4
5.1	3141.0	8.4	3012.4	2.3	8952.0	3.0	9373.0	4.0	9048.5
x	9056.3	5.9	8708.8	5.5	8756.6	5.3	8017.1		
5.9	8382.7	7.1	8576.5	3.4	8246.0	3.9	8182.4		
7.8	8668.0	4.8	8183.0						
5.4	8346.8	5.6	7874.8						
5.9	8114.8	5.5	8131.7	5.9	7915.1				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
x	3057.0	x	3017.1	x	3123.8	4.4	8578.0	7.7	8864.3
7.2	8642.4	7.9	8909.6	5.2	8044.9	5.2	6852.1	5.0	6442.4
4.5	8242.3	6.9	8518.5	4.2	8328.3	5.0	7534.8		

T 14 6.9	F14 8121.6	T 15 7.6	F15 7864.8	T 16 3.7	F16 8421.7	T 17 4.7	F17 2693.7	T 18 5.0	F18 2611.4
-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.2	F19 2627.0	T 20 5.7	F20 2717.5	T 21 5.7	F21 6955.1
-------------	---------------	-------------	---------------	-------------	---------------

Project: **Mt. Polley Tailing Storage Facility**

Date: **06-Jul-12**

Project No : **VM00560**

Weather: **16 degrees, Sunny**

Inspector: **Mitchell Regenstreif**

Pond Elevation Level (m): **959.3**



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.9	3122.5	Hz	26.9
A2	RTD	x	2832.5	Hz	
A3	THERM	8.7	8332.1	Hz ²	
A4	RTD	x	3105.5	Hz	
A5	THERM	8.5	8320.9	Hz ²	
A6	RTD	x	3037.1	Hz	
AX2 - 595656 5818395					
A7	RTD	5.3	3076.6	Hz	26.9
A8	THERM	4.9	8326.5	Hz ²	
A9	RTD	x	3056.9	Hz	
A10	RTD	x	3016.6	Hz	
A11	RTD	x	3123.8	Hz	
A12	THERM	4.4	8574.8	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.6	8863.0	Hz ²	26.7
A14	THERM	6.9	8101.4	Hz ²	
AX4 - 595571 5818493					
A15	THERM	9.4	7839.5	Hz ²	26.7
AX5 - (VW11-05)					
A16	THERM	3.7	8421.3	Hz ²	26.7
A17	THERM	4.7	2693.4	Hz	
A18	THERM	5.0	2611.1	Hz	
AX6 - (VW11-06)					
A19	THERM	5.2	2626.8	Hz	26.9
A20	THERM	5.7	2716.6	Hz	
A21	THERM	5.6	6952.9	Hz ²	
BX1 - 595867 5818539					
B1	RTD	8.4	3140.5	Hz	26.7
B2	RTD	x	2967.9	Hz	
BX2 - 595876 5818550					
B3	RTD	x	2892.2	Hz	26.7
B4	RTD	x	2900.6	Hz	
B5	RTD	6.3	3104.4	Hz	
B6	RTD	x	3058.0	Hz	
B7	RTD	x	3115.4	Hz	
B8	RTD	x	3126.3	Hz	
BX3 - 595787 5818639					
B9	THERM	7.1	8641.0	Hz ²	26.7
B10	THERM	7.8	8908.3	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.2	8035.0	Hz ²	26.7
B12	THERM	5.2	6849.2	Hz ²	
B13	THERM	5.0	6440.0	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.0	2897.6	Hz	26.9
C2	RTD	9.0	3069.8	Hz	
C3	RTD	11.4	3095.8	Hz	
CX2 - 595543 5818297					
C4	RTD	5.0	3141.0	Hz	26.9
C5	RTD	8.5	3012.4	Hz	
C6	THERM	2.2	8951.1	Hz ²	
C7	THERM	2.9	9374.2	Hz ²	
C8	THERM	4.0	9048.2	Hz ²	
CX3 - 595453 5818433					
C9	THERM	5.0	8217.1	Hz ²	26.7
C10	THERM	6.4	8507.3	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.2	8328.1	Hz ²	26.9
C12	THERM	5.0	7534.1	Hz ²	
DX1 - 595347 5819823					
D1	RTD	13.4	3081.9	Hz	26.7
D2	RTD	7.2	3124.6	Hz	
DX2 - 595299 5819752					
D3	THERM	-11.4	8186.3	Hz ²	26.7
D4	THERM	x	9055.2	Hz ²	
DX3 - 595286 5819722					
D5	THERM	5.9	8700.7	Hz ²	26.7
DX4 - (VW11-10)					
D6	THERM	5.5	8752.9	Hz ²	26.7
D7	THERM	5.3	8013.8	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9350.8	Hz ²	26.9
EX2 - 595400 5818353					
E2	THERM	6.8	8720.3	Hz ²	26.7
E3	THERM	7.2	8975.3	Hz ²	
EX3 - 595381 5818371					
E4	THERM	6.0	8333.9	Hz ²	26.7
E5	THERM	7.1	8571.2	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.4	8245.8	Hz ²	26.9
E7	THERM	3.9	8182.7	Hz ²	
FX1 - 594489 5818561					
F1	THERM	6.7	8026.8	Hz ²	26.7
FX2 - 594466 5818539					
F2	THERM	6.7	8134.8	Hz ²	26.7
F3	THERM	7.4	8052.3	Hz ²	
F4	THERM	7.7	8667.2	Hz ²	
FX3 - (VW11-01)					
F5	THERM	4.8	8185.0	Hz ²	26.8
GX1 - 595026 5819898					
G1	THERM	6.4	7922.1	Hz ²	26.7
G2	THERM	6.6	8285.7	Hz ²	
G3	THERM	7.4	8448.5	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.6	8346.0	Hz ²	26.7
G5	THERM	5.6	7878.7	Hz ²	
HX1 - 595601 5819519					
H1	THERM	Destroyed	Destroyed	Hz ²	
H2	THERM	Destroyed	Destroyed	Hz ²	
IX1 - 594805 5818404					
I1	THERM		8280.1	Hz ²	26.7
I2	THERM	6.7	8507.3	Hz ²	
I3	THERM	7.0	8762.9	Hz ²	
IX2 - 594811 5818431					
I4	THERM	5.8	8073.4	Hz ²	26.7
IX3 - (VW11-02)					
I5	THERM	5.5	8122.4	Hz ²	26.8
I6	THERM	5.9	7904.8	Hz ²	
8268.3					
J1	THERM	5.8	8231.4	Hz ²	26.9
KX2 - (VW11-08)					
K1	THERM	5.9	5192.4	Hz ²	26.8
K2	THERM	5.3	6932.2	Hz ²	

COMMENTS:

			T 1	F1	T 2	F2	T 3	F3
Plane A	06-Jul-12	Barometric 90.6	9.9	3122.5	x	2832.5	8.7	8332.1
Plane B			8.4	3140.5	x	2967.9	x	2892.2
Plane C			10.0	2897.6	9.0	3069.8	11.4	3095.8
Plane D			13.4	3081.9	7.2	3124.6	-11.4	8186.3
Plane E			4.7	9350.8	6.8	8720.3	7.2	8975.3
Plane F			6.7	8026.8	6.7	8134.8	7.4	8052.3
Plane G			6.4	7922.1	6.6	8285.7	7.4	8448.5
Plane H			Destoryed	Destoryed	Destoryed	Destoryed		
Plane I			0.0	8280.1	6.7	8507.3	7.0	8762.9
Plane J			5.8	8231.4				
PlaneK			5.9	5192.4	5.3	6932.2		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
x	3105.5	8.5	8320.9	x	3037.1	5.3	3076.6	4.9	8326.5
x	2900.6	6.3	3104.4	x	3058.0	x	3115.4	x	3126.3
5.0	3141.0	8.5	3012.4	2.2	8951.1	2.9	9374.2	4.0	9048.2
x	9055.2	5.9	8700.7	5.5	8752.9	5.3	8013.8		
6.0	8333.9	7.1	8571.2	3.4	8245.8	3.9	8182.7		
7.7	8667.2	4.8	8185.0						
5.6	8346.0	5.6	7878.7						
5.8	8073.4	5.5	8122.4	5.9	7904.8				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
x	3056.9	x	3016.6	x	3123.8	4.4	8574.8	7.6	8863.0
7.1	8641.0	7.8	8908.3	5.2	8035.0	5.2	6849.2	5.0	6440.0
5.0	8217.1	6.4	8507.3	4.2	8328.1	5.0	7534.1		

T 14 6.9	F14 8101.4	T 15 9.4	F15 7839.5	T 16 3.7	F16 8421.3	T 17 4.7	F17 2693.4	T 18 5.0	F18 2611.1
-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.2	F19 2626.8	T 20 5.7	F20 2716.6	T 21 5.6	F21 6952.9
-------------	---------------	-------------	---------------	-------------	---------------

Project: **Mt. Polley Tailing Storage Facility**

Date: **20-Jul-12**

Project No : **VM00560**

Weather: **23 degrees, Sunny**

Inspector: **Mitchell Regenstreif**

Pond Elevation Level (m): **959.5**



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	10.0	3122.6	Hz	26.8
A2	RTD	x	2833.0	Hz	
A3	THERM	9.8	8334.0	Hz ²	
A4	RTD	x	3105.5	Hz	
A5	THERM	8.5	8321.4	Hz ²	
A6	RTD	x	3037.3	Hz	
AX2 - 595656 5818395					
A7	RTD	6.4	3061.9	Hz	26.8
A8	THERM	4.8	8326.6	Hz ²	
A9	RTD	x	3056.9	Hz	
A10	RTD	x	3016.2	Hz	
A11	RTD	x	3124.1	Hz	
A12	THERM	4.4	8575.0	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.5	8866.0	Hz ²	26.6
A14	THERM	6.9	8090.7	Hz ²	
AX4 - 595571 5818493					
A15	THERM	10.6	7838.8	Hz ²	26.6
AX5 - (VW11-05)					
A16	THERM	3.7	8424.4	Hz ²	26.8
A17	THERM	4.7	2694.0	Hz	
A18	THERM	5.0	2611.8	Hz	
AX6 - (VW11-06)					
A19	THERM	5.2	2626.6	Hz	26.8
A20	THERM	5.7	2716.8	Hz	
A21	THERM	5.6	6952.9	Hz ²	
BX1 - 595867 5818539					
B1	RTD	9.3	3140.6	Hz	26.8
B2	RTD	x	2967.9	Hz	
BX2 - 595876 5818550					
B3	RTD	x	2892.7	Hz	26.8
B4	RTD	x	2900.9	Hz	
B5	RTD	6.2	3104.7	Hz	
B6	RTD	x	3057.7	Hz	
B7	RTD	x	3115.6	Hz	
B8	RTD	x	3126.2	Hz	
BX3 - 595787 5818639					
B9	THERM	7.0	8638.5	Hz ²	26.6
B10	THERM	7.7	8911.4	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.2	8032.7	Hz ²	26.8
B12	THERM	5.2	6849.4	Hz ²	
B13	THERM	5.0	6441.1	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.2	2897.7	Hz	26.8
C2	RTD	9.0	3069.7	Hz	
C3	RTD	11.4	3095.7	Hz	
CX2 - 595543 5818297					
C4	RTD	5.1	3140.9	Hz	26.8
C5	RTD	8.5	3012.4	Hz	
C6	THERM	2.2	8952.4	Hz ²	
C7	THERM	2.9	9373.4	Hz ²	
C8	THERM	4.0	9050.5	Hz ²	
CX3 - 595453 5818433					
C9	THERM	5.7	8215.7	Hz ²	26.6
C10	THERM	6.1	8502.0	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.2	8334.2	Hz ²	26.8
C12	THERM	4.9	7540.0	Hz ²	
DX1 - 595347 5819823					
D1	RTD	4.8	3081.7	Hz	26.6
D2	RTD	7.8	3124.9	Hz	
DX2 - 595299 5819752					
D3	THERM	6.1	8183.7	Hz ²	26.6
D4	THERM	x	9057.8	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.0	8693.3	Hz ²	26.6
DX4 - (VW11-10)					
D6	THERM	5.5	8760.4	Hz ²	26.6
D7	THERM	5.3	8021.1	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9353.6	Hz ²	26.8
EX2 - 595400 5818353					
E2	THERM	6.8	8716.7	Hz ²	26.6
E3	THERM	7.0	8978.3	Hz ²	
EX3 - 595381 5818371					
E4	THERM	6.5	8331.6	Hz ²	26.6
E5	THERM	7.0	8564.9	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.4	8251.9	Hz ²	26.8
E7	THERM	3.9	8189.3	Hz ²	
FX1 - 594489 5818561					
F1	THERM	6.6	8062.1	Hz ²	26.8
FX2 - 594466 5818539					
F2	THERM	6.6	8142.0	Hz ²	26.8
F3	THERM	7.3	8072.6	Hz ²	
F4	THERM	7.6	8669.8	Hz ²	
FX3 - (VW11-01)					
F5	THERM	4.9	8208.8	Hz ²	26.7
GX1 - 595026 5819898					
G1	THERM	6.8	7913.3	Hz ²	26.6
G2	THERM	6.6	8285.0	Hz ²	
G3	THERM	5.2	8440.3	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.7	8352.2	Hz ²	
G5	THERM	5.6	7890.7	Hz ²	
HX1 - 595601 5819519					
H1	THERM	Destroyed	Destroyed	Hz ²	
H2	THERM	Destroyed	Destroyed	Hz ²	
IX1 - 594805 5818404					
I1	THERM	x	8280.0	Hz ²	
I2	THERM	6.6	8485.7	Hz ²	
I3	THERM	5.3	8765.8	Hz ²	
IX2 - 594811 5818431					
I4	THERM	5.8	8136.7	Hz ²	26.8
IX3 - (VW11-02)					
I5	THERM	5.6	8136.0	Hz ²	26.8
I6	THERM	5.8	7919.4	Hz ²	
JX1 - (VW11-09)					
J1	THERM	5.8	8228.3	Hz ²	26.6
KX2 - (VW11-08)					
K1	THERM	5.9	5192.3	Hz ²	26.8
K2	THERM	5.3	6930.4	Hz ²	

COMMENTS:

	20-Jul-12	Barometric 90.5	T 1	F1	T 2	F2	T 3	F3
Plane A			10.0	3122.6	x	2833.0	9.8	8334.0
Plane B			9.3	3140.6	x	2967.9	x	2892.7
Plane C			10.2	2897.7	9.0	3069.7	11.4	3095.7
Plane D			4.8	3081.7	7.8	3124.9	6.1	8183.7
Plane E			4.7	9353.6	6.8	8716.7	7.0	8978.3
Plane F			6.6	8062.1	6.6	8142.0	7.3	8072.6
Plane G			6.8	7913.3	6.6	8285.0	5.2	8440.3
Plane H			Destoryed	Destoryed	Destoryed	Destoryed		
Plane I			x	8280.0	6.6	8485.7	5.3	8765.8
Plane J			5.8	8228.3				
PlaneK			5.9	5192.3	5.3	6930.4		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
x	3105.5	8.5	8321.4	x	3037.3	6.4	3061.9	4.8	8326.6
x	2900.9	6.2	3104.7	x	3057.7	x	3115.6	x	3126.2
5.1	3140.9	8.5	3012.4	2.2	8952.4	2.9	9373.4	4.0	9050.5
x	9057.8	6.0	8693.3	5.5	8760.4	5.3	8021.1		
6.5	8331.6	7.0	8564.9	3.4	8251.9	3.9	8189.3		
7.6	8669.8	4.9	8208.8						
5.7	8352.2	5.6	7890.7						
5.8	8136.7	5.6	8136.0	5.8	7919.4				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
x	3056.9	x	3016.2	x	3124.1	4.4	8575.0	7.5	8866.0
7.0	8638.5	7.7	8911.4	5.2	8032.7	5.2	6849.4	5.0	6441.1
5.7	8215.7	6.1	8502.0	4.2	8334.2	4.9	7540.0		

T 14 6.9	F14 8090.7	T 15 10.6	F15 7838.8	T 16 3.7	F16 8424.4	T 17 4.7	F17 2694.0	T 18 5.0	F18 2611.8
-------------	---------------	--------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.2	F19 2626.6	T 20 5.7	F20 2716.8	T 21 5.6	F21 6952.9
-------------	---------------	-------------	---------------	-------------	---------------

Project: **Mt. Polley Tailing Storage Facility**

Date: **02-Aug-12**

Project No : **VM00560**

Weather: **20 degrees, Sunny**

Inspector: **Mitchell Regenstreif**

Pond Elevation Level (m): **959.5**



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	10.0	3122.7	Hz	27.0
A2	RTD	x	2833.3	Hz	
A3	THERM	9.1	8333.2	Hz ²	
A4	RTD	x	3105.6	Hz	
A5	THERM	8.1	8321.0	Hz ²	
A6	RTD	x	3036.6	Hz	
AX2 - 595656 5818395					
A7	RTD	5.5	3061.2	Hz	27.0
A8	THERM	4.9	8323.7	Hz ²	
A9	RTD	x	3056.4	Hz	
A10	RTD	x	3016.0	Hz	
A11	RTD	x	3123.6	Hz	
A12	THERM	4.4	8571.8	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.5	8859.1	Hz ²	26.8
A14	THERM	6.7	8079.4	Hz ²	
AX4 - 595571 5818493					
A15	THERM	11.1	7821.8	Hz ²	26.8
AX5 - (VW11-05)					
A16	THERM	3.6	8418.8	Hz ²	27.0
A17	THERM	4.7	2693.4	Hz	
A18	THERM	5.0	2611.2	Hz	
AX6 - (VW11-06)					
A19	THERM	5.2	2625.7	Hz	26.8
A20	THERM	5.7	2716.0	Hz	
A21	THERM	5.7	6949.5	Hz ²	
BX1 - 595867 5818539					
B1	RTD	10.0	3140.5	Hz	26.8
B2	RTD	x	2967.9	Hz	
BX2 - 595876 5818550					
B3	RTD	x	2892.4	Hz	26.8
B4	RTD	x	2900.4	Hz	
B5	RTD	6.3	3104.0	Hz	
B6	RTD	x	3057.1	Hz	
B7	RTD	x	3115.8	Hz	
B8	RTD	x	3126.0	Hz	
BX3 - 595787 5818639					
B9	THERM	6.9	8635.4	Hz ²	26.8
B10	THERM	7.6	8904.3	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.2	8027.7	Hz ²	26.8
B12	THERM	5.2	6845.0	Hz ²	
B13	THERM	5.0	6437.5	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.5	2897.7	Hz	27.0
C2	RTD	9.1	3069.7	Hz	
C3	RTD	11.4	3095.7	Hz	
CX2 - 595543 5818297					
C4	RTD	5.0	3140.8	Hz	27.0
C5	RTD	8.5	3012.4	Hz	
C6	THERM	2.2	8948.8	Hz ²	
C7	THERM	2.9	9371.3	Hz ²	
C8	THERM	4.0	9049.3	Hz ²	
CX3 - 595453 5818433					
C9	THERM	6.3	8202.1	Hz ²	26.8
C10	THERM	6.2	8494.4	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.2	8337.1	Hz ²	27.0
C12	THERM	4.9	7541.9	Hz ²	
DX1 - 595347 5819823					
D1	RTD	6.2	3081.6	Hz	26.9
D2	RTD	7.9	3124.1	Hz	
DX2 - 595299 5819752					
D3	THERM	6.0	8181.3	Hz ²	26.8
D4	THERM	x	9051.0	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.1	8681.3	Hz ²	26.8
DX4 - (VW11-10)					
D6	THERM	5.5	8759.9	Hz ²	26.9
D7	THERM	5.3	8020.1	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9352.8	Hz ²	27.0
EX2 - 595400 5818353					
E2	THERM	6.8	8712.0	Hz ²	26.8
E3	THERM	7.0	8971.8	Hz ²	
EX3 - 595381 5818371					
E4	THERM	7.0	8317.9	Hz ²	26.8
E5	THERM	6.9	8559.5	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.4	8249.5	Hz ²	27.0
E7	THERM	3.9	8188.2	Hz ²	
FX1 - 594489 5818561					
F1	THERM	6.5	8046.1	Hz ²	26.9
FX2 - 594466 5818539					
F2	THERM	6.6	8135.3	Hz ²	26.9
F3	THERM	7.3	8069.9	Hz ²	
F4	THERM	7.3	8662.1	Hz ²	
FX3 - (VW11-01)					
F5	THERM	5.0	8204.4	Hz ²	26.9
GX1 - 595026 5819898					
G1	THERM	7.5	7918.6	Hz ²	26.8
G2	THERM	6.5	8286.2	Hz ²	
G3	THERM	7.7	8441.1	Hz ²	
GX2 - (VW11-11)					
G4	THERM	5.8	8345.2	Hz ²	26.8
G5	THERM	5.6	7887.2	Hz ²	
HX1 - 595601 5819519					
H1	THERM	Destroyed	Destroyed	Hz ²	
H2	THERM	Destroyed	Destroyed	Hz ²	
IX1 - 594805 5818404					
I1	THERM	x	8279.7	Hz ²	26.9
I2	THERM	6.6	8527.1	Hz ²	
I3	THERM	6.9	8757.7	Hz ²	
IX2 - 594811 5818431					
I4	THERM	5.7	8183.4	Hz ²	26.9
IX3 - (VW11-02)					
I5	THERM	5.7	8139.4	Hz ²	26.9
I6	THERM	5.8	7924.0	Hz ²	
JX1 - (VW11-09)					
J1	THERM	5.8	8218.2	Hz ²	26.8
KX2 - (VW11-08)					
K1	THERM	5.3	6928.1	Hz ²	26.8
K2	THERM	5.9	5191.4	Hz ²	

COMMENTS:

	02-Aug-12	Barometric 91.0	T 1	F1	T 2	F2	T 3	F3
Plane A			10.0	3122.7	x	2833.3	9.1	8333.2
Plane B			10.0	3140.5	x	2967.9	x	2892.4
Plane C			10.5	2897.7	9.1	3069.7	11.4	3095.7
Plane D			6.2	3081.6	7.9	3124.1	6.0	8181.3
Plane E			4.7	9352.8	6.8	8712.0	7.0	8971.8
Plane F			6.5	8046.1	6.6	8135.3	7.3	8069.9
Plane G			7.5	7918.6	6.5	8286.2	7.7	8441.1
Plane H			Destroyed	Destroyed	Destroyed	Destroyed		
Plane I			x	8279.7	6.6	8527.1	6.9	8757.7
Plane J		5.8	8218.2					
PlaneK		5.3	6928.1	5.9	5191.4			

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
x	3105.6	8.1	8321.0	x	3036.6	5.5	3061.2	4.9	8323.7
x	2900.4	6.3	3104.0	x	3057.1	x	3115.8	x	3126.0
5.0	3140.8	8.5	3012.4	2.2	8948.8	2.9	9371.3	4.0	9049.3
x	9051.0	6.1	8681.3	5.5	8759.9	5.3	8020.1		
7.0	8317.9	6.9	8559.5	3.4	8249.5	3.9	8188.2		
7.3	8662.1	5.0	8204.4						
5.8	8345.2	5.6	7887.2						
5.7	8183.4	5.7	8139.4	5.8	7924.0				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
x	3056.4	x	3016.0	x	3123.6	4.4	8571.8	7.5	8859.1
6.9	8635.4	7.6	8904.3	5.2	8027.7	5.2	6845.0	5.0	6437.5
6.3	8202.1	6.2	8494.4	4.2	8337.1	4.9	7541.9		

T 14 6.7	F14 8079.4	T 15 11.1	F15 7821.8	T 16 3.6	F16 8418.8	T 17 4.7	F17 2693.4	T 18 5.0	F18 2611.2
-------------	---------------	--------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.2	F19 2625.7	T 20 5.7	F20 2716.0	T 21 5.7	F21 6949.5
-------------	---------------	-------------	---------------	-------------	---------------

Project: Mt. Polley Tailing Storage Facility		Project No : VM00560		Inspector: Mitchell Regenstreif	
Date: 18-Aug-12		Weather: 32 degrees, Sunny		Pond Elevation Level (m): 959.6	



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.9	3122.8	Hz	26.9
A2	RTD	x	2833.1	Hz	
A3	THERM	8.8	8334.7	Hz ²	
A4	RTD	x	3105.5	Hz	
A5	THERM	8.3	8321.8	Hz ²	
A6	RTD	x	3037.0	Hz	
AX2 - 595656 5818395					
A7	RTD	5.6	3061.5	Hz	26.9
A8	THERM	4.9	8325.1	Hz ²	
A9	RTD	x	3056.5	Hz	
A10	RTD	x	3016.3	Hz	
A11	RTD	x	3123.8	Hz	
A12	THERM	4.4	8573.6	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.4	8861.8	Hz ²	26.8
A14	THERM	7.0	8064.5	Hz ²	
AX4 - 595571 5818493					
A15	THERM	13.6	7815.6	Hz ²	26.9
AX5 - (VW11-05)					
A16	THERM	3.6	8421.8	Hz ²	26.9
A17	THERM	4.7	2693.8	Hz	
A18	THERM	5.0	2611.6	Hz	
AX6 - (VW11-06)					
A19	THERM	5.2	2626.3	Hz	26.9
A20	THERM	5.7	2716.2	Hz	
A21	THERM	5.7	6951.1	Hz ²	
BX1 - 595867 5818539					
B1	RTD	9.6	3140.4	Hz	26.9
B2	RTD	x	2967.9	Hz	
BX2 - 595876 5818550					
B3	RTD	x	2892.5	Hz	26.9
B4	RTD	x	2900.5	Hz	
B5	RTD	6.3	3104.3	Hz	
B6	RTD	x	3057.6	Hz	
B7	RTD	x	3116.2	Hz	
B8	RTD	x	3126.2	Hz	
BX3 - 595787 5818639					
B9	THERM	6.9	8634.8	Hz ²	26.9
B10	THERM	7.5	8907.1	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.2	8032.5	Hz ²	26.9
B12	THERM	5.2	6847.3	Hz ²	
B13	THERM	5.0	6437.8	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.2	2897.9	Hz	26.9
C2	RTD	9.1	3069.6	Hz	
C3	RTD	11.3	3095.8	Hz	
CX2 - 595543 5818297					
C4	RTD	5.0	3140.7	Hz	26.9
C5	RTD	8.5	3012.4	Hz	
C6	THERM	2.2	8950.9	Hz ²	
C7	THERM	2.9	9371.8	Hz ²	
C8	THERM	4.0	9051.2	Hz ²	
CX3 - 595453 5818433					
C9	THERM	7.3	8197.8	Hz ²	26.8
C10	THERM	6.1	8490.0	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.2	8336.9	Hz ²	26.9
C12	THERM	4.9	7541.9	Hz ²	
DX1 - 595347 5819823					
D1	RTD	5.9	3078.0	Hz	26.9
D2	RTD	7.9	3124.8	Hz	
DX2 - 595299 5819752					
D3	THERM	5.9	8174.1	Hz ²	26.8
D4	THERM	x	9051.0	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.2	8708.2	Hz ²	26.8
DX4 - (VW11-10)					
D6	THERM	5.5	8770.8	Hz ²	26.9
D7	THERM	5.3	8030.6	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9355.6	Hz ²	26.9
EX2 - 595400 5818353					
E2	THERM	6.9	8710.1	Hz ²	26.8
E3	THERM	7.0	8974.2	Hz ²	
EX3 - 595381 5818371					
E4	THERM	7.7	8308.4	Hz ²	26.8
E5	THERM	6.9	8557.3	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.4	8255.3	Hz ²	26.9
E7	THERM	3.8	8194.7	Hz ²	
FX1 - 594489 5818561					
F1	THERM	6.4	8048.7	Hz ²	26.8
FX2 - 594466 5818539					
F2	THERM	6.7	8139.7	Hz ²	26.8
F3	THERM	7.3	8069.1	Hz ²	
F4	THERM	7.7	8667.8	Hz ²	
FX3 - (VW11-01)					
F5	THERM	5.2	8213.3	Hz ²	26.8
GX1 - 595026 5819898					
G1	THERM	7.9	7943.2	Hz ²	26.8
G2	THERM	5.8	8287.8	Hz ²	
G3	THERM	7.7	8479.4	Hz ²	
GX2 - (VW11-11)					
G4	THERM	6.0	8351.3	Hz ²	26.8
G5	THERM	5.6	7887.2	Hz ²	
HX1 - 595601 5819519					
H1	THERM	Destroyed	Destroyed	Hz ²	
H2	THERM	Destroyed	Destroyed	Hz ²	
IX1 - 594805 5818404					
I1	THERM	x	8279.6	Hz ²	26.8
I2	THERM	6.5	8556.2	Hz ²	
I3	THERM	6.8	8762.3	Hz ²	
IX2 - 594811 5818431					
I4	THERM	5.7	8203.0	Hz ²	26.8
IX3 - (VW11-02)					
I5	THERM	5.9	8154.6	Hz ²	26.8
I6	THERM	5.8	7940.7	Hz ²	
JX1 - (VW11-09)					
J1	THERM	5.8	8217.5	Hz ²	26.9
KX2 - (VW11-08)					
K1	THERM	5.3	6917.5	Hz ²	26.9
K2	THERM	5.9	5190.4	Hz ²	

COMMENTS:

	18-Aug-12	Barometric 90.9	T 1	F1	T 2	F2	T 3	F3
Plane A			9.9	3122.8	x	2833.1	8.8	8334.7
Plane B			9.6	3140.4	x	2967.9	x	2892.5
Plane C			10.2	2897.9	9.1	3069.6	11.3	3095.8
Plane D			5.9	3078.0	7.9	3124.8	5.9	8174.1
Plane E			4.7	9355.6	6.9	8710.1	7.0	8974.2
Plane F			6.4	8048.7	6.7	8139.7	7.3	8069.1
Plane G			7.9	7943.2	5.8	8287.8	7.7	8479.4
Plane H			Destoryed	Destoryed	Destoryed	Destoryed		
Plane I			x	8279.6	6.5	8556.2	6.8	8762.3
Plane J			5.8	8217.5				
PlaneK			5.3	6917.5	5.9	5190.4		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
x	3105.5	8.3	8321.8	x	3037.0	5.6	3061.5	4.9	8325.1
x	2900.5	6.3	3104.3	x	3057.6	x	3116.2	x	3126.2
5.0	3140.7	8.5	3012.4	2.2	8950.9	2.9	9371.8	4.0	9051.2
x	9051.0	6.2	8708.2	5.5	8770.8	5.3	8030.6		
7.7	8308.4	6.9	8557.3	3.4	8255.3	3.8	8194.7		
7.7	8667.8	5.2	8213.3						
6.0	8351.3	5.6	7887.2						
5.7	8203.0	5.9	8154.6	5.8	7940.7				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
x	3056.5	x	3016.3	x	3123.8	4.4	8573.6	7.4	8861.8
6.9	8634.8	7.5	8907.1	5.2	8032.5	5.2	6847.3	5.0	6437.8
7.3	8197.8	6.1	8490.0	4.2	8336.9	4.9	7541.9		

T 14 7.0	F14 8064.5	T 15 13.6	F15 7815.6	T 16 3.6	F16 8421.8	T 17 4.7	F17 2693.8	T 18 5.0	F18 2611.6
-------------	---------------	--------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.2	F19 2626.3	T 20 5.7	F20 2716.2	T 21 5.7	F21 6951.1
-------------	---------------	-------------	---------------	-------------	---------------

Project: **Mt. Polley Tailing Storage Facility**

Date: **30-Aug-12**

Project No : **VM00560**

Weather: **15 degrees, Rain**

Inspector: **Mitchell Regenstreif**

Pond Elevation Level (m): **959.7**



ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
AX1 - 595674 5818388					
A1	RTD	9.9	3122.7	Hz	26.8
A2	RTD	x	2833.5	Hz	
A3	THERM	10.1	8335.5	Hz ²	
A4	RTD	x	3105.6	Hz	
A5	THERM	8.7	8322.4	Hz ²	
A6	RTD	x	3037.2	Hz	
AX2 - 595656 5818395					
A7	RTD	5.8	3061.8	Hz	26.8
A8	THERM	4.9	8325.9	Hz ²	
A9	RTD	x	3056.9	Hz	
A10	RTD	x	3016.5	Hz	
A11	RTD	x	3124.1	Hz	
A12	THERM	4.4	8574.6	Hz ²	
AX3 - 595590 5818494					
A13	THERM	7.4	8864.6	Hz ²	26.7
A14	THERM	7.1	8059.4	Hz ²	
AX4 - 595571 5818493					
A15	THERM	14.7	7808.0	Hz ²	26.7
AX5 - (VW11-05)					
A16	THERM	3.6	8425.4	Hz ²	26.8
A17	THERM	4.7	2694.3	Hz	
A18	THERM	5.0	2612.2	Hz	
AX6 - (VW11-06)					
A19	THERM	5.2	2626.6	Hz	26.8
A20	THERM	5.7	2716.3	Hz	
A21	THERM	5.7	6952.7	Hz ²	
BX1 - 595867 5818539					
B1	RTD	9.6	3140.5	Hz	26.8
B2	RTD	x	2967.9	Hz	
BX2 - 595876 5818550					
B3	RTD	x	2892.8	Hz	26.8
B4	RTD	x	2900.9	Hz	
B5	RTD	6.3	3104.6	Hz	
B6	RTD	x	3058.1	Hz	
B7	RTD	x	3116.3	Hz	
B8	RTD	x	3126.5	Hz	
BX3 - 595787 5818639					
B9	THERM	6.9	8633.4	Hz ²	26.8
B10	THERM	7.5	8910.1	Hz ²	
BX4 - (VW11-07)					
B11	THERM	5.2	8035.7	Hz ²	26.8
B12	THERM	5.2	6849.3	Hz ²	
B13	THERM	5.0	6441.7	Hz ²	
CX1 - 595540 5818293					
C1	RTD	10.3	2898.1	Hz	26.8
C2	RTD	9.1	3069.6	Hz	
C3	RTD	11.3	3095.8	Hz	
CX2 - 595543 5818297					
C4	RTD	5.0	3140.8	Hz	26.8
C5	RTD	8.5	3012.7	Hz	
C6	THERM	2.2	8952.2	Hz ²	
C7	THERM	2.9	9374.1	Hz ²	
C8	THERM	4.0	9053.3	Hz ²	
CX3 - 595453 5818433					
C9	THERM	8.3	8193.8	Hz ²	26.7
C10	THERM	6.2	8486.2	Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (inHG)
CX4 - (VW11-04)					
C11	THERM	4.1	8340.5	Hz ²	26.8
C12	THERM	4.9	7545.9	Hz ²	
DX1 - 595347 5819823					
D1	RTD	6.4	3076.9	Hz	26.7
D2	RTD	7.6	3124.5	Hz	
DX2 - 595299 5819752					
D3	THERM	5.9	8173.6	Hz ²	26.7
D4	THERM	x	9057.0	Hz ²	
DX3 - 595286 5819722					
D5	THERM	6.2	8715.8	Hz ²	26.7
DX4 - (VW11-10)					
D6	THERM	5.5	8779.2	Hz ²	26.7
D7	THERM	5.3	8038.3	Hz ²	
EX1 - 595465 5818247					
E1	THERM	4.7	9357.6	Hz ²	26.8
EX2 - 595400 5818353					
E2	THERM	6.9	8712.2	Hz ²	26.7
E3	THERM	6.9	8977.0	Hz ²	
EX3 - 595381 5818371					
E4	THERM	8.4	8259.6	Hz ²	26.7
E5	THERM	6.5	8553.0	Hz ²	
EX4 - (VW11-03)					
E6	THERM	3.4	8258.4	Hz ²	26.7
E7	THERM	3.8	8198.4	Hz ²	
FX1 - 594489 5818561					
F1	THERM	6.4	8031.7	Hz ²	26.7
FX2 - 594466 5818539					
F2	THERM	6.7	8146.4	Hz ²	26.7
F3	THERM	7.2	8054.8	Hz ²	
F4	THERM	7.8	8670.6	Hz ²	
FX3 - (VW11-01)					
F5	THERM	5.4	8214.9	Hz ²	26.7
GX1 - 595026 5819898					
G1	THERM	8.1	7962.2	Hz ²	26.7
G2	THERM	6.5	8288.8	Hz ²	
G3	THERM	7.4	8514.6	Hz ²	
GX2 - (VW11-11)					
G4	THERM	6.1	8356.3	Hz ²	26.7
G5	THERM	5.6	7905.8	Hz ²	
HX1 - 595601 5819519					
H1	THERM	Destroyed	Destroyed	Hz ²	
H2	THERM	Destroyed	Destroyed	Hz ²	
IX1 - 594805 5818404					
I1	THERM	x	8280.8	Hz ²	26.7
I2	THERM	6.5	8563.8	Hz ²	
I3	THERM	6.8	8765.0	Hz ²	
IX2 - 594811 5818431					
I4	THERM	5.7	8180.2	Hz ²	26.7
IX3 - (VW11-02)					
I5	THERM	6.0	8157.8	Hz ²	26.7
I6	THERM	5.9	7944.5	Hz ²	
JX1 - (VW11-09)					
J1	THERM	5.8	8223.6	Hz ²	26.7
KX2 - (VW11-08)					
K1	THERM	5.3	6930.9	Hz ²	26.8
K2	THERM	3.9	5190.7	Hz ²	

COMMENTS:

		Barometric	T 1	F1	T 2	F2	T 3	F3
Plane A	30-Aug-12	90.5	9.9	3122.7	x	2833.5	10.1	8335.5
Plane B			9.6	3140.5	x	2967.9	x	2892.8
Plane C			10.3	2898.1	9.1	3069.6	11.3	3095.8
Plane D			6.4	3076.9	7.6	3124.5	5.9	8173.6
Plane E			4.7	9357.6	6.9	8712.2	6.9	8977.0
Plane F			6.4	8031.7	6.7	8146.4	7.2	8054.8
Plane G			8.1	7962.2	6.5	8288.8	7.4	8514.6
Plane H			Destroyed	Destroyed	Destroyed	Destroyed		
Plane I			x	8280.8	6.5	8563.8	6.8	8765.0
Plane J			5.8	8223.6				
PlaneK	5.3	6930.9	3.9	5190.7				

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
x	3105.6	8.7	8322.4	x	3037.2	5.8	3061.8	4.9	8325.9
x	2900.9	6.3	3104.6	x	3058.1	x	3116.3	x	3126.5
5.0	3140.8	8.5	3012.7	2.2	8952.2	2.9	9374.1	4.0	9053.3
x	9057.0	6.2	8715.8	5.5	8779.2	5.3	8038.3		
8.4	8259.6	6.5	8553.0	3.4	8258.4	3.8	8198.4		
7.8	8670.6	5.4	8214.9						
6.1	8356.3	5.6	7905.8						
5.7	8180.2	6.0	8157.8	5.9	7944.5				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
x	3056.9	x	3016.5	x	3124.1	4.4	8574.6	7.4	8864.6
6.9	8633.4	7.5	8910.1	5.2	8035.7	5.2	6849.3	5.0	6441.7
8.3	8193.8	6.2	8486.2	4.1	8340.5	4.9	7545.9		

T 14 7.1	F14 8059.4	T 15 14.7	F15 7808.0	T 16 3.6	F16 8425.4	T 17 4.7	F17 2694.3	T 18 5.0	F18 2612.2
-------------	---------------	--------------	---------------	-------------	---------------	-------------	---------------	-------------	---------------

T 19 5.2	F19 2626.6	T 20 5.7	F20 2716.3	T 21 5.7	F21 6952.7
-------------	---------------	-------------	---------------	-------------	---------------

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (kPa)
AX1 - 595674 5818388					
A1	RTD			Hz	
A2	RTD			Hz	
A3	THERM			Hz ²	
A4	RTD			Hz	
A5	THERM			Hz ²	
A6	RTD			Hz	
AX2 - 595656 5818395					
A7	RTD			Hz	
A8	THERM			Hz ²	
A9	RTD			Hz	
A10	RTD			Hz	
A11	RTD			Hz	
A12	THERM			Hz ²	
AX3 - 595590 5818494					
A13	THERM			Hz ²	
A14	THERM			Hz ²	
AX4 - 595571 5818493					
A15	THERM			Hz ²	
AX5 - (VW11-05)					
A16	THERM			Hz ²	
A17	THERM			Hz	
A18	THERM			Hz	
AX6 - (VW11-06)					
A19	THERM			Hz	
A20	THERM			Hz	
A21	THERM			Hz ²	
BX1 - 595867 5818539					
B1	RTD			Hz	
B2	RTD			Hz	
BX2 - 595876 5818550					
B3	RTD			Hz	
B4	RTD			Hz	
B5	RTD			Hz	
B6	RTD			Hz	
B7	RTD			Hz	
B8	RTD			Hz	
BX3 - 595787 5818639					
B9	THERM			Hz ²	
B10	THERM			Hz ²	
BX4 - (VW11-07)					
B11	THERM			Hz ²	
B12	THERM			Hz ²	
B13	THERM			Hz ²	
CX1 - 595540 5818293					
C1	RTD			Hz	
C2	RTD			Hz	
C3	RTD			Hz	
CX2 - 595543 5818297					
C4	RTD			Hz	
C5	RTD			Hz	
C6	THERM			Hz ²	
C7	THERM			Hz ²	
C8	THERM			Hz ²	
CX3 - 595453 5818433					
C9	THERM			Hz ²	
C10	THERM			Hz ²	

ID	TEMP Setting	TEMP (°C) Reading	FREQUENCY Reading	FREQUENCY Setting	Berrometric Pressure (kPa)
CX4 - (VW11-04)					
C11	THERM			Hz ²	
C12	THERM			Hz ²	
DX1 - 595347 5819823					
D1	RTD			Hz	
D2	RTD			Hz	
DX2 - 595299 5819752					
D3	THERM			Hz ²	
D4	THERM			Hz ²	
DX3 - 595286 5819722					
D5	THERM			Hz ²	
DX4 - (VW11-10)					
D6	THERM			Hz ²	
D7	THERM			Hz ²	
EX1 - 595465 5818247					
E1	THERM			Hz ²	
EX2 - 595400 5818353					
E2	THERM			Hz ²	
E3	THERM			Hz ²	
EX3 - 595381 5818371					
E4	THERM			Hz ²	
E5	THERM			Hz ²	
EX4 - (VW11-03)					
E6	THERM			Hz ²	
E7	THERM			Hz ²	
FX1 - 594489 5818561					
F1	THERM			Hz ²	
FX2 - 594466 5818539					
F2	THERM			Hz ²	
F3	THERM			Hz ²	
F4	THERM			Hz ²	
FX3 - (VW11-01)					
F5	THERM			Hz ²	
GX1 - 595026 5819898					
G1	THERM			Hz ²	
G2	THERM			Hz ²	
G3	THERM			Hz ²	
GX2 - (VW11-11)					
G4	THERM			Hz ²	
G5	THERM			Hz ²	
HX1 - 595601 5819519					
H1	THERM			Hz ²	
H2	THERM			Hz ²	
IX1 - 594805 5818404					
I1	THERM			Hz ²	
I2	THERM			Hz ²	
I3	THERM			Hz ²	
IX2 - 594811 5818431					
I4	THERM			Hz ²	
IX3 - (VW11-02)					
I5	THERM			Hz ²	
I6	THERM			Hz ²	
JX1 - (VW11-09)					
J1	THERM			Hz ²	
KX2 - (VW11-08)					
K1	THERM			Hz ²	
K2	THERM			Hz ²	

COMMENTS:

	00-Jan-00	Barometric #DIV/0!	T 1	F1	T 2	F2	T 3	F3
Plane A			0.0	0.0	0.0	0.0	0.0	0.0
Plane B			0.0	0.0	0.0	0.0	0.0	0.0
Plane C			0.0	0.0	0.0	0.0	0.0	0.0
Plane D			0.0	0.0	0.0	0.0	0.0	0.0
Plane E			0.0	0.0	0.0	0.0	0.0	0.0
Plane F			0.0	0.0	0.0	0.0	0.0	0.0
Plane G			0.0	0.0	0.0	0.0	0.0	0.0
Plane H			0.0	0.0	0.0	0.0		
Plane I			0.0	0.0	0.0	0.0	0.0	0.0
Plane J			0.0	0.0				
PlaneK			0.0	0.0	0.0	0.0		

T 4	F4	T 5	F5	T 6	F6	T 7	F7	T 8	F8
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
0.0	0.0	0.0	0.0						
0.0	0.0	0.0	0.0						
0.0	0.0	0.0	0.0	0.0	0.0				

T 9	F9	T 10	F10	T 11	F11	T 12	F12	T 13	F13
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		

T 14 0.0	F14 0.0	T 15 0.0	F15 0.0	T 16 0.0	F16 0.0	T 17 0.0	F17 0.0	T 18 0.0	F18 0.0
-------------	------------	-------------	------------	-------------	------------	-------------	------------	-------------	------------

T 19 0.0	F19 0.0	T 20 0.0	F20 0.0	T 21 0.0	F21 0.0
-------------	------------	-------------	------------	-------------	------------