

# ROAD DEACTIVATION PRESCRIPTION - PENTICTON FOREST DISTRICT

File No.: 11250-30/8696.01

Watershed Name or Operating Area	Peachland C/W
Applicant	MoF Engineering
Road Name or Number (refer to attached map for extent of work described below)	Munro Lake FSR 8696.01 2.3 km to 14.4km
Measures to address any AMP/HLP direction	N.A.
Road work required to access the sites: <input checked="" type="checkbox"/> no modification required <input type="checkbox"/> modification required FDP amendment required? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, FDP amendment approved? <input type="checkbox"/> Yes	District Manager <div style="text-align: right;">             Initials  <div style="border: 1px solid black; width: 60px; height: 40px; margin: 0 auto;"></div> </div>

<input type="checkbox"/> Prescription is "no work recommended" or "leave as is". <input checked="" type="checkbox"/> Prescription comprises conventional waterbars, cross-ditching or driveable fords, minor cut slope stabilization as required, minor pull back <input checked="" type="checkbox"/> Refer to PEng prescription attached	<i>Provide rationale</i> Prescription area includes terrain Class IV and V. The prescribed activities were reviewed in the field by Kevin Turner Kamloops Region Geotechnical Engineer.
Level of Deactivation:	<input checked="" type="checkbox"/> Semi-Permanent <input type="checkbox"/> Permanent
Level of Access Required (after deactivation) <input type="checkbox"/> 2WD <input type="checkbox"/> ATV Only <input checked="" type="checkbox"/> 4WD <input type="checkbox"/> Other (Specify)	<i>State any change to access objectives (or plans) that have been deemed necessary due to field conditions.</i>
List of Water Licensees requiring notification (if within a Community Watershed)	Peachland Irrigation District
Deactivation activities will conform to the "Measure for Instream Deactivation Work" dated July 6, 1999. <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If no, what timing/activities vary from the DEO windows and/or measures? No in stream works required
Streams present that may be fish-bearing? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Fish presence inventory completed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Are fish present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown (Default =Yes)	<i>Include any measures supplemental to "Measures for Instream Deactivation Work" to enable safe fish passage and to protect fish habitat.</i> No stream crossings
Operational timing windows where applicable	<input type="checkbox"/> Jun 01 - Aug 31 <input type="checkbox"/> Jun 01 - Sep 15 <input type="checkbox"/> Jul 15 - Sep 30 <input type="checkbox"/> Aug 01 - Sep 30
Timing of planned Operations Variance required? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Specified revegetation treatment where required	<input checked="" type="checkbox"/> MOF DPE Erosion Control Seed Mix <input type="checkbox"/> Dry Fertilizer <input type="checkbox"/> Other (Specify)

Required to grow trees to control soil erosion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, can site conditions be reasonably expected to grow trees? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes: <input type="checkbox"/> Measure including use of commercial species where practicable. <div style="text-align: center;"><b>OR</b></div> <input type="checkbox"/> Request for District Manager exemption from rehab requirements. ( <b>Provide Rationale</b> )	<input type="checkbox"/> Site conditions not practicable to grow trees  <i>Rationale</i>
List of Attachments	<input checked="" type="checkbox"/> Map <input checked="" type="checkbox"/> Other (Specify) Table and comments by Kevin Turner

Signatures	
<p>Road Crosses an area that has moderate or high likelihood of landslide as determined by a TSFA under Forest Road Regulation Section 4.</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>List of Attachments:</p> <ul style="list-style-type: none"> <li>• E-Mail review (attached)</li> </ul>	<p>If Yes: Qualified Registered Professional who prepared this prescription:</p> <p>Kevin Turner <u>(e-mail attached)</u></p> <p>Print Name</p> <p>Signature _____ Date _____</p> <p>If No: Person who prepared this prescription:</p> <p>Craig Tilander _____</p> <p>Print Name</p> <p><u>C. Tilander</u> <u>10-10-01</u></p> <p>Signature Date</p>
<p>District Manager approval required:</p> <p><input type="checkbox"/> Works are scheduled outside timing windows or work is not going to be carried out in accordance with the measures established by the DEO.</p> <p><input type="checkbox"/> Road is being permanently deactivated and culvert(s) will be retained at stream crossing(s).</p> <p><input checked="" type="checkbox"/> Road is located in area of mod or high likelihood of landslides as determined by a terrain stability field assessment.</p> <p><input type="checkbox"/> Semi-permanent deactivation specified in lieu of permanent deactivation.</p> <p><input checked="" type="checkbox"/> Previously identified as required by the District Manager.</p>	<p><u>J. W. - V</u> <u>01/10/11</u></p> <p>District Manager Date</p>



# Penticton Forest District Deactivation Prescription Map


Roads To Be Deactivated: Munro Lake FSR

Contract: Deact-01-2

Level of Deactivation: Semi Permanent


Community Watershed: Yes, Trout Creek

Terrain Stability Issues: Yes, Terrain Class IV and V



## Penticton Forest District Deactivation Prescription Map


Roads To Be Deactivated: Munro Lake FSR  
Contract: Deact-01-2  
Level of Deactivation: Semi Permanent  
Community Watershed: Yes, Trout Creek  
Terrain Stability Issues: Yes, Terrain Class IV and V



# Penticton Forest District Deactivation Prescription Map




Roads To Be Deactivated: Munro Lake FSR  
Contract: Deact-01-2  
Level of Deactivation: Semi Permanent  
Community Watershed: Yes, Trout Creek  
Terrain Stability Issues: Yes, Terrain Class IV and V



# Penticton Forest District Deactivation Prescription Map


Roads To Be Deactivated: Munro Lake FSR  
Contract: Deact-01-2  
Level of Deactivation: Semi Permanent  
Community Watershed: Yes, Trout Creek  
Terrain Stability Issues: Yes, Terrain Class IV and V



Scale: 1:15000  
Date Prepared: October 1, 2001  
Prepared By: CT  
Field Information Supplied By: CT  
Map 5 of 6

# Penticton Forest District Deactivation Prescription Map

Roads To Be Deactivated: Munro Lake FSR  
Contract: Deact-01-2  
Level of Deactivation: Semi Permanent  
Community Watershed: Yes, Trout Creek  
Terrain Stability Issues: Yes, Terrain Class IV and V



Scale: 1:15000  
Date Prepared: October 1, 2001  
Prepared By: CT  
Field Information Supplied By: CT  
Map 6 of 6




Munro Lake FSR Deactivation Prescription			
Activity List			
Distance From POC	Activity	Comments	Contract Number
0.300			
0.500			
0.700			
0.800			
0.900			
1.000			
1.100			
1.200			
1.250			
1.280			
1.300			
1.380			
1.380			
1.420			
1.450			
1.460			
1.540			
1.550			
1.800			
1.900			
1.950			
2.000			
2.150			
1.950			
1.770			
1.790			
2.300	WB		DEACT-01-2
2.400	WB		DEACT-01-2
2.500	XD		DEACT-01-2
2.520	WB		DEACT-01-2
2.600	WB		DEACT-01-2
2.700	WB		DEACT-01-2
2.800	WB		DEACT-01-2
2.850	WB		DEACT-01-2
2.900	IS	INSLOPE 2.9 to 3.0	DEACT-01-2
2.900	WB		DEACT-01-2
3.000	WB		
3.050	WB		DEACT-01-2
3.100	WB	IMPROVE EXISTING	DEACT-01-2
3.200	WB	IMPROVE EXISTING	DEACT-01-2
3.300	WB		DEACT-01-2
3.400	WB		DEACT-01-2
3.600	WB		DEACT-01-2
3.700	WB		DEACT-01-2
3.750	WB		DEACT-01-2

3.850	WB		DEACT-01-2
4.050	WB		DEACT-01-2
4.070	BB		DEACT-01-2
4.100	WB		DEACT-01-2
4.150	WB		DEACT-01-2
4.200	WB		DEACT-01-2
4.300	WB		DEACT-01-2
4.400	WB		DEACT-01-2
4.500	WB		DEACT-01-2
4.600	WB		DEACT-01-2
4.700	WB		DEACT-01-2
4.900	WB		DEACT-01-2
5.000	WB		DEACT-01-2
5.100	WB		DEACT-01-2
5.200	BB		DEACT-01-2
5.400	WB		DEACT-01-2
5.500	XD		DEACT-01-2
5.500	XD		DEACT-01-2
5.700	WB		DEACT-01-2
5.750	WB		DEACT-01-2
5.800	WB		DEACT-01-2
5.900	WB		DEACT-01-2
6.000	WB		DEACT-01-2
6.200	WB		DEACT-01-2
6.400	WB		DEACT-01-2
6.500	XD	NO CULVERT NO FLOW	DEACT-01-2
6.700	WB		DEACT-01-2
6.800	WB		DEACT-01-2
6.900	WB		DEACT-01-2
7.000	WB		DEACT-01-2
7.100	WB		DEACT-01-2
7.200	WB		DEACT-01-2
7.300	WB		DEACT-01-2
7.400	WB		DEACT-01-2
7.500	WB		DEACT-01-2
7.550	WB		DEACT-01-2
7.700	WB		DEACT-01-2
7.800	WB		DEACT-01-2
7.900	WB		DEACT-01-2
8.000	WB		DEACT-01-2
8.050	WB		DEACT-01-2
8.100	WB		DEACT-01-2
8.200	WB		DEACT-01-2
8.250	WB		DEACT-01-2
8.300	WB		DEACT-01-2
8.400	WB		DEACT-01-2
8.500	WB		DEACT-01-2
8.600	WB		DEACT-01-2
8.700	WB		DEACT-01-2

8.800	WB	DEACT-01-2
8.900	WB	DEACT-01-2
9.000	WB	DEACT-01-2
9.100	WB	DEACT-01-2
9.200	WB	DEACT-01-2
9.300	WB	DEACT-01-2
9.400	WB	DEACT-01-2
9.600	WB	DEACT-01-2
9.700	WB	DEACT-01-2
9.800	WB	DEACT-01-2
9.900	WB	DEACT-01-2
10.050	XD	DEACT-01-2
10.100	WB	DEACT-01-2
10.200	RC	DEACT-01-2
10.300	WB	DEACT-01-2
10.500	WB	DEACT-01-2
10.600	WB	DEACT-01-2
10.800	WB	DEACT-01-2
10.900	WB	DEACT-01-2
11.000	XD	DEACT-01-2
11.200	WB	DEACT-01-2
11.250	XD	DEACT-01-2
11.400	WB	DEACT-01-2
11.500	WB	DEACT-01-2
11.800	WB	DEACT-01-2
11.900	WB	DEACT-01-2
12.000	WB	DEACT-01-2
12.200	WB	DEACT-01-2
12.400	WB	DEACT-01-2
12.500	WB	DEACT-01-2
12.800	WB	DEACT-01-2
12.900	WB	DEACT-01-2
13.000	WB	DEACT-01-2
13.100	WB	DEACT-01-2
13.200	WB	DEACT-01-2
13.300	WB	DEACT-01-2
13.400	WB	DEACT-01-2
13.450	WB	DEACT-01-2
13.500	WB	DEACT-01-2
13.600	WB	DEACT-01-2
13.700	WB	DEACT-01-2
13.800	WB	DEACT-01-2
14.000	WB	DEACT-01-2
14.100	WB	DEACT-01-2
14.300	WB	DEACT-01-2
14.400	WB	DEACT-01-2

# Penticton Forest District Deactivation Prescription Map

Roads To Be Deactivated: Munro Lake FSR  
Contract: Deact-01-2  
Level of Deactivation: Semi Permanent  
Community Watershed: Yes, Trout Creek  
Terrain Stability Issues: Yes, Terrain Class IV and V



**TAGGED ROADS**

**Deactivation Activity**

- Cross Ditch
- Water Bar
- Culvert Failure
- Remove Culvert (Driveable)
- Remove Culvert (Not Driveable)
- Ditch Clean
- Partial Putback
- Full Putback
- Ditch Construct
- Rock Armour
- Fix Existing Cross Ditch
- Breach Berm
- Build Berm
- Inslope

**Road Maintenance**

- FOREST SERVICE FSR
- SEEP FSR
- GORMANS FSR
- RIVERSIDE FSR
- WEYERHAEUSER FSR
- PUBLIC ROADS
- Road Permit R06038
- Road Permit R06039
- Road Permit R06040
- Road Permit R06041
- Road Permit R06042
- Other Road Permit
- Special Use Permit
- PROPOSED FSR
- Trim Roads
- Major Creeks

**Bridges and Major Culverts**

- Existing Bridge
- Existing Major Culvert
- Proposed Major Culvert

Scale: 1:50000  
Date Prepared: October 1, 2001  
Prepared By: CT  
Field Information Supplied By: CT