



BRITISH
COLUMBIA

Ministry of Environment,
Lands and Parks

APPLICATION FOR CROWN
LAND & STAKING NOTICE
Land Act

NAME(S) OF INDIVIDUALS (PLEASE PRINT IN FULL)

JOINT TENANTS ☐
TENANTS IN COMMON ☐

COMPANY OR SOCIETY NAME

H & J READY MIX LTD

APT. NO.	STREET ADDRESS: 1021 A SANDSTONE ROAD		POST OFFICE BOX NUMBER Box 1759	
CITY/TOWN REVELSTOKE		PROVINCE B.C.	POSTAL CODE V0E 2S0	
HOME PHONE 250-837-4938	BUS. PHONE 837-4741	FAX NUMBER	COMPANY OR SOCIETY INCORPORATION NUMBER:	
AGE: 19 OR OVER YES ☒ NO ☐		CANADIAN CITIZEN YES ☒ NO ☐		NON-REFUNDABLE APPLICATION FEE ENCLOSED YES ☒ NO ☐
LOCATION OF CROWN LAND PART SEC. 4, ON THE EAST SIDE OF WESTSIDE ROAD, REVELSTOKE.				AREA IN HECTARES 1.21

LEGAL OR BOUNDARY DESCRIPTION:

A) IF SURVEYED, GIVE LEGAL DESCRIPTION: PART OF THE WEST HALF OF SEC. 4, TWP 24, R4E 2, W6M

B) IF UNSURVEYED, PLEASE SEE REVERSE FOR STAKING INSTRUCTIONS AND PROVIDE A DESCRIPTION OF BOUNDARIES:

COMMENCING AT A POST PLANTED AT THE CORNER OF NORTH EAST BOUNDARY OF THE CSRD LANDFILL SITE.

THEN 100 METRES IN A NORTH DIRECTION; THEN 650 METRES IN A EAST DIRECTION;
THEN 750 METRES IN A SOUTH/WEST DIRECTION; THEN 50 METRES IN A WEST DIRECTION;
THEN 500 METRES IN A NORTH DIRECTION THEN 180 METRES IN A WEST DIRECTION.
DATE LAND STAKED: PLEASE ATTACH A MAP OR SKETCH SHOWING THE AREA

INTENDED LAND USE AND PERIOD OF OCCUPATION REQUIRED:

GRAVEL EXTRACTION & PROCESSING FACILITY - 25 YEARS.

ANY OTHER CROWN LAND HELD BY APPLICANT:

YES ☐ NO ☒

IF YES, STATE TYPE AND TENURE NUMBER:

I hereby certify that all information given in this application for Crown land and Staking Notice is true and correct and that I am an authorized agent - signatory (if company)

Applicants signature(s)

Signature

H.W. Berenford P. Eng

Date:

February 28 / 2002

Information contained in this application is public. Please see reverse for Freedom of Information and Protection of Privacy legislation.

FOR OFFICE USE ONLY

FILE NUMBER:

TAS CODING:

CLA PROJECT #


**BRITISH
COLUMBIA**

 Ministry of Environment,
Lands and Parks

**APPLICATION FOR CROWN
LAND & STAKING NOTICE**
Land Act

 B.C. ASSETS AND
LANDS CORP
JOINT TENANTS ☐TENANTS IN COMMON ☐

MAR 05 2002

NAME(S) OF INDIVIDUALS (PLEASE PRINT IN FULL)

COMPANY OR SOCIETY NAME

H & J READY MIX LTD

CRANBROOK, B.C.

APT. NO. ☒	STREET ADDRESS: 1021 A SANDSTONE ROAD		POST OFFICE BOX NUMBER Box 1759
CITY/TOWN REVELSTOKE		PROVINCE B.C.	POSTAL CODE V0E 2S0
HOME PHONE 250-837-4938	BUS. PHONE 837-4741	FAX NUMBER	COMPANY OR SOCIETY INCORPORATION NUMBER:
NON-REFUNDABLE APPLICATION FEE ENCLOSED YES ☒ NO ☐			
AGE: 19 OR OVER YES ☒ NO ☐	CANADIAN CITIZEN YES ☒ NO ☐		
LOCATION OF CROWN LAND PART SEC. 4, ON THE EAST SIDE OF WESTSIDE ROAD, REVELSTOKE.			AREA IN HECTARES 1.21

Eric W. Beresford, P.Eng
Mining Consultant

 1719 Pennask Terrace
Kamloops, BC V2B 7N9
Phone: (250) 376-3296
Fax: (250) 376-7840
Email: ericwberesford@telus.net


PART OF THE WEST HALF OF SEC. 4, M

KING INSTRUCTIONS AND PROVIDE A DESCRIPTION OF BOUNDARIES:

 THE CORNER OF NORTH EAST BOUNDARY
INDFILL SITE.

 THEN 750 METRES IN A NORTH DIRECTION; THEN 650 METRES IN A EAST DIRECTION;
 THEN 750 METRES IN A SOUTH/WEST DIRECTION; THEN 50 METRES IN A WEST DIRECTION;
 THEN 500 METRES IN A NORTH DIRECTION THEN 180 METRES IN A WEST DIRECTION.
 DATE LAND STAKED: PLEASE ATTACH A MAP OR SKETCH SHOWING THE AREA

INTENDED LAND USE AND PERIOD OF OCCUPATION REQUIRED:

GRAVEL EXTRACTION & PROCESSING FACILITY - 25 YEARS.

ANY OTHER CROWN LAND HELD BY APPLICANT:

 YES ☐ NO ☒

IF YES, STATE TYPE AND TENURE NUMBER:

I hereby certify that all information given in this application for Crown land and Staking Notice is true and correct and that I am an authorized agent - signatory (if company)

Applicants signature(s)

Signature

E.W. Beresford P.Eng

Date:

February 28 / 2002


Information contained in this application is public. Please see reverse for Freedom of Information and Protection of Privacy legislation.

FOR OFFICE USE ONLY

FILE NUMBER:


TAS CODING:

CLA PROJECT #



MOUNT REVELSTOKE BRITISH COLUMBIA

Scale 1:50,000 Échelle




Shall highway
2-lane highway
2 lanes
2 lanes or more
2 lanes or more

more than 2 lanes
more than 2 lanes
more than 2 lanes
more than 2 lanes
more than 2 lanes

PIER DES SIGNES, VOIR AU VERSO

Information concerning location and precise elevation of bench marks can be obtained by writing to the Geodetic Survey, Surveys and Mapping Branch, Ottawa.

CONVERSION SCALE FOR ELEVATIONS



CONTOUR INTERVAL 100 FEET
Elevations in Feet above Mean Sea Level
North American Datum 1927
Transverse Mercator Projection

On peut obtenir des renseignements sur le lieu et l'altitude exacte des repères de nivellement en écrivant aux Levés géodésiques, Direction des levés et de la cartographie, Ottawa.


ÉCHELLE DE CONVERSION DES ÉLEVATIONS

ÉLOIGNEMENT DES COURBES 100 PIEDS
Élevations en pieds au-dessus du niveau moyen de la mer
Système de référence géodésique nord-américain 1927
Projection transverse de Mercator

SHEET 82 M/1

CROWN LAND AREA
APPLICATION FOR GRAVEL
REMOVAL.

Port. W $\frac{1}{2}$ Sec. 4. Twp 24
Rge 2 W6M.



H & J READY MIX - APPLICATION FOR GRAVEL EXTRACTION (AMENDED AREA) MARCH 6/2002


Revelstoke Westside Road Plan

Map 1

Land Owners
& Tenure


Legend

- Study Area Boundary
- Dept. Fisheries/Oceans
- Ministry of Forests



- Min. of Transportation & Hwy's
- Columbia Shuswap R.D.
- City of Revelstoke
- Private Users
- BC Hydro/Telus

SCALE: 1/10,000



B.C. ASSETS AND
LANDS CORP

MAY 07 2001

CRANBROOK, B.C.

F A X

Eric W. Beresford, P.Eng.

Mining Consultant

1719 Pennask Terrace, Kamloops, B.C. V2B 7N9

(250) 376-3296 Fax: (250) 376-7840

E-mail: ericwberesford@telus.net

To: KATHY BISSET

From: ERIC BERESFORD

Fax: _____

Pages: _____

Date: May 3, 2001

May 3, 2001

Kathy,

Enclosed are the revised plans for the H & J. Ready Mix application which was originally submitted to BCAL in September 2000.


By separate enclosure H & J will be sending another cheque to your attention in the amount of \$107.00 as the original cheque had a shelf life of 6 months and I understand you have returned that to H & J in Revelstoke.

Hope this one can proceed a bit quicker and reach a Licence of Occupation offer fairly soon.


The area has been reduced to 15 ha for gravel removal, including the screening, crushing and stockpile areas and buffer areas.

Thank you for your help in this application.

Yours truly


Eric Beresford.
Mining Consultant

Encl. Maps enclosed.




- WESTSIDE ROAD - REVELSTOKE
 CROWN LAND
 GRAVEL APPLICATION
 Part W $\frac{1}{2}$ Sec. 5 & Part E $\frac{1}{2}$
 Sec. 4 Twp 24, Rge 2, W6M

SCALE: 1/5000

Revised Land Application Area
 dated May 1st 2001


W. B. Breenford

CONTOURS IN METRES




PROPOSED GRAVEL EXTRACTION AREA ON CROWN LAND, REVELSTOKE. Part W $\frac{1}{2}$ Sec.5 & Part E $\frac{1}{2}$ Sec.4 Twp 24, Rge 2 W6M of approximately 15 ha in size.

Revised Land Application Area. May 2001



MOUNT REVELSTOKE BRITISH COLUMBIA



Shall highway
2 chaussées séparées
2 lanes
2 voies
2 voies ou plus

more than 2 lanes
plus de 2 voies
less than 2 lanes
moins de 2 voies
less than 2 lanes
moins de 2 voies

NOTE DES SIGNES VOIR AU VERSO

Information concerning location and precise elevation of bench marks can be obtained by writing to the Geodetic Survey, Surveys and Mapping Branch, Ottawa.

On peut obtenir des renseignements sur le lieu et l'altitude exacte des repères de nivellement en écrivant aux Levés géodésiques, Direction des levés et de la cartographie, Ottawa.

CONVERSION SCALE FOR ELEVATIONS

ÉCHELLE DE CONVERSION DES ÉLEVATIONS

Metres 30 20 10 0 100 200 300 400 500 600 700 800 900 1000

Pieds 100 50 0 100 200 300 400 500 600 700 800 900 1000

CONTOUR INTERVAL 100 FEET

Elevations in Feet above Mean Sea Level

North American Datum 1927

Transverse Mercator Projection

ÉQUIDISTANCE DES COURBES 100 PIEDS


Elevations en pieds au-dessus du niveau moyen de la mer

Système de référence géodésique nord-américain, 1927

Projection transverse de Mercator


SHEET 82 M/1


CROWN LAND AREA
APPLICATION FOR GRAVEL
REMOVAL - Part W $\frac{1}{2}$ Sec. 5
& Part E $\frac{1}{2}$ Sec. 4, Twp 24
Rge 2 W6M.



SECTION A-A


SCALE: 1/5000 HORIZ/VERT.






MOUNT REVELSTOKE BRITISH COLUMBIA

Scale 1:50,000 Échelle



Information concerning location and precise elevation of bench marks can be obtained by writing to the Geodetic Survey, Surveys and Mapping Branch, Ottawa.

CONVERSION SCALE FOR ELEVATIONS



CONTOUR INTERVAL 100 FEET
Elevations in feet above Mean Sea Level
North American Datum 1927
Transverse Mercator Projection


On peut obtenir des renseignements sur le lieu et l'altitude exacte des repères de nivellement en écrivant aux Levés géodésiques, Direction des levés et de la cartographie, Ottawa.

ECHELLE DE CONVERSION DES ÉLEVATIONS


ÉCOUDISTANCE DES COURBES 100 PIEDS
Élévations en pieds au dessus du niveau moyen de la mer
Système de référence géodésique nord-américain, 1927
Projection transverse de Mercator

SHEET 82 M/1

CROWN LAND AREA
APPLICATION FOR GRAVEL
REMOVAL - Part W $\frac{1}{2}$ Sec. 5
& Part E $\frac{1}{2}$ Sec. 4, Twp 24
Rge 2 W 6 M.



SECTION A-A



SECTION B-B

SCALE: 1/5000 HORIZ|VERT.