

**From:** EMCR ECC1 EMCR:EX(SGPEP.ECC1@gov.bc.ca)  
**To:** Undisclosed recipients;;  
**Subject:** FW: New Spill Update Reported (DGIR #230578 - SEA)  
**Sent:** 02/12/2023 07:05:51

Operations Officer | Emergency Coordination Center  
Ministry of Emergency Management and Climate Readiness  
Ministry of Emergency Management and Climate Change  
Block A, Suite 200 – 2261 Keating X Road  
Saanichton, B.C. CANADA V8M 2A5

24 Hour Emergency: 1.800.663.3456  
Follow us on twitter @EmergencyInfoBC  
and PreparedBC

Disclaimer: This email and any attachments are sent in strictest confidence for the sole use of the addressee and may contain legally privileged, confidential, and proprietary data. If you are not the intended recipient, please advise the sender by replying promptly to this email and then delete and destroy this email and any attachments without any further use, copying or forwarding.

-----Original Message-----

From: no-reply@webeoc.gov.bc.ca <no-reply@webeoc.gov.bc.ca>  
Sent: February 11, 2023 23:04  
Subject: New Spill Update Reported (DGIR #230578 - SEA)

New Spill Update:

DGIR #: 230578  
Update #: 4  
ROC #:

-----  
Incident Date/Time Logged: 02/11/2023 10:58:15 Update Date/Time Logged: 02/11/2023 22:17:16  
-----

Caller Name: Andrew Smith  
Caller Agency: MOE  
Caller Contact: 604-786-4456  
-----

Address/Location: 1950 Hwy 3 And 93, Jaffray, BC

Area: Jaffray  
EMBC Region: South East  
MOE Region: Southern Interior

-----  
Details:

Upgrade to Code 2 with an immediate down grade to Code 1 due to the estimate increase of volume lost determined that it might pose a larger risk to the local well water.

-----  
Notification: 02/11/2023 22:56:56 - Verbal Briefing  
Stakeholder(s) Notified: MOH DO, Mike  
Notification Details:

Notification Performed By: Brittney OPS - 1 as ECC Operations Officer

Notification: 02/11/2023 23:00:56 - Email

Stakeholder(s) Notified: MOH DO (Code 2 List) Notification Details:

Notification Performed By: Brittney OPS - 1 as ECC Operations Officer

Notification: 02/11/2023 23:01:36 - Email

Stakeholder(s) Notified: Public Safety Canada (PS) (Code 2 List) Notification Details:

Notification Performed By: Brittney OPS - 1 as ECC Operations Officer

Notification: 02/11/2023 23:02:37 - Email

Stakeholder(s) Notified: ISC (Code 2 Dist) Notification Details:

Notification Performed By: Brittney OPS - 1 as ECC Operations Officer

Notification: 02/11/2023 23:00:35 - Email

Stakeholder(s) Notified: OFC

Notification Details:

Notification Performed By: Brittney OPS - 1 as ECC Operations Officer

Notification: 02/11/2023 22:53:41 - Verbal Briefing

Stakeholder(s) Notified: Emergency Program Coordinator, East Kootney District, South East Region Notification Details:

already briefed by the RDM

Notification Performed By: Brittney OPS - 1 as ECC Operations Officer

Notification: 02/11/2023 22:37:27 - Verbal Briefing

Stakeholder(s) Notified: Nick Davis, RDM Notification Details:

Requested to be patched through to MOE RO for more details OO patched RDM to MOE RO Notification

Performed By: Brittney OPS - 1 as ECC Operations Officer

Notification: 02/11/2023 22:24:22 - Verbal Briefing

Stakeholder(s) Notified: Ryland Bennett PDM and Patrick Robertson, PDM Notification Details:

Notification Performed By: Brittney OPS - 1 as ECC Operations Officer

Notification: 02/11/2023 22:24:06 - Verbal Briefing

Stakeholder(s) Notified: Andrew Smith, MOE RO Notification Details:

Already briefed

Notification Performed By: Brittney OPS - 1 as ECC Operations Officer

Notification: 02/11/2023 22:23:56 - Verbal Briefing

Stakeholder(s) Notified: ECC Supervisor Vanderwilt Notification Details:

Notification Performed By: Brittney OPS - 1 as ECC Operations Officer

Report Compiled By: Brittney OPS - 1

SGPEP.ECC1@gov.bc.ca

**From:** EMCR PDM EMCR:EX(EMBCPDM@gov.bc.ca)

**To:** Austin, Matt FOR:EX (Matt.Austin@gov.bc.ca); Bain, Don PREM:EX (Don.Bain@gov.bc.ca); Baskerville, Shannon EMLI:EX (Shannon.Baskerville@gov.bc.ca); McBride, Heidi (Heidi.McBride@BCCourts.ca); BCP Ministry Advisors (BCPMinistryAdvisors@Victoria1.gov.bc.ca); Bond, Allison SDPR:EX (Allison.Bond@gov.bc.ca); Brouwer, Shauna CITZ:EX (Shauna.Brouwer@gov.bc.ca); Brown, Stephen R HLTH:EX (Stephen.Brown@gov.bc.ca); Brown, Tom G IRR:EX (Tom.Brown@gov.bc.ca); Butler, Jason PSFS:EX (Jason.Butler@gov.bc.ca); Can Forces (ESQBWCOP@forces.gc.ca); Carrelli, John I CITZ:EX (John.Carrelli@gov.bc.ca); Caul, Doug D PREM:EX (Doug.Caul@gov.bc.ca); Chandler, Alex EMCR:EX (Alex.Chandler@gov.bc.ca); Chiddell, Dan J AG:EX (Dan.Chiddell@gov.bc.ca); CITZ Corporate Planning CITZ:EX (CorpPlan@gov.bc.ca); Conroy, Katrine FIN:EX (Katrine.Conroy@gov.bc.ca); Crampton, Ray W FOR:EX (Ray.Crampton@gov.bc.ca); Dobmeier, Teresa EMCR:EX (Teresa.Dobmeier@gov.bc.ca); Durand, Kelly M MCF:EX (Kelly.Durand@gov.bc.ca); ES Moc Director MUNI:EX (ESMOC.DIRECTOR@gov.bc.ca); Farnworth, Mike PSSG:EX (Mike.Farnworth@gov.bc.ca); <sup>s. 22</sup> Fernandes, Ruth EMCR:EX (Ruth.Fernandes@gov.bc.ca); Field, Travis (travis.field@forces.gc.ca); Filmer, Cam A IRR:EX (Cam.Filmer@gov.bc.ca); Finn, Heather GCPE:EX (Heather.Finn@gov.bc.ca); FOR BCWS Wildfire Leadership Team (WLT@Victoria1.gov.bc.ca); Franklin, Janice IRR:EX (Janice.Franklin@gov.bc.ca); Fraser, Agnes EMCR:EX (Agnes.Fraser@gov.bc.ca); Fraser, Sarah W FOR:EX (Sarah.Fraser@gov.bc.ca); Galbraith, David J MCF:EX (David.Galbraith@gov.bc.ca); Galt, Jamie HLTH:EX (Jamie.Galt@gov.bc.ca); Godfrey, Samuel SDPR:EX (Samuel.Godfrey@gov.bc.ca); Grant, Nick TACS:EX (Nick.Grant@gov.bc.ca); Halls, Lori D WLRS:EX (Lori.D.Halls@gov.bc.ca); Harris, Megan PSSG:EX (Megan.Harris@gov.bc.ca); Hewitt, Jeremy ENV:EX (Jeremy.Hewitt@gov.bc.ca); Howlett, Tim GCPE:EX (Tim.Howlett@gov.bc.ca); Hughes, Trevor LBR:EX (Trevor.Hughes@gov.bc.ca); Hykaway, Mike R FOR:EX (Mike.Hykaway@gov.bc.ca); Jardine, Kevin ENV:EX (Kevin.Jardine@gov.bc.ca); Karimi, Nina ECC:EX (Nina.Karimi@gov.bc.ca); Kennah, Morgan WLRS:EX (Morgan.Kennah@gov.bc.ca); Krishna, Kaye MOTI:EX (Kaye.Krishna@gov.bc.ca); Kristianson, Eric AF:EX (Eric.Kristianson@gov.bc.ca); Liesch, Nancy WLRS:EX (Nancy.Liesch@gov.bc.ca); Ma, Bowinn EMCR:EX (Bowinn.Ma@gov.bc.ca); Maartman, William HOUS:EX (William.Maartman@gov.bc.ca); Maher, Melissa PSSG:EX (Melissa.Maher@gov.bc.ca); Maley, Madeline L EMCR:EX (Madeline.Maley@gov.bc.ca); Manwaring, Richard G FOR:EX (Rick.G.Manwaring@gov.bc.ca); Marriott, Sarah GCPE:EX (Sarah.Marriott@gov.bc.ca); Marshall, Simka PREM:EX (Simka.Marshall@gov.bc.ca); McAndrews, Caroline GCPE:EX (Caroline.McAndrews@gov.bc.ca); Mclean, Keegan CITZ:EX (Keegan.McLean@gov.bc.ca); LDB Safety Advisor LDB:EX (safety.advisor@bcldb.com); Mihlar, Fazil JEDI:EX (Fazil.Mihlar@gov.bc.ca); Nabeta, Kyra, DFO (kyra.nabeta@dfo-mpo.gc.ca); Nash, Amber FIN:EX (Amber.Nash@gov.bc.ca); Nash, Laurel ENV:EX (Laurel.Nash@gov.bc.ca); O'Donoghue, Eamon G FOR:EX (Eamon.ODonoghue@gov.bc.ca); Olson, Michael GCPE:EX (Michael.Olson@gov.bc.ca); Olsson, Liz V FOR:EX (Liz.Olsson@gov.bc.ca); Patterson, Sarah HLTH:EX (Sarah.Patterson@gov.bc.ca); Pawlick, Aaron FOR:EX (Aaron.Pawlick@gov.bc.ca); Peterson, Dave EMCR:EX (Dave.Peterson@gov.bc.ca); Plecas, Bobbi PSFS:EX (Bobbi.Plecas@gov.bc.ca); Powelson, Allan FOR:EX (Allan.Powelson@gov.bc.ca); Prince, Jessica PREM:EX (Jessica.Prince@gov.bc.ca); HLTH, MOC Duty Officer (hlth.dutyofficer@gov.bc.ca); Ralfs, Brendan R EMCR:EX (Brendan.Ralfs@gov.bc.ca); Richards, Tara R EMCR:EX (Tara.Richards@gov.bc.ca); Richter, Kevin J MOTI:EX (Kevin.Richter@gov.bc.ca); Robb, Katie EMCR:EX (Katie.Robb@gov.bc.ca); Rothe, Karen J PSSG:EX (Karen.Rothe@gov.bc.ca); Russell, Jonathan CITZ:EX (Jonathan.Russell@gov.bc.ca); XT:Mahar, Ryan AG:IN (rmahar@provinciacourt.bc.ca); Salter, Shannon PREM:EX (Shannon.Salter@gov.bc.ca); Sanderson, Melanie EMCR:EX (Melanie.Sanderson@gov.bc.ca); Sanderson, Melissa FOR:EX (Melissa.Sanderson@gov.bc.ca); Smith, Jimmy PREM:EX (Jimmy.Smith@gov.bc.ca); Stonnell, Jennifer EMCR:EX (Jennifer.Stonnell@gov.bc.ca); Strain, Melissa AG:EX (Melissa.Strain@gov.bc.ca); Thomson, Krystal GCPE:EX (Krystal.Thomson@gov.bc.ca); Thomson, Michelle AG:EX (Michelle.A.Thomson@gov.bc.ca); Turner, Jordan EMCR:EX (Jordan.Turner@gov.bc.ca); Walker, Jennifer WLRS:EX (Jennifer.7.Walker@gov.bc.ca); Wey,



Melody PSFS:EX (Melody.Wey@gov.bc.ca); Yuma Morisho, Okenge MUNI:EX  
(Okenge.YumaMorisho@gov.bc.ca); Zacharuk, Christina ECC:EX  
(Christina.Zacharuk@gov.bc.ca)

**Subject:** Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA

**Sent:** 02/12/2023 07:08:22

**Initial Report – Feb 11, 2023**

**DGIR Code 2 - DGIR #230578 – Immediate Downgrade – Jaffray - SEA**

A fuel truck leaked diesel onto the ground at a Jaffray gas station earlier today.

- Estimated ground release: 12,013 liters
- Fire and HAZMAT crews responded
- Spill has been contained
- Remaining diesel transferred to additional tanks on site
- Potential risk to local well water identified due to large volume of material released
  - Environmental consultants to perform soil sampling and contamination testing tomorrow
- Incident upgraded to Code 2 DGIR, immediately downgraded to Code 1.

*Approximate location of incident:*

Copyright

If pertinent, additional updates will be provided.

Regards,

**Patrick Robinson** | Provincial Duty Manager  
[Emergency Management and Climate Readiness](#)  
Block A – Suite 200, 2261 Keating Cross Rd  
Saanichton, BC CANADA V8M 2A5

Ph: 250-952-4278 | Fax: 250-952-4872

**24 Hour Emergency: 1-800-663-3456**

Follow us on Twitter [@EmergencyInfoBC](#) and [@PreparedBC](#)

*I acknowledge with gratitude and respect the WSÁNEĆ and Lək'wəṇən peoples on whose territories I live, work, and care for my family.*

**From:** EMCR ECC1 EMCR:EX(SGPEP.ECC1@gov.bc.ca)  
**To:** Undisclosed recipients;;  
**Subject:** New Spill Update Reported (DGIR #230578 - SEA)  
**Sent:** 02/12/2023 20:36:46

New Spill Update:

DGIR #: 230578  
Update #: 6  
ROC #:

-----  
Incident Date/Time Logged: 02/11/2023 10:58:15 Update Date/Time Logged: 02/12/2023 12:03:35  
-----

Caller Name s. 22  
Caller Agency s. 22  
Caller Contact  
-----

Address/Location: 1950 Hwy 3 And 93, Jaffray, BC

Area: Jaffray  
EMBC Region: South East  
MOE Region: Southern Interior  
-----

Details:

Caller advises that yesterday around 10:58 there was a tanker (that had 20,000 litres of diesel inside.) was transferring diesel into the Flying J diesel tank. However, they filled the wrong tank which, was maximum 8000 litres and the remaining 12,000 litres diesel was let out into the environment. No direct information about it reaching a water source however citizens use well water that is nearby and the table for the well water currently is low.

Requesting a task number for a regional EOC (level 1).

Conferenced in RDM Davis - Their Communication Manager has been receiving emails and calls all night from local residents that are very concerned about their water table and would like something done. EOC director would like to open a level one EOC Centre because of the importance of drinking water. Task number approved.  
-----

Notification: 02/12/2023 12:26:14 - Email  
Stakeholder(s) Notified: ISC Dist List  
Notification Details:

Notification Performed By: Anthony OPS1 as ECC Operations Officer

Notification: 02/12/2023 12:25:26 - Email  
Stakeholder(s) Notified: Public Safety Canada (PS) (Code 2 List) Notification Details:

Notification Performed By: Anthony OPS1 as ECC Operations Officer

Notification: 02/12/2023 12:23:50 - Verbal Briefing  
Stakeholder(s) Notified: ECC Supervisor Scott briefed Notification Details:

Notification Performed By: Anthony OPS1 as ECC Operations Officer

Notification: 02/12/2023 12:23:01 - Verbal Briefing  
Stakeholder(s) Notified: MOH DO Mike  
Notification Details:

Notification Performed By: Anthony OPS1 as ECC Operations Officer

Notification: 02/12/2023 12:18:47 - Verbal Briefing  
Stakeholder(s) Notified: Emergency Program Coordinator, East Kootenay District, South East Region  
Notification Details:

Notification Performed By: Anthony OPS1 as ECC Operations Officer

Notification: 02/12/2023 12:17:29 - Verbal Briefing  
Stakeholder(s) Notified: RDM Davis Briefed Notification Details:  
Approved task number 23-0976  
Notification Performed By: Anthony OPS1 as ECC Operations Officer

Notification: 02/12/2023 12:16:15 - Verbal Briefing  
Stakeholder(s) Notified: PDM Hetchko  
Notification Details:

Notification Performed By: Anthony OPS1 as ECC Operations Officer

Notification: 02/12/2023 12:14:09 - Verbal Briefing  
Stakeholder(s) Notified: MOE Smith  
Notification Details:

Notification Performed By: Anthony OPS1 as ECC Operations Officer

Report Compiled By: Anthony OPS1  
SGPEP.ECC1@gov.bc.ca

**From:** Provincial Ops Manager EHS:EX(provopsmanager@bcehs.ca)  
HLTH, MOC Duty Officer (hlth.dutyofficer@gov.bc.ca); hembc@interiorhealth.ca; FNHA EPHS  
**To:** After Hours (ephs.afterhours@fnha.ca); HEM@fnha.ca; Edwards, Joanne HLTH:EX  
(Joanne.Edwards@gov.bc.ca); Casey Neathway (casey.neathway@fnha.ca); Fishwick, David  
HLTH:EX (David.Fishwick@gov.bc.ca)  
**To:** Galt, Jamie HLTH:EX (Jamie.Galt@gov.bc.ca)  
**Subject:** RE: Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA  
**Sent:** 02/12/2023 22:14:07

Hi Mike,

I have advised both BCEHS's Regional Director & Manager about this incident. Currently with no impact to our operations this is an FYI only. We will continue to monitor the situation though, should there be additional health concerns raised.

Cheers,

*James Lego*

Provincial Operations Manager

**604-828-4510 24/7 Operations Line**

BC Emergency Health Services – PHSA

302-2955 Virtual Way, Vancouver, BC V5M 4X6

T 604 992-2171 | E-mail [James.Lego@bcehs.ca](mailto:James.Lego@bcehs.ca)



---

**From:** HLTH MOC Duty Officer HLTH:EX <hlth.dutyofficer@gov.bc.ca>

**Sent:** February 12, 2023 1:29 PM

**To:** hembc@interiorhealth.ca; 'FNHA EPHS After Hours' <ephs.afterhours@fnha.ca>; 'HEM@fnha.ca' <HEM@fnha.ca>; Edwards, Joanne HLTH:EX <Joanne.Edwards@gov.bc.ca>; Casey Neathway <casey.neathway@fnha.ca>; Provincial Ops Manager EHS:EX <provopsmanager@bcehs.ca>; Fishwick, David HLTH:EX <David.Fishwick@gov.bc.ca>

**Cc:** Galt, Jamie HLTH:EX <Jamie.Galt@gov.bc.ca>

**Subject:** Re: Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA

Good afternoon,

Please see the below update on the DGIR regarding the diesel spill in Jaffray. There is still much concern from the residents on the condition of the drinking water:

Caller advises that yesterday around 10:58 there was a tanker (that had 20,000 litres of diesel inside.) was transferring diesel into the Flying J diesel tank. However, they filled the wrong tank which, was maximum 8000 litres and the remaining 12,000 litres diesel was let out into the environment. No direct information about it reaching a water source however citizens use well water that is nearby and the table for the well water currently is low.

Requesting a task number for a regional EOC (level 1).

Conferenced in RDM Davis - Their Communication Manager has been receiving emails and calls all night from local residents that are very concerned about their water table and would like something done. EOC director would like to open a level one EOC Centre because of the importance of drinking water. Task number approved.

I'll follow up with more information if/when received.

Thanks,

Mike Chandler

Provincial Health Duty Officer

250-686-6061

Get [Outlook for iOS](#)

---

**From:** HLTH MOC Duty Officer HLTH:EX <[hlth.dutyofficer@gov.bc.ca](mailto:hlth.dutyofficer@gov.bc.ca)>

**Sent:** Saturday, February 11, 2023 23:13

**Subject:** Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA

Good evening,

Please see the below information on the DGIR Code 2 regarding a fuel leak. It was immediately downgraded to a Code 1 and I do not anticipate receiving further information on this incident; however, I can reach out for future



information if requested.

Thanks,

Mike



Mike Chandler

Provincial Health Duty Officer

Emergency Management Unit | Ministry of Health

24/7 Emergency Contact: 250-686-6061

If this is an emergency impacting the provincial health system, please contact our 24/7 Duty Officer at 250-686-6061 or [hlth.dutyofficer@gov.bc.ca](mailto:hlth.dutyofficer@gov.bc.ca)

Acknowledging with gratitude the WSÁNEĆ and Lekwungen peoples whose land I am grateful to work, live and grow on.

Warning: This email is intended only for the use of the individual or organization to whom it is addressed. It may contain information that is privileged or confidential. Any distribution, disclosure, copying, or other use by anyone else is strictly prohibited. If you have received this in error, please telephone or e-mail the sender immediately and delete the message.

---

**From:** EMCR PDM EMCR:EX <[EMBCPDM@gov.bc.ca](mailto:EMBCPDM@gov.bc.ca)>

**Sent:** February 11, 2023 11:08 PM

**Subject:** Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA

**Initial Report – Feb 11, 2023**

**DGIR Code 2 - DGIR #230578 – Immediate Downgrade – Jaffray - SEA**

A fuel truck leaked diesel onto the ground at a Jaffray gas station earlier today.

- Estimated ground release: 12,013 liters
- Fire and HAZMAT crews responded
- Spill has been contained
- Remaining diesel transferred to additional tanks on site
- Potential risk to local well water identified due to large volume of material released
  - Environmental consultants to perform soil sampling and contamination testing tomorrow
- Incident upgraded to Code 2 DGIR, immediately downgraded to Code 1.

*Approximate location of incident:*

---

If pertinent, additional updates will be provided.

Regards,

**Patrick Robinson** | Provincial Duty Manager  
[Emergency Management and Climate Readiness](#)

Block A – Suite 200, 2261 Keating Cross Rd  
Saanichton, BC CANADA V8M 2A5

Ph: 250-952-4278 | Fax: 250-952-4872

**24 Hour Emergency: 1-800-663-3456**

Follow us on Twitter [@EmergencyInfoBC](#) and [@PreparedBC](#)

*I acknowledge with gratitude and respect the WSÁNEĆ and Lək'wəṇən peoples on whose territories I live, work, and care for my family.*

**From:** EMCR PDM EMCR:EX(EMBCPDM@gov.bc.ca)

Morrison, Andrew EMCR:EX (Andrew.Morrison@gov.bc.ca); Davis, Nick EMCR:EX (Nick.Davis@gov.bc.ca); Adams, Janet EMCR:EX (Janet.Adams@gov.bc.ca); Bates, Stan EMCR:EX (Stan.Bates@gov.bc.ca); Bennett, Crissy EMCR:EX (Crissy.Bennett@gov.bc.ca); Bennett, Ryland EMCR:EX (Ryland.Bennett@gov.bc.ca); Bosworth, Gemma EMCR:EX (Gemma.Bosworth@gov.bc.ca); Brach, Pader W EMCR:EX (Pader.Brach@gov.bc.ca); Brandson, Paul EMCR:EX (Paul.Brandson@gov.bc.ca); Caldwell, Martin EMCR:EX (Martin.Caldwell@gov.bc.ca); Carpendale, Gabriel EMCR:EX (Gabriel.Carpendale@gov.bc.ca); Chandler, Alex EMCR:EX (Alex.Chandler@gov.bc.ca); Clark, Tieg ENV:EX (Tieg.Clark@gov.bc.ca); Clarkson, Alanna EMCR:EX (Alanna.Clarkson@gov.bc.ca); Anderson, Corey M EMCR:EX (Corey.Anderson@gov.bc.ca); Cox, Monica EMCR:EX (Monica.Cox@gov.bc.ca); Crampton, Ray W FOR:EX (Ray.Crampton@gov.bc.ca); Cunnings, Ian EMCR:EX (Ian.Cunnings@gov.bc.ca); EMCR PECC Operations 1 EMCR:EX (pecc.ops1@gov.bc.ca); EMCR Response Information (EMCRCOMM@Victoria1.gov.bc.ca); XT:HLTH Emond, Christopher (Christopher.Emond@ec.gc.ca); Environment Canada (f.MSA-Pacifique-WPM-Pacific.f@ec.gc.ca); Environment Canada Alt Email (meteopac@ec.gc.ca);

**To:** Fernandes, Ruth EMCR:EX (Ruth.Fernandes@gov.bc.ca); Fiala, Tony EMCR:EX (Tony.Fiala@gov.bc.ca); Forge, Kathryn EMCR:EX (Kathryn.Forge@gov.bc.ca); GCPE Communications - Emergency Management and Climate Readiness (EMBCPO@Victoria1.gov.bc.ca); Giles, Andrew WLRs:EX (Andrew.Giles@gov.bc.ca); Godlonton, Brian PSSG:EX (Brian.Godlonton@gov.bc.ca); Grilz, Perry L FOR:EX (Perry.Grilz@gov.bc.ca); Romanas, Amy [PHSA] (amy.romanas@phsa.ca); Herie, Beth EMCR:EX (Beth.Herie@gov.bc.ca); Hetschko, Ryan CITZ:EX (Ryan.Hetschko@gov.bc.ca); McCabe, Melissa EMCR:EX (Melissa.McCabe@gov.bc.ca); CIEM Branch IRR:EX (CIEMBranch@gov.bc.ca); Iwama, Julia EMCR:EX (Julia.Iwama@gov.bc.ca); Landry, Dara M EMCR:EX (Dara.Landry@gov.bc.ca); Maley, Madeline L EMCR:EX (Madeline.Maley@gov.bc.ca); Maloughney, Mary Sue FIN:EX (MarySue.Maloughney@gov.bc.ca); Martin, Bryce EMCR:EX (Bryce.Martin@gov.bc.ca); Mathie, Colin EMCR:EX (Colin.Mathie@gov.bc.ca); McClintock, Carol EMCR:EX (Carol.McClintock@gov.bc.ca); McGuire, Jennifer EMCR:EX (Jennifer.Mcguire@gov.bc.ca); McStravick, Michael EMCR:EX (Michael.McStravick@gov.bc.ca); Meeks, Ken EMCR:EX (Ken.Meeks@gov.bc.ca); Nichols, Alisha EMCR:EX (Alisha.Nichols@gov.bc.ca); Oliver, Chrissy EMCR:EX (Chrissy.Oliver@gov.bc.ca); Peterson, Dave EMCR:EX (Dave.Peterson@gov.bc.ca); HLTH, MOC Duty Officer (hlth.dutyofficer@gov.bc.ca); Ralfs, Brendan R EMCR:EX (Brendan.Ralfs@gov.bc.ca); Reid, Katie EMCR:EX (Katie.Reid@gov.bc.ca); Richards, Tara R EMCR:EX (Tara.Richards@gov.bc.ca); Robinson, Patrick EMCR:EX (Patrick.Robinson@gov.bc.ca); Simpson, Farrah EMCR:EX (Farrah.Simpson@gov.bc.ca); Singh, Gurdeep WLRs:EX (Gurdeep.Singh@gov.bc.ca); Smith, Leah M EMCR:EX (Leah.Smith@gov.bc.ca); Spurlock, Amanda EMCR:EX (Amanda.Spurlock@gov.bc.ca); Stanford, David FIN:EX (David.Stanford@gov.bc.ca); Tupper, Linsey PSA:EX (Linsey.Tupper@gov.bc.ca); Turner, Jordan EMCR:EX (Jordan.Turner@gov.bc.ca); Walshaw, Tim EMCR:EX (Tim.Walshaw@gov.bc.ca); White, Robert EMCR:EX (Robert.White@gov.bc.ca)

**Subject:** Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA

**Sent:** 02/12/2023 07:08:21

#### **Initial Report – Feb 11, 2023**

#### **DGIR Code 2 - DGIR #230578 – Immediate Downgrade – Jaffray - SEA**

A fuel truck leaked diesel onto the ground at a Jaffray gas station earlier today.

- Estimated ground release: 12,013 liters
- Fire and HAZMAT crews responded
- Spill has been contained
- Remaining diesel transferred to additional tanks on site
- Potential risk to local well water identified due to large volume of material released
  - Environmental consultants to perform soil sampling and contamination testing tomorrow
- Incident upgraded to Code 2 DGIR, immediately downgraded to Code 1.

*Approximate location of incident:*

If pertinent, additional updates will be provided.

Regards,

**Patrick Robinson** | Provincial Duty Manager  
[Emergency Management and Climate Readiness](#)

Block A – Suite 200, 2261 Keating Cross Rd  
Saanichton, BC CANADA V8M 2A5

Ph: 250-952-4278 | Fax: 250-952-4872

**24 Hour Emergency: 1-800-663-3456**

Follow us on Twitter [@EmergencyInfoBC](#) and [@PreparedBC](#)

*I acknowledge with gratitude and respect the WSÁNEĆ and Lək'wəṇən peoples on whose territories I live, work, and care for my family.*



**From:** HLTH, MOC Duty Officer(hlth.dutyofficer@gov.bc.ca)  
hembc@interiorhealth.ca; FNHA EPHS After Hours (ephs.afterhours@fnha.ca); Casey  
**To:** Neathway (casey.neathway@fnha.ca); HEM@fnha.ca; Edwards, Joanne HLTH:EX  
(Joanne.Edwards@gov.bc.ca); Provincial Ops Manager EHS:EX  
(provopsmanager@bcehs.ca)  
**To:** Galt, Jamie HLTH:EX (Jamie.Galt@gov.bc.ca)  
**Subject:** Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA  
**Sent:** 02/12/2023 07:13:25

Good evening,

Please see the below information on the DGIR Code 2 regarding a fuel leak. It was immediately downgraded to a Code 1 and I do not anticipate receiving further information on this incident; however, I can reach out for future information if requested.

Thanks,

Mike

Copyright

If pertinent, additional updates will be provided.

Regards,

**Patrick Robinson** | Provincial Duty Manager  
[Emergency Management and Climate Readiness](#)

Block A – Suite 200, 2261 Keating Cross Rd

Saanichton, BC CANADA V8M 2A5

Ph: 250-952-4278 | Fax: 250-952-4872

**24 Hour Emergency: 1-800-663-3456**

Follow us on Twitter [@EmergencyInfoBC](#) and [@PreparedBC](#)

*I acknowledge with gratitude and respect the W̱SÁNEĆ and Lək'wəḡən peoples on whose territories I live, work, and care for my family.*

**From:** HLTH, MOC Duty Officer(hlth.dutyofficer@gov.bc.ca)  
hembc@interiorhealth.ca; FNHA EPHS After Hours (ephs.afterhours@fnha.ca);  
**To:** HEM@fnha.ca; Edwards, Joanne HLTH:EX (Joanne.Edwards@gov.bc.ca); Casey Neathway (casey.neathway@fnha.ca); Provincial Ops Manager EHS:EX (provopsmanager@bcehs.ca); Fishwick, David HLTH:EX (David.Fishwick@gov.bc.ca)  
**To:** Galt, Jamie HLTH:EX (Jamie.Galt@gov.bc.ca)  
**Subject:** Re: Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA  
**Sent:** 02/12/2023 21:28:49

Good afternoon,

Please see the below update on the DGIR regarding the diesel spill in Jaffray. There is still much concern from the residents on the condition of the drinking water:

Caller advises that yesterday around 10:58 there was a tanker (that had 20,000 litres of diesel inside.) was transferring diesel into the Flying J diesel tank. However, they filled the wrong tank which, was maximum 8000 litres and the remaining 12,000 litres diesel was let out into the environment. No direct information about it reaching a water source however citizens use well water that is nearby and the table for the well water currently is low.

Requesting a task number for a regional EOC (level 1).

Conferenced in RDM Davis - Their Communication Manager has been receiving emails and calls all night from local residents that are very concerned about their water table and would like something done. EOC director would like to open a level one EOC Centre because of the importance of drinking water. Task number approved.

I'll follow up with more information if/when received.

Thanks,  
Mike Chandler  
Provincial Health Duty Officer  
250-686-6061

Get [Outlook for iOS](#)

---

**From:** HLTH MOC Duty Officer HLTH:EX <hlth.dutyofficer@gov.bc.ca>  
**Sent:** Saturday, February 11, 2023 23:13  
**Subject:** Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA

Good evening,

Please see the below information on the DGIR Code 2 regarding a fuel leak. It was immediately downgraded to a Code 1 and I do not anticipate receiving further information on this incident; however, I can reach out for future information if requested.

Thanks,  
Mike

Copyright

If pertinent, additional updates will be provided.  
Regards,

**Patrick Robinson** | Provincial Duty Manager  
[Emergency Management and Climate Readiness](#)  
Block A – Suite 200, 2261 Keating Cross Rd  
Saanichton, BC CANADA V8M 2A5  
Ph: 250-952-4278 | Fax: 250-952-4872  
**24 Hour Emergency: 1-800-663-3456**  
Follow us on Twitter [@EmergencyInfoBC](#) and [@PreparedBC](#)

*I acknowledge with gratitude and respect the WSÁNEĆ and Lək̓ʷəŋən peoples on whose territories I live, work, and care for my family.*

**From:** HLTH, MOC Duty Officer(hlth.dutyofficer@gov.bc.ca)  
**To:** Provincial Ops Manager EHS:EX (provopsmanager@bcehs.ca)  
**Subject:** Re: Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA  
**Sent:** 02/12/2023 23:07:51

Thank you, James.

Mike

Get [Outlook for iOS](#)

---

**From:** Provincial Ops Manager EHS:EX <provopsmanager@bcehs.ca>  
**Sent:** Sunday, February 12, 2023 14:14  
**To:** HLTH MOC Duty Officer HLTH:EX <hlth.dutyofficer@gov.bc.ca>; hembc@interiorhealth.ca <hembc@interiorhealth.ca>; 'FNHA EPHS After Hours' <ephs.afterhours@fnha.ca>; 'HEM@fnha.ca' <HEM@fnha.ca>; Edwards, Joanne HLTH:EX <Joanne.Edwards@gov.bc.ca>; Casey Neathway <casey.neathway@fnha.ca>; Fishwick, David HLTH:EX <David.Fishwick@gov.bc.ca>  
**Cc:** Galt, Jamie HLTH:EX <Jamie.Galt@gov.bc.ca>  
**Subject:** RE: Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA  
Hi Mike,  
I have advised both BCEHS's Regional Director & Manager about this incident. Currently with no impact to our operations this is an FYI only. We will continue to monitor the situation though, should there be additional health concerns raised.  
Cheers,

*James Lego*

Provincial Operations Manager

**604-828-4510 24/7 Operations Line**

BC Emergency Health Services – PHSA

302-2955 Virtual Way, Vancouver, BC V5M 4X6

T 604 992-2171 | E-mail [James.Lego@bcehs.ca](mailto:James.Lego@bcehs.ca)



---

**From:** HLTH MOC Duty Officer HLTH:EX <hlth.dutyofficer@gov.bc.ca>  
**Sent:** February 12, 2023 1:29 PM  
**To:** hembc@interiorhealth.ca; 'FNHA EPHS After Hours' <ephs.afterhours@fnha.ca>; 'HEM@fnha.ca' <HEM@fnha.ca>; Edwards, Joanne HLTH:EX <Joanne.Edwards@gov.bc.ca>; Casey Neathway <casey.neathway@fnha.ca>; Provincial Ops Manager EHS:EX <provopsmanager@bcehs.ca>; Fishwick, David HLTH:EX <David.Fishwick@gov.bc.ca>  
**Cc:** Galt, Jamie HLTH:EX <Jamie.Galt@gov.bc.ca>  
**Subject:** Re: Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA  
Good afternoon,  
Please see the below update on the DGIR regarding the diesel spill in Jaffray. There is still much concern from the residents on the condition of the drinking water:

Caller advises that yesterday around 10:58 there was a tanker (that had 20,000 litres of diesel inside.) was transferring diesel into the Flying J diesel tank. However, they filled the wrong tank which, was maximum 8000 litres and the remaining 12,000 litres diesel was let out into the environment. No direct information about it reaching a water source however citizens use well water that is nearby and the table for the well water currently is low.

Requesting a task number for a regional EOC (level 1).

Conferenced in RDM Davis - Their Communication Manager has been receiving emails and calls all night from local residents that are very concerned about their water table and would like something done. EOC director would like to open a level one EOC Centre because of the importance of drinking water. Task number approved.

I'll follow up with more information if/when received.

Thanks,

Mike Chandler



**From:** HLTH MOC Duty Officer HLTH:EX <[hlth.dutyofficer@gov.bc.ca](mailto:hlth.dutyofficer@gov.bc.ca)>

**Sent:** Saturday, February 11, 2023 23:13

**Subject:** Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA

Good evening,

Please see the below information on the DGIR Code 2 regarding a fuel leak. It was immediately downgraded to a Code 1 and I do not anticipate receiving further information on this incident; however, I can reach out for future information if requested.

Thanks,

Mike



Mike Chandler

Provincial Health Duty Officer

Emergency Management Unit | Ministry of Health

24/7 Emergency Contact: 250-686-6061

**If this is an emergency impacting the provincial health system, please contact our 24/7 Duty Officer at 250-686-6061 or [hlth.dutyofficer@gov.bc.ca](mailto:hlth.dutyofficer@gov.bc.ca)**

*Acknowledging with gratitude the WSÁNEĆ and Lekwungen peoples whose land I am grateful to work, live and grow on.*

*Warning: This email is intended only for the use of the individual or organization to whom it is addressed. It may contain information that is privileged or confidential. Any distribution, disclosure, copying, or other use by anyone else is strictly prohibited. If you have received this in error, please telephone or e-mail the sender immediately and delete the message.*

---

**From:** EMCR PDM EMCR:EX <[EMBCPDM@gov.bc.ca](mailto:EMBCPDM@gov.bc.ca)>

**Sent:** February 11, 2023 11:08 PM

**Subject:** Initial Report - DGIR Code 2 - Immediate Downgrade - Fuel Truck Leak - Jaffray - SEA

**Initial Report – Feb 11, 2023**

**DGIR Code 2 - DGIR #230578 – Immediate Downgrade – Jaffray - SEA**

A fuel truck leaked diesel onto the ground at a Jaffray gas station earlier today.

- Estimated ground release: 12,013 liters
- Fire and HAZMAT crews responded
- Spill has been contained
- Remaining diesel transferred to additional tanks on site
- Potential risk to local well water identified due to large volume of material released
  - Environmental consultants to perform soil sampling and contamination testing tomorrow
- Incident upgraded to Code 2 DGIR, immediately downgraded to Code 1.

*Approximate location of incident:*

---

If pertinent, additional updates will be provided.

Regards,

**Patrick Robinson** | Provincial Duty Manager  
[Emergency Management and Climate Readiness](#)

Block A – Suite 200, 2261 Keating Cross Rd  
Saanichton, BC CANADA V8M 2A5

Ph: 250-952-4278 | Fax: 250-952-4872

**24 Hour Emergency: 1-800-663-3456**

Follow us on Twitter [@EmergencyInfoBC](#) and [@PreparedBC](#)

*I acknowledge with gratitude and respect the WSÁNEĆ and Lək'wəṇən peoples on whose territories I live, work, and care for my family.*