

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 11, 2014

NR

HIGH RISK INMATES:

----- SEG/OBS -----

NR

OPERATIONS

Night Shift (2200-0610):

GENERAL:

NR

SEG/OBS:

NR

s.22 Wear Gloves when dealing with this inmate at all times. Urine and Feces

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 12, 2014

NR

HIGH RISK INMATES:

NR

----- SEG/OBS -----

SAFETY TIPS

OPERATIONS

Night Shift (2200-0610):

GENERAL:

NR

SEG/OBS:

NR

s.22 - Wear Gloves when dealing with this inmate at all times. Urine and Feces

NR

NR

NR

----- SFG/ORS -----

Night Shift (2200-0610):
NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 16, 2014

NR

HIGH RISK INMATES:

NR

----- SEG/OBS -----

SAFETY TIPS

OPERATIONS

Night Shift (2200-0610):

14.05.16 Seg cell^{s.22} and OBS s had the toilets backing up this evening. Plumbers in to fix.^{s.15}
s.15

GENERAL:

NR

SEG/OBS:

NR

14.05.16 I/M^{s.22} cell was bio-hazard cleaned today.^{s.22} he smeared feces in the
holding cell. I^{s.22}
s.22

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 17, 2014

NR

HIGH RISK INMATES:

----- SEG/OBS -----

NR

OPERATIONS

Night Shift (2200-0610):

NR

GENERAL:

NR

SEG/OBS:

NR

14.05.16 I/M s.22 cell was bio-hazard cleaned today. s.22 he smeared feces in the
holding cell s.22
s.22

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 19, 2014

NR

HIGH RISK INMATES:

NR

SEG/OBS

SAFETY TIPS

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

Seg ^{s.1}_E --- toilet over flowed the cell was bio cleaned @ 21:30. ^{s.22}
s.22 . Further issues may warrant a plumber.

NR

14.05.19 - Inmate s.22 during sea rounds this date. He was moved to the sea holding cell so his cell could be cleaned by the bio-crew NR

NR

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 27, 2014

NR

HIGH RISK INMATES:

NR

----- SEG/OBS -----

NR

OPERATIONS

Night Shift (2200-0610):

GENERAL:

NR

SEG/OBS:

s.22

14.05.27 - Domestic water is off in cells #1 and #2. Due to constant toilet plugging from

NR

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 28, 2014

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

14.05.27 - Domestic water is off in cells #1 and #2. Due to constant toilet plugging from I s.22

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 29, 2014

NR

HIGH RISK INMATES:

NR

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS: s.22

14.05.27 - Domestic water is off in cells #1 and #2. Due to constant toilet plugging from

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 30, 2014

NR

HIGH RISK INMATES:

----- **SEG/OBS** -----

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

s.22

14.05.27 - Domestic water is off in cells #1 and #2. Due to constant toilet plugging from

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: May 31, 2014

NR

HIGH RISK INMATES:

NR

----- SEG/OBS -----

NO ENTERING ON THE TOP FLOOR AT

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

s.22

14.05.27 - Domestic water is off in cells #1 and #2. Due to constant toilet plugging from
NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 04, 2014

NR

OPERATIONS

Night Shift (2200-0610):
NR

NR

SEG/OBS:

4th- Plumber into fix toilets and work on plumbing.

s.22

During :s.15 checks see if toilets need to be frushed to keep the smell down . Water turned off to
s.22 cells due to there disruptive behaviour.

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 05, 2014

NR

HIGH RISK INMATES:

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

NR

During s.15 checks see if toilets need to be frushed to keep the smell down . Water turned off to s.22
s.22 cells due to there disruptive behaviour.

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 07, 2014

NR

HIGH RISK INMATES:

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

NR

During s.15 i checks see if toilets need to be frushed to keep the smell down . Water turned off to s.22
s.22 cells due to there disruptive behaviour.

NR

PROGRAMS

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 07, 2014

NR

HIGH RISK INMATES:

----- SEG/OBS -----

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

NR

During s.15 checks see if toilets need to be flushed to keep the smell down . Water turned off to
s.22 cells due to there disruptive behaviour.

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 08, 2014

NR

HIGH RISK INMATES:

NR

SEG/OBS

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

NR

NR

During s.15 checks see if toilets need to be flushed to keep the smell down . Water turned off to s.22
s.22 cells due to there disruptive behaviour.

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 09, 2014

NR

HIGH RISK INMATES:

----- SEG/OBS -----

NR

OPERATIONS

Night Shift (2200-0610):

NR

NR

During s.15 checks see if toilets need to be flushed to keep the smell down . Water turned off to s.22
s.22 cells due to there disruptive behaviour.
NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 10, 2014

NR

HIGH RISK INMATES:

NR

----- **SEG/OBS** -----

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

NR

NR

patients and staff. Be very cautious when in contact and the inmate.
s.15
During checks see if toilets need to be flushed to keep the smell down . Water turned off to s.22
s.22 cells due to there disruptive behaviour.

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 11, 2014

NR

HIGH RISK INMATES:

NR

----- **SEG/OBS** -----

SAFETY TIPS

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

NR

NR

During s.15 checks see if toilets need to be flushed to keep the smell down . Water turned off to s.22
s.22 cells due to there disruptive behaviour.

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 12, 2014

NR

HIGH RISK INMATES:

----- SEG/OBS -----

NR

OPERATIONS

Niaht Shift (2200-0610):

NR

SEG/OBS:

s.22 has toilet water shut off, Inmate is trying to flood cell to get additional tier time.

NR

During s.15 checks see if toilets need to be flushed to keep the smell down . Water turned off to s.22
s.22 cells due to there disruptive behaviour.

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 14, 2014

NR

HIGH RISK INMATES:

----- SEG/OBS -----

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

s.22 has toilet water shut off, Inmate is trying to flood cell to get additional tier time. Due to his plugged toilet and flooding that has happened recently in his cell and s.15 Skin friskd as well for items that s.15 he may use to plug the toilet.

NR

s.15 s.22 s.15 suspected of causing a flood.

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 14, 2014

NR

HIGH RISK INMATES:

NR

----- SEG/OBS -----

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

NR

to Rainbow Canyon to get ready to hit phone.

s.22 has toilet water shut off and s.15

Inmate s.22 suspected of causing a flood. s.15
s.15

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 15, 2014

NR

HIGH RISK INMATES:

NR

----- SEG/OBS -----

OPERATIONS

Night Shift (2200-0610):

GENERAL:

NR

SEG/OBS:

NR

s.22 has toilet water shut off and s.15
Inmate s.22 suspected of causing a flood. s.15
s.15

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 16, 2014

NR

HIGH RISK INMATES:

NR

----- SFG/ORS -----

OPERATIONS

Night Shift (2200-0610):

NR

SFG/ORS

NR

s.22 has toilet water shut off and s.15

Impute
s.15

s.22

s.15

suspected of causing a flood.

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 17, 2014

NR

HIGH RISK INMATES:

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

NR

s.22 has toilet water shut off and s.15
s.15 suspected of causing a flood. s.15

NR

NR

NR

41 of 48

s.22

s.15

has toilet water shut off and

Inmate s.22

suspected of causing a flood. s.15

s.15

NR

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 19, 2014

NR

HIGH RISK INMATES:

----- SEG/OBS -----

NR

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

s.22 s.15
has toilet water shut off and
Inmate s.22 suspected of causing a flood. s.15
s.15
NR

NR

NR

Night Shift (2200-0610):
NR

s.22

s.15

s.22

Inmate
s.15

suspected of causing a flood. (s.15

INIA

KAMLOOPS REGIONAL CORRECTIONAL CENTRE
CORRECTIONAL SUPERVISOR SHIFT SUMMARY FROM: June 22, 2014

NR

HIGH RISK INMATES:

NR

----- **SEG/OBS** -----

OPERATIONS

Night Shift (2200-0610):

NR

SEG/OBS:

s.22 s.15

has toilet water shut off and

Inmate s.22
s.15

suspected of causing a flood. (Flushing Blankets) Inmate given strong blanket , Those dont

NR