

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - STRUCTURE

INCIDENT NUMBER: **REK 2014 08 13 04 01**

Location of Incident:

CANEL FLATS P.O. Box 300
REGIONAL DISTRICT OF EAST KOOTENAY BC V0B 1B0

of Occupants (At time of fire): **8** # of Injured: **8** # of Deaths: **0** Total Dollar Loss Estimate: **\$s.21**

Related to Wildland Interface Fire: **NO** Property Value: **\$s.21** Content Value: **\$s.21** Total Value at Risk: **\$s.21**

Code Name : Code Description

PROPERTY COMPLEX : 3300 HOTEL, MOTEL, LODGE, HOSTEL, BOARDING HOUSE, DORMITORY
PROPERTY CLASSIFICATION : 3150 SEASONAL USE DWELLING - IN SEASON, 2-FAMILY
GENERAL CONSTRUCTION : 1000 COMBUSTIBLE CONSTRUCTION - OPEN WOOD JOIST
BUILDING HEIGHT : 0020 2 STORIES ABOVE GRADE
GROUND FLOOR AREA : 1000 1 TO 100M2 (1 - 1076FT2)
YEAR OF CONSTRUCTION : 2004 2004
MANUAL FIRE PROTECTION : 4000 EXTINGUISHER ONLY
OUTSIDE FIRE PROTECTION : 0009 OUTSIDE FIRE PROTECTION - UNCLASSIFIED (DESCRIBE)
SPRINKLER PROTECTION : 7000 NO SPRINKLER PROTECTION
AUTOMATIC FIRE ALARM SYSTE : 1000 NO FIRE ALARM SYSTEM
SMOKE ALARM OPERATION : 5000 ALARM ACTIVATED - OCCUPANT ACTION UNKNOWN
INITIAL DETECTION : 7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
TRANSMISSION OF ALARM : 1000 911
FIRE SERVICE : 6200 FORESTRY/RENEWABLE RESOURCES/WILDLAND
INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN : 1000 EXTINGUISHED BY OTHER THAN FIRE DEPARTMENT (I.E.. OCCUPANT/W
METHOD OF FIRE CONTROL : 8900 BURNED OUT - UNCLASSIFIED (DESCRIBE)
FIRE ORIGIN, LEVEL : 3000 GROUND FLOOR, GRADE LEVEL OR GRADE TO 3M (10FT)
FIRE ORIGIN, AREA : 2300 DINING AREA - INCLUDES MESS ROOM, CANTEEN, LUNCHROOM, CAFETE
EXTENT OF FIRE : 6000 EXTENDED BEYOND PROPERTY OF ORIGIN
EXTENT OF DAMAGE : 6000 EXTENDED BEYOND BUILDING OF ORIGIN
IGNITING OBJECT : 3700 INDIVIDUAL REFRIGERATION UNIT - INCLUDES REFRIGERATOR, FREEZ
FUEL OR ENERGY : 4200 FUEL GAS - PROPANE
FORM OF HEAT : 4000 DIRECT FLAME
MATERIAL FIRST IGNITED : 6300 PROPANE - INCLUDES BUTANE, LIQUEFIED PETROLEUM GASES
ACT OR OMISSION : 0000 CANNOT BE DETERMINED

Investigating Officer
AYERS, BRENT

LAFC Badge #
42243

Telephone
250-342-9292

ReportDate
2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **REK 2014 08 13 04 01**

Remarks:

KIMBERLY RCMP ATTENDED TO A REPORTED EXPLOSION AT THE 'CABINS ON WHITETAIL' 28 KM WHITETAIL FOREST SERVICE RD, CANCEL FLATS, BC. CRANBROOK/KIMBERLY. INITIAL REPORT THAT AT LEAST ONE WAS INJURED, A FIRE HAD STARTED AND WAS THREATNING TO SPREAD TO THE FOREST. IT WAS GLEANED THAT TWO FAMILIES WERE STAYING IN A SHORT TERM RENTAL CABIN OPERATED BY BRENT DUBOIS. THERE WAS A VIOLENT EXPLOSION THAT BLEW APART THE SUPPORTING STICK FRAME STRUCTURE ON TOP OF THE LOG WALLS OF THE MAIN FLOOR OF THE CABIN. FROM STATEMENTS THERE WAS A MOMENT OF A CONCENTRATED BLUE HAZE AFTER THE EXPLOSION, DURING THE EXTRICATION OF THE OCCUPANTS, AND UPON ESCAPE THE CABIN AND AREA THEN BECAME ENGULFED IN FLAMES. THE TWO FAMILIES ESCAPED FROM THEIR SEPERATE SIDES OF THE DUPLEX, JOINED WITH ONE COMMON ROOF. THE § 22 FAMILY (§ 22 WITHOUT SIGNIFICANT INJURY BY WAY OF NORMAL EGRES ADN THE § 22 FAMILY § 22 WITH TANGIBLE INJURIES BY WAY OF UPPER FLOOR WINDOW WITH THE HELP OF OTHER VACATIONERS. BOTH FAMILIES WERE TRANSPORTED TO CRANBROOK HOSPITAL INITIALLY, HOWEVER A § 22 CHILD REQUIRED EMERGENCY MEDICAL CARE AT THE CHILDRENS HOSPITAL IN CALGARY, ALBERTA, APPROX 4 HOURS DRIVE TIME FROM CRANBROOK. THE LOG CABIN WAS TWO STORIES, HOWEVER THE UPPER STRUCTURE WAS MADE OF CONVENTIONAL LUMBER. BOTH UNITS WERE MIRRORRED, WITH PROPANE LIGHTS, STOVE, AND REFRIDGERATOR, ALL ON PROPANE, SHARING A LOADBEARING WALL AND STEEPED STEEL CLAD ROOF. WOOD FIREPLACES WERE USED TO HEAT THE STRUCTURE, HOWEVER NOT USED AT TIME DUE TO BEING A VERY WARM SUMMER NIGHT. THE FIRE WAS CONTAINED INITIALLY BY ON-SITE MANAGER, § 22 AND FOLLOWED UP IN SHORT ORDER WITH THE ASSISTANCE OF FORESTRY WHO WERE STATIONED ALREADY OUT OF CANAL FLATS, APPROX HALF AN HOUR OR SO FROM THE WHITE TAIL CABINS. THE FIRE WAS CONTAINED AND EXTINGUISHED PRIOR TO KIMBERLY RCMP ARRIVAL. CRANBROOK DETACHEMENT OBTAINED A STATEMENT FROM § 22 AT THE CRANBROOK HOSPITAL LATER IN THE DAY. IN § 22 STATEMENT THAT HE PROVIDED HE CONFIRMS THAT A PROPANE LIGHT HAS BEEN LEFT ON IN THE GROUND FLOOR BATHROOM OF THEIR UNIT AS INSTRUCTED BY BRENT DUBOIS IN ORDER TO HELP THE CHILDREN FIND THEIR WAY TO THE BATHROOM DURING THE NIGHT. THAT THE BATHROOM WAS WITHIN 10 FEET OF THE FRIDGE. CRANBROOK RCMP ASSISTED WITH OBTAINING EMERGENCY DOCUMENTATION THROUGH THE BRITISH CONSULATE IN VANCOUVER AS BOTH THE § 22 AND § 22 FAMILIES WERE ON VACATION § 22 § AND IN THE CASE OF THE § 22 FAMILY MEMBERS THEY LOST ALL PERSONAL ITEMS AS A RESULT OF THE EXPLOSION AND FIRE. IT HAS BEEN VERIFIED BY BOTH FAMILIES THAT BRENT DUBOIS INSTRUCTED THEM ALL ON THE USE OF THE PROPANE LIGHTS AND APPLIANCES ASSOCIATED TO EACH OF THEIR CABINS. IT HAS BEEN SUGGESTED THAT UPON INTIAL ENTRY INTO THE § 22 CABIN IN PARTICULAR THAT AN UNFAMILIAR SMELL THOUGHT TO BE SEWAGE IN NATURE WAS INTITALLY NOTED, HOWEVER NOT SHARED WITH § 22 THE ON SITE MANAGER. CPL. AYERS WAS TOLD BY BRENT DUBOIS THAT THE CABINS AT WHITETAIL WERE BUILT IN 2004 AND CONFORMED TO ALL BUILDING AND CONSTRUCTION CODES AS WAS BUILT BY NCN CONSTRUCTION OUT OF INVERMERE, BC. NCN DID RTHE STICK FRAME PART OF IT AND THE BUSINESS OWNER OR GENERAL CONTRACTOR WAS § 22 AT THT TIME. § 22 IS STILL BELEIVED TO BE IN THE CONSTRUCTION BUSINESS. THE LOG STRUCTURE WAS BUILT BY RAM CREEK LOG HOMES § 22 OUT OF INVERMERE OWNED THIS COMPANY BUT HE IS NO LONGER IN THE AREA. THE PROPANE APPLIANCES WERE ALL NEW AT THE TIME OF CONSTRUCTION IN 2004. FRIDGE/STOVE.SPACE HEATER UNDER FLOORS, BELOW KITCHEN SINK/BATHROOM AND WATER PIPES. CANWEST PROPANE ATTENDS THE SITE TWICE A YEAR TO CHECK FOR PROBLEMS AND REFUELD. SPRING AND FALL, WITH LAST VISIT AROUND THE MAY LONG WEEKEND. THE NEXT VISIT WAS EXPECTED TO BE OCT 31, 2014 BRENT DUBOIS WAS NOT ON SCENE AT THE TIME OF EXPLOSION, § 22 WAS. SMOKE ALARMS WERE IN THE CABIN, TWO IN EACH JOINED RESIDENCES, ONE DOWNSTAIRS AND ONE UPSTAIRS IN THE LOFT. BIG FIRE EXTINGUISHERS IN THE CABINS WITH POWDER. FIRE WAS PUT OUT BY DIVERTING THE IRRIGATION SYSTEM THAT WAS HOOKED UP BESIDE THE CABINS AND THE FIRE WAS ULTIMATELY CONTAINED TO THE BUILDING EXCEPT FOR 4 TREES CLOSE TO THE BUILDING, HENCE FORESTRY WAS CALLED AND ATTENDED BUT FIRES WERE ALREADY OUT. THE CABIN AFTER EXPLOSION DID NOT HAVE A FIRE IMMEDIATELY BUT A GLOW UNDER THE FLOOR BOARDS OF THE CABIN, BLUE HAZE. THERE WAS NO FIRE TO THE BUILDING UNTIL AFTER EVERYONE WAS OUT OF THE BUILDING. IT IS SUSPECTED/PROBABLE THAT THE EXPLOSION OCCURED AS A RESULT OF IGNITED PROPANE GAS THAT HAD BEEN EITHER LEFT ON INADVERTENTLY OR A PREVIOUS EXISITING LEAK THAT POOLED THE PROPANE FUEL CLOSE TO A PROABLE IGNITION SOURCE. THE WEATHER WAS WARM OVER THE COURSE OF THE NIGHT. IT IS EVIDENT THROIGH STATEMENTS AND CONVERSATIONS THAT THE § 22 CABIN PROBABLY SUSTAINED THE BRUNT OF THE EXPLOSION COMPARED TO THE § 22 SIDE OF THE DUPLEX. IT IS SPECULATIVE THAT THE EXPLOSION OCCURED ABOVE THE GROUND FLOOR BOARDS IN ORDER TO KEEP THE WATER LINES FROM FREEZING. THERE WAS EVIDENCE OF TWISTED PROPANE REFERATOR COOLING PARTS FROM ONE OF THE FRIDGES. AS THE TWO CABINS WERE MIRRORRED AND THE ENTIRE STRUCTURE LOST IN THE END BY THE FIRE IT IS DIFFICULT TO ASCERTAIN WHICH APPLIANCE BELONGED TO WHICH CABIN. IT WAS CLEAR EARLY ON BY BOTH CST SLUNT OF KIMBERLY RCMP AND CPL BARRY GRAHAM, CRANBROOK RCMP AND CPL GRANT SIMPSON, COLUMBIA VALLEY RCMP THAT THIS EXPLOSION/FIRE WAS NOT A CRIMINAL INVESTIGATION.

Investigating Officer

LAFC Badge #

Telephone

ReportDate

AYERS, BRENT

42243

250-342-9292

2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **REK 2014 08 13 04 01**

Name no. : 1
Name : DUBOIS, BRENT
Address : 300 CANAL FLATS
CANAL FLATS BRITISH COLUMBIA V0B 1B0

Name Status : BUSINESS OWNER
Phone : s.22

Claims Adjuster Name : 1. GRAW , MARK
Claims Adjuster Firm : 1. KERNAGHAN ADJUSTERS
Claim Number : s.21
Insurance Company : 1. HUBB INSURANCE
Policy Number : s.21

LOSS ESTIMATES:

Property Loss : \$s.21

Content Loss : \$s.21

Total Loss : \$s.21

REMARKS:

Name no. : 2
Name : s.22
Address :

Name Status : OCCUPANT
Phone : s.22

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

Investigating Officer : LAFB Badge #
AYERS, BRENT : 42243

Telephone : 250-342-9292
ReportDate : 2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **REK 2014 08 13 04 01**

Name no. : 3
Name **s.22**
Address

Name Status : OCCUPANT
Phone : **s.22**

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

Name no. : 4
Name **s.22**
Address

Name Status : OCCUPANT
Phone : **s.22**

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

Investigating Officer :
AYERS, BRENT

L AFC Badge #
42243

Telephone :
250-342-9292

ReportDate
2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **REK 2014 08 13 04 01**

Name no. : 5
Name : s.22
Address :

Name Status : OCCUPANT
Phone :

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

Name no. : 6
Name : s.22
Address :

Name Status : OCCUPANT
Phone : s.22

Claims Adjuster Name :
Claims Adjuster Firm : 1. GLOBAL?
Claim Number : s.22
Insurance Company : 1. VIRGIN TRAVEL INSURANCE
Policy Number : s.22

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : s.22

Total Loss : s.22

REMARKS:

s.22

Investigating Officer :
AYERS, BRENT

L AFC Badge # :
42243

Telephone :
250-342-9292

ReportDate :
2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)INCIDENT NUMBER: **REK 2014 08 13 04 01**

Name no. : 7
Name : s.22
Address :

Name Status : OCCUPANT
Phone :

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

s.22

Name no. : 8
Name : s.22
Address :

Name Status : OCCUPANT
Phone : s.22

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

s.22

Investigating Officer : LAFB Badge #
AYERS, BRENT : 42243

Telephone : ReportDate
250-342-9292 : 2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **REK 2014 08 13 04 01**

Name no. : 9
Name : s.22
Address :

Name Status : OCCUPANT
Phone : s 22 -

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

s.22

Investigating Officer : LAFB Badge #
AYERS, BRENT : 42243

Telephone : ReportDate
250-342-9292 2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (CASUALTY)

INCIDENT NUMBER: **REK 2014 08 13 04 01**

CASUALTY NO : 1
NAME : **s.22**
ADDRESS :

AGE : **s.**
GENDER : M
STATUS : CIVILIAN
DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 002 - LIGHT INJURY (HOSP. 1-2 DAYS AND/OR OFF WORK 1-15 DAYS)
CONDITION OF CASUALTY : 010 - CONDITION OF CASUALTY UNKNOWN
ACTION OF CASUALTY : 020 - ACTION OF CASUALTY UNKNOWN
IGNITION OF CLOTHING : 030 - NOT APPLICABLE
TYPE OF FABRIC IGNITED : 040 - NOT APPLICABLE
CAUSE OF FAILURE TO ESCAPE : 050 - UNKNOWN
CAUSE OF INJURY/DEATH : 108 - UNKNOWN

CASUALTY NO : 2
NAME : **s.22**
ADDRESS :

AGE : **s.**
GENDER : F
STATUS : CIVILIAN
DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 002 - LIGHT INJURY (HOSP. 1-2 DAYS AND/OR OFF WORK 1-15 DAYS)
CONDITION OF CASUALTY : 010 - CONDITION OF CASUALTY UNKNOWN
ACTION OF CASUALTY : 020 - ACTION OF CASUALTY UNKNOWN
IGNITION OF CLOTHING : 030 - NOT APPLICABLE
TYPE OF FABRIC IGNITED : 040 - NOT APPLICABLE
CAUSE OF FAILURE TO ESCAPE : 050 - UNKNOWN
CAUSE OF INJURY/DEATH : 108 - UNKNOWN

Investigating Officer LAFC Badge #
AYERS, BRENT 42243

Telephone ReportDate
250-342-9292 2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (CASUALTY)

INCIDENT NUMBER: **REK 2014 08 13 04 01**

CASUALTY NO : 3

NAME : s.22
ADDRESS :

AGE : s.
GENDER : M
STATUS : CIVILIAN
DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 002 - LIGHT INJURY (HOSP. 1-2 DAYS AND/OR OFF WORK 1-15 DAYS)
CONDITION OF CASUALTY : 010 - CONDITION OF CASUALTY UNKNOWN
ACTION OF CASUALTY : 020 - ACTION OF CASUALTY UNKNOWN
IGNITION OF CLOTHING : 030 - NOT APPLICABLE
TYPE OF FABRIC IGNITED : 040 - NOT APPLICABLE
CAUSE OF FAILURE TO ESCAPE : 050 - UNKNOWN
CAUSE OF INJURY/DEATH : 108 - UNKNOWN

CASUALTY NO : 4

NAME : s.22
ADDRESS :

AGE : s.
GENDER : M
STATUS : CIVILIAN
DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 004 - SERIOUS INJURY (HOSP. 3+ DAYS AND/OR OFF WORK 15+ DAYS)
CONDITION OF CASUALTY : 010 - CONDITION OF CASUALTY UNKNOWN
ACTION OF CASUALTY : 020 - ACTION OF CASUALTY UNKNOWN
IGNITION OF CLOTHING : 030 - NOT APPLICABLE
TYPE OF FABRIC IGNITED : 040 - NOT APPLICABLE
CAUSE OF FAILURE TO ESCAPE : 050 - UNKNOWN
CAUSE OF INJURY/DEATH : 108 - UNKNOWN

Investigating Officer LAFC Badge #
AYERS, BRENT 42243

Telephone ReportDate
250-342-9292 2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (CASUALTY)

INCIDENT NUMBER: **REK 2014 08 13 04 01**

CASUALTY NO : 5

NAME : **s.22**

ADDRESS :

AGE : **S**

GENDER : **F**

STATUS : **CIVILIAN**

DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 003 - MINOR INJURY (LESS THAN ONE DAY HOSPITAL OR OFF WORK)

CONDITION OF CASUALTY : 010 - CONDITION OF CASUALTY UNKNOWN

ACTION OF CASUALTY : 020 - ACTION OF CASUALTY UNKNOWN

IGNITION OF CLOTHING : 030 - NOT APPLICABLE

TYPE OF FABRIC IGNITED : 040 - NOT APPLICABLE

CAUSE OF FAILURE TO ESCAPE : 050 - UNKNOWN

CAUSE OF INJURY/DEATH : 108 - UNKNOWN

CASUALTY NO : 6

NAME : **s.22**

ADDRESS :

AGE : **S**

GENDER : **M**

STATUS : **CIVILIAN**

DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 003 - MINOR INJURY (LESS THAN ONE DAY HOSPITAL OR OFF WORK)

CONDITION OF CASUALTY : 010 - CONDITION OF CASUALTY UNKNOWN

ACTION OF CASUALTY : 020 - ACTION OF CASUALTY UNKNOWN

IGNITION OF CLOTHING : 039 - UNCLASSIFIED

TYPE OF FABRIC IGNITED : 049 - UNCLASSIFIED

CAUSE OF FAILURE TO ESCAPE : 050 - UNKNOWN

CAUSE OF INJURY/DEATH : 108 - UNKNOWN

Investigating Officer LAFC Badge #
AYERS, BRENT 42243

Telephone ReportDate
250-342-9292 2014-11-07

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (CASUALTY)

INCIDENT NUMBER: **REK 2014 08 13 04 01**

CASUALTY NO : 7

NAME : s.22
ADDRESS :

AGE : s.
GENDER : F
STATUS : CIVILIAN
DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 002 - LIGHT INJURY (HOSP. 1-2 DAYS AND/OR OFF WORK 1-15 DAYS)
CONDITION OF CASUALTY : 010 - CONDITION OF CASUALTY UNKNOWN
ACTION OF CASUALTY : 020 - ACTION OF CASUALTY UNKNOWN
IGNITION OF CLOTHING : 030 - NOT APPLICABLE
TYPE OF FABRIC IGNITED : 040 - NOT APPLICABLE
CAUSE OF FAILURE TO ESCAPE : 050 - UNKNOWN
CAUSE OF INJURY/DEATH : 108 - UNKNOWN

CASUALTY NO : 8

NAME : s.22
ADDRESS :

AGE : s.
GENDER : F
STATUS : CIVILIAN
DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 002 - LIGHT INJURY (HOSP. 1-2 DAYS AND/OR OFF WORK 1-15 DAYS)
CONDITION OF CASUALTY : 010 - CONDITION OF CASUALTY UNKNOWN
ACTION OF CASUALTY : 020 - ACTION OF CASUALTY UNKNOWN
IGNITION OF CLOTHING : 030 - NOT APPLICABLE
TYPE OF FABRIC IGNITED : 040 - NOT APPLICABLE
CAUSE OF FAILURE TO ESCAPE : 050 - UNKNOWN
CAUSE OF INJURY/DEATH : 107 - UNCLASSIFIED

Investigating Officer LAFC Badge #
AYERS, BRENT 42243

Telephone ReportDate
250-342-9292 2014-11-07

