Incident Report Page 1 of 6

PROVINCE OF BRITISH COLUMBIA

Ministry of Justice

Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - STRUCTURE

INCIDENT NUMBER: CVA 2016 04 04 20 09

Location of Incident: 7507 MAIN ST VANCOUVER BC

of Occupants (At time of fire): 2 # of Injured: 0 # of Deaths: 0

Total Dollar Loss Estimate: s.22

Related to Wildland Interface Fire: NO Property Value: c Content Value: c Total Value at Risk: c

Code Name: Code Description

PROPERTY COMPLEX: 3500 RESIDENTIAL - DUPLEX, 3-PLEX, 4-PLEX

PROPERTY CLASSIFICATION: 3140 YEAR-ROUND USE DWELLING - 2-FAMILY (DUPLEX)

GENERAL CONSTRUCTION: 2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST

BUILDING HEIGHT: 0020 2 STORIES ABOVE GRADE

GROUND FLOOR AREA: 2000 101 TO 500M2 (1077 - 5382FT2)

YEAR OF CONSTRUCTION: 1975 1975

MANUAL FIRE PROTECTION: 4000 EXTINGUISHER ONLY

OUTSIDE FIRE PROTECTION: 1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT

SPRINKLER PROTECTION: 7000 NO SPRINKLER PROTECTION

AUTOMATIC FIRE ALARM SYSTE: 1000 NO FIRE ALARM SYSTEM

SMOKE ALARM OPERATION: 9900 NO SMOKE ALARM INSTALLED

INITIAL DETECTION: 7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S

TRANSMISSION OF ALARM: 1000 911

FIRE SERVICE: 1000 CAREER FIRE DEPARTMENT ONLY

INCIDENT: 1000 FIRE - FIRE DEPARTMENT ATTENDED

ACTION TAKEN: 3000 EXTINGUISHED BY FIRE DEPARTMENT

METHOD OF FIRE CONTROL: 4300 38MM/42MM (1 1/2"/1 3/4") HOSE - 2 OR MORE HAND LINES

FIRE ORIGIN, LEVEL: 3000 GROUND FLOOR, GRADE LEVEL OR GRADE TO 3M (10FT)

FIRE ORIGIN, AREA: 2100 SLEEPING - UNDER 5 OCCUPANTS - INCLUDES PATIENTS' ROOM, BEDR

EXTENT OF FIRE: 3000 CONFINED TO ROOM OF ORIGIN

EXTENT OF DAMAGE: 4000 CONFINED TO FLOOR LEVEL OF ORIGIN

 ${\tt IGNITING\ OBJECT\ :\ 6500\ INCANDESCENT\ LAMP,\ LIGHT\ BULB\ -\ INCLUDES\ LANTERN,\ FLASHLIGHT}$

FUEL OR ENERGY: 6000 ELECTRICITY

FORM OF HEAT : 6000 HOT OBJECT - DIRECT HEAT BY CONDUCTION OR RADIATION, NO DIRE

ACT OR OMISSION: 7700 IGNORANCE OF HAZARD (NOTE: IF ILLEGAL OPERATIONS, CLASSIFY A

Investigating Officer LA: ROBERTSON, DONALD

LAFC Badge #

Telephone

ReportDate

604-665-6078 2

3 2016-04-19

1 of 6

Incident Report Page 2 of 6

PROVINCE OF BRITISH COLUMBIA

FIRE REPORT - STRUCTURE (NARRATIVE)

Ministry of Justice

Emergency Management BC / Office of the Fire Commissioner

INCIDENT NUMBER: CVA 2016 04 04 20 09

Remarks:

CAR 73 TO 7507 MAIN ST FOR STRUCTURE FIRE. FOUND LT. GRAY, J OF RESCUE 17 ONSCENE, BATTALION 3, CHIEF HOLLIER IN COMMAND. 7507 IS A 2 STOREY TYPE 5 RESIDENTIAL HOME CONTAINING 2 SUITES, AN UPSTAIRS UNIT AND A LOWER UNIT. FIRE PROTECTION CONSISTS OF NON MONITORED SMOKE DETECTORS. REGISTERED OWNER OF THE HOME IS: s.22 UPSTAIRS TENANTS ARE s.22

s.22 LOWER UNIT IS A GROUP HOME OPERATED BY MILEU CHILD AND FAMILY SERVICES, OCCUPIED BY s.22 WITH NO PHONE. 2 SUPPORT WORKERS WERE WITH HER THE EVENING OF THE FIRE, AND s.22 NO OCCUPANT INJURIES REPORTED. FIRE

INVESTIGATIONS INTERVIEWED THE UPSTAIRS TENANTS WHO HAD HEARD LOTS OF NOISE AND BANGING IN THE LOWER SUITE. INVESTIGATIONS FOUND POINT OF ORIGIN TO BE THE BED IN THE LOWER UNITS BEDROOM, \$ 22 ROOM. \$ 22 ACKNOWLEDGED \$ 2 HAD LEFT A LAMP ON \$ 2 BED AND IT WAS 'ON' PRIOR TO LEAVING FOR THE PARK WITH THE 2 SUPPORT STAFF. \$ 2 CLOSED \$ 2 BEDROOM DOOR PRIOR TO LEAVING. TIGER PID WAS USED TO RULE OUT ANY ACCELERANTS. NONE FOUND. INVESTIGATION REVEALED BURN PATTERNS TO SUGGEST FIRE POINT OF ORIGIN ON THE BED WHERE LAMP WAS FOUND. BURNS ON FLOOR AND UNDER BED SUGGEST BEDDING AND CLOTHES ON FLOOR BURNED AND WERE FED AIR FROM UNDER THE DOOR, WITH SIGNIFICANT BURNING ALSO SPREADING UNDER THE BED. FIRE INVESTIGATIONS FIND THIS TO BE AN ACCIDENTAL FIRE WITH EXTENSIVE DAMAGE TO THE LOWER UNIT AND SLIGHT SMOKE DAMAGE TO THE UPPER UNIT. SCENE LEFT IN CARE OF E22, CAPT. NICHOLS, D AWAITING CITY BOARD UP CREW. NOTE: LT. SEREDA, G \$.22 DURING INVESTIGATION.

Investigating Officer ROBERTSON, DONALD LAFC Badge #

Telephone 604-665-6078 ReportDate 2016-04-19

2 of 6

Incident Report Page 3 of 6

PROVINCE OF BRITISH COLUMBIA

FIRE REPORT - STRUCTURE (NAMES)

Ministry of Justice

Emergency Management BC / Office of the Fire Commissioner

INCIDENT NUMBER: CVA 2016 04 04 20 09

Name no. : 1 : s.22 Name

Address : 0 UPPER UNIT; 7507 MAIN ST.

: OCCUPANT Name Status Phone : c 22

Claims Adjuster Name : Claims Adjuster Firm Claim Number Insurance Company Policy Number

LOSS ESTIMATES:

Property Loss: 5 Content Loss: 5 Total Loss: s

REMARKS:

Name no. : 2 Name Status : OCCUPANT Name Phone : c 22

: **s.22** : 0 UPPER UNIT; 7507 MAIN ST. Address

Claims Adjuster Name Claims Adjuster Firm Claim Number Insurance Company

Policy Number

LOSS ESTIMATES:

Property Loss: s Content Loss: s Total Loss: s

REMARKS:

Investigating Officer LAFC Badge # Telephone ReportDate

ROBERTSON, DONALD 604-665-6078 2016-04-19

Page 4 of 6 Incident Report

PROVINCE OF BRITISH COLUMBIA

FIRE REPORT - STRUCTURE (NAMES)

Ministry of Justice

Emergency Management BC / Office of the Fire Commissioner

INCIDENT NUMBER: CVA 2016 04 04 20 09

Name no. : 3 Name : s.22

Address : 0 LOWER UNIT; 7507 MAIN ST. Name Status : OCCUPANT Phone : c 22

Claims Adjuster Name : Claims Adjuster Firm Claim Number Insurance Company

Policy Number

LOSS ESTIMATES:

Property Loss: 5 Content Loss: 5 Total 22 \$0

REMARKS:

Name no. : 4 Name Status : BUSINESS OCCUPANT

Name : s.22 Phone : c 22

Address : 0 LOWER SUITE 7507 MAIN ST

Claims Adjuster Name Claims Adjuster Firm Claim Number Insurance Company Policy Number

LOSS ESTIMATES:

Property Loss: s Content Loss: s.22 Total Loss: s.22

REMARKS:

LAFC Badge # Investigating Officer Telephone ReportDate

ROBERTSON, DONALD 604-665-6078 2016-04-19

Page 5 of 6 Incident Report

PROVINCE OF BRITISH COLUMBIA

FIRE REPORT - STRUCTURE (NAMES)

Ministry of Justice

Emergency Management BC / Office of the Fire Commissioner

INCIDENT NUMBER: CVA 2016 04 04 20 09

Name no. : 5 Name :s.22

Address : 0 LOWER SUITE 7507 MAIN ST Name Status : BUSINESS OCCUPANT Phone : c 22

Claims Adjuster Name : Claims Adjuster Firm Claim Number Insurance Company

LOSS ESTIMATES:

Property Loss: 5 Content Loss: 5 Total Loss: s

REMARKS:

Policy Number

Name no. Name Status : OWNER : 6 : s.22 Name Phone : c 22

Address : 0

Claims Adjuster Name Claims Adjuster Firm Claim Number Insurance Company Policy Number

LOSS ESTIMATES:

Total Loss: s.22 Property Loss: s.22 Content Loss: s

REMARKS:

Investigating Officer LAFC Badge # Telephone ReportDate

ROBERTSON, DONALD 604-665-6078 2016-04-19 Incident Report Page 6 of 6