


Home Links News		Log Off Help Contacts Password	
			
Fire Incident Reporting ▼	Fire Service Certification ▼	FD Information ▼	FD Resources ▼
System Admin ▼			

Fire Incident Report - Details

Status: **LOCKED**
 Notification:
 Investigation:
 JFS:

* Indicates required fields when saving as pending

** Indicates required fields when saving as completed

Incident #: LOC: YYYY: MM: DD: HR: OCC:
 Total Loss: **s.22**
 Injuries: **0**
 Fatalities: **0**
 Total Names: **1**

Incident Type:

☒ Structure
 ☐ Vehicle
 ☐ Outdoor
 ☐ Person

☐ Related to Wildland / Interface Fire

Location of Fire Incident:

PO Box: Apt/Suite: Street Number: 5851
 Street Name: SOMERSET Direction:
 City: PEACHLAND Postal Code: V0H1X4

Summary of Names / Casualties: ** (min. 1)

[Add Names](#)

#	Status	Name	Address	Postal Code	Tel#	Total Loss (\$)	Casualty
1	OWNER	s.22	5851 SOMERSET PEACHLAND	V0H1X4		s.22	N

Products and Equipment Report:

(List vehicles, boats, appliances or other equipment applicable)

[Add Product/Equipment](#)

#	Item Type	Item Desc	Make	Model
---	-----------	-----------	------	-------

Property Value At Risk (\$) Property Value Contents Value Total Value
 Estimate: ** s.22 s.22 s.22

Number of Occupants

(at time of incident): **

2

Enter Codes: **

PC - Property Complex

3400

RESIDENTIAL - SINGLE DETACHED

[Search](#)

PR - Property Classification

3110

YEAR-ROUND USE DWELLING - 1-FAMILY

[Search](#)

GC - General Construction

1000

COMBUSTIBLE CONSTRUCTION - OPEN WOOD JO

[Search](#)

BH - Building Height

0010

1 STORY ABOVE GRADE

GF - Ground Floor Area	2000	<input checked="" type="checkbox"/>	101 TO 500M2 (1077 - 5382FT2)	Search
YC - Year Of Construction	0000	<input checked="" type="checkbox"/>	CANNOT BE DETERMINED	Search
MF - Manual Fire Protection	7000	<input checked="" type="checkbox"/>	NO MANUAL FIRE PROTECTION	Search
OF - Outside Fire Protection	1000	<input checked="" type="checkbox"/>	PUBLIC HYDRANT PROTECTION & FIRE DEPARTM	Search
SP - Sprinkler Protection	7000	<input checked="" type="checkbox"/>	NO SPRINKLER PROTECTION	Search
AD - Automatic Fire Alarm System	1000	<input checked="" type="checkbox"/>	NO FIRE ALARM SYSTEM	Search
SD - Smoke Alarm Operation	9500	<input checked="" type="checkbox"/>	ALARM NOT ACTIVATED - UNKNOWN	Search
ID - Initial Detection	7000	<input checked="" type="checkbox"/>	VISUAL SIGHTING OR OTHER MEANS OF PERSON	Search
AL - Transmission Of Alarm	1000	<input checked="" type="checkbox"/>	911	Search
FS - Fire Service	2000	<input checked="" type="checkbox"/>	VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT O	Search
IN - Incident	1000	<input checked="" type="checkbox"/>	FIRE - FIRE DEPARTMENT ATTENDED	Search
AC - Action Taken	3000	<input checked="" type="checkbox"/>	EXTINGUISHED BY FIRE DEPARTMENT	Search
EX - Method Of Fire Control	4700	<input checked="" type="checkbox"/>	COMBINATIONS OF 38/42MM (1 1/2"/1 3/4"), 65MM (2 1/2")	Search
LV - Fire Origin, Level	9000	<input checked="" type="checkbox"/>	EXPOSURE FIRE	Search
OA - Fire Origin, Area	9980	<input checked="" type="checkbox"/>	EXPOSURE - INCLUDING SMOKE DAMAGE	Search
XF - Extent Of Fire	6000	<input checked="" type="checkbox"/>	EXTENDED BEYOND PROPERTY OF ORIGIN	Search
XD - Extent Of Damage	6000	<input checked="" type="checkbox"/>	EXTENDED BEYOND BUILDING OF ORIGIN	Search
IG - Igniting Object	8200	<input checked="" type="checkbox"/>	EXPOSURE, STRUCTURE DETACHED	Search
FU - Fuel Or Energy	8000	<input checked="" type="checkbox"/>	EXPOSURE FIRE	Search
FH - Form Of Heat	4000	<input checked="" type="checkbox"/>	DIRECT FLAME	Search
MI - Material First Ignited	8000	<input checked="" type="checkbox"/>	BUILDING COMPONENT - FLOOR, CEILING, ROOF.	Search
AO - Act Or Omission	0000	<input checked="" type="checkbox"/>	CANNOT BE DETERMINED	Search

[View Description](#)

Remarks: Explain circumstances under which fire originated.

EXPOSURE FIRE DAMAGE FROM THE NEIGHBOURING PROPERTY. FIRE SPREAD TO FROM A FULLY INVOLVED STRUCTURE NEXT DOOR CAUSING DAMAGE TOT HE EXTERIOR OF THE HOUSE, THE ROOF AND SMOKE DAMAGE TO THE INTERIOR.

Investigating Officer: **

Last Name:

CRAIG

First Name:

DENNIS

Badge#:

1969

Tel#:

250

- 767

- 2841

Report Date:

(yyyy/mm/dd)

2019/04/26

Police/RCMP Detachment:

WEST KELOWNA RCMP

Police/RCMP File #:

Fire Report References:

[Add Ref.](#)

#	File No	File Type	File Date
---	---------	-----------	-----------

Save as Pending

Save as Complete

Notification ▶

Confirmed JFS ▶

Suspected JFS ▶

Print Version

New

Reset

Back

TOP | COPYRIGHT | DISCLAIMER | PRIVACY

FEEDBACK

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE**INCIDENT NUMBER: **DPE 2019 04 20 13 02**

Location of Incident: **5843 SOMERSET
PEACHLAND BC V0H1X4**

of Occupants (At time of fire): **0** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: **s.22**

Related to Wildland Interface Fire: **NO** Property Value: **\$0** Content Value: **\$0** Total Value at Risk: **\$0**

Code Name :	Code Description
PROPERTY CLASSIFICATION :	8610 AUTOMOBILE - INCLUDES CARS, LIGHT TRUCKS AND VANS, SINGLE BO
MANUAL FIRE PROTECTION :	7000 NO MANUAL FIRE PROTECTION
TRANSMISSION OF ALARM :	1000 911
FIRE SERVICE :	2000 VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT ONLY
INCIDENT :	1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN :	5000 MINOR FIRE - NO ACTION TAKEN (I.E. EXPOSURE DAMAGE, BLISTERI
METHOD OF FIRE CONTROL :	4700 COMBINATIONS OF 38/42MM (1 1/2"/1 3/4"), 65MM (2 1/2"), 7
FIRE ORIGIN, AREA :	9980 EXPOSURE - INCLUDING SMOKE DAMAGE
EXTENT OF FIRE :	6000 EXTENDED BEYOND PROPERTY OF ORIGIN
IGNITING OBJECT :	8200 EXPOSURE, STRUCTURE DETACHED
FUEL OR ENERGY :	8000 EXPOSURE FIRE
FORM OF HEAT :	6000 HOT OBJECT - DIRECT HEAT BY CONDUCTION OR RADIATION, NO DIRE
MATERIAL FIRST IGNITED :	8000 BUILDING COMPONENT - FLOOR, CEILING, ROOF. (EXCLUDES FLOOR C
ACT OR OMISSION :	0000 CANNOT BE DETERMINED

Investigating Officer	LAFB Badge #	Telephone	ReportDate
CRAIG, DENNIS	1969	250-767-6525	2019-04-26

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE**
(PRODUCT/EQUIPMENT)
INCIDENT NUMBER: **DPE 2019 04 20 13 02**

LOG #	: 179174		
ITEM TYPE	: AUTOMOBILE		
ITEM DESCRIPTION	:		
MAKE	: BMW	CERT. AGENCY1	:
MODEL	: 328I	CERT. AGENCY2	:
YEAR	:	CERT. AGENCY3	:
LICENSE NO.	: s.22	CERT. AGENCY4	:
SERIAL NO.	:	CERT. AGENCY5	:
MAKE	: BMW		

COMMENTS :
PARKED IN THE DRIVEWAY AT A STRUCTURE FIRE AND WAS DAMAGED FROM RADIANT HEAT.

Investigating Officer	LAFC Badge #	Telephone	ReportDate
CRAIG, DENNIS	1969	250-767-6525	2019-04-26

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE** (NARRATIVE)

INCIDENT NUMBER: **DPE 2019 04 20 13 02**

Remarks:

EXPOSURE FIRE DAMAGE FROM A STRUCTURE FIRE. VEHICLE WAS PARKED IN THE DRIVEWAY OF A FULLY INVOLVED STRUCTURE FIRE AND WAS DAMAGED BY THE RADIANT HEAT.

Investigating Officer	L AFC Badge #	Telephone	ReportDate
CRAIG, DENNIS	1969	250-767-6525	2019-04-26

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE** (NAMES)INCIDENT NUMBER: **DPE 2019 04 20 13 02**

Name no. : 1
Name : **s.22**
Address : 5843 SOMERSET
PEACHLAND BRITISH COLUMBIA V0H1X4

Name Status : OWNER
Phone : **s.22**

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : **s.22**

Content Loss : \$0

Total Loss : **s.22**

REMARKS:

OWNER OF THE PROPERTY WHERE AN EXPOSURE FIRE DAMAGED A VEHICLE PARKED IN THE DRIVEWAY

Investigating Officer : LAFC Badge #
CRAIG, DENNIS : 1969

Telephone :
250-767-6525
ReportDate :
2019-04-26

PROVINCE OF BRITISH COLUMBIA
 Ministry of Justice
 Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE**INCIDENT NUMBER: **DPE 2019 04 20 13 01**

Location of Incident: **5843 SOMERSET AVE
 PEACHLAND BC V0H 1X4**

of Occupants (At time of fire): **1** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: **s.22**

Related to Wildland Interface Fire: **NO** Property Value: **s.22** Content Value: **s.22** Total Value at Risk: **s.22**

Code Name : Code Description

PROPERTY COMPLEX : 3400 RESIDENTIAL - SINGLE DETACHED
 PROPERTY CLASSIFICATION : 3110 YEAR-ROUND USE DWELLING - 1-FAMILY
 GENERAL CONSTRUCTION : 1000 COMBUSTIBLE CONSTRUCTION - OPEN WOOD JOIST
 BUILDING HEIGHT : 0010 1 STORY ABOVE GRADE
 GROUND FLOOR AREA : 1000 1 TO 100M2 (1 - 1076FT2)
 YEAR OF CONSTRUCTION : 0000 CANNOT BE DETERMINED
 MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION
 OUTSIDE FIRE PROTECTION : 1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
 SPRINKLER PROTECTION : 7000 NO SPRINKLER PROTECTION
 AUTOMATIC FIRE ALARM SYSTE : 1000 NO FIRE ALARM SYSTEM
 SMOKE ALARM OPERATION : 0000 ALARM OPERATION CANNOT BE DETERMINED
 INITIAL DETECTION : 7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
 TRANSMISSION OF ALARM : 1000 911
 FIRE SERVICE : 2000 VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT ONLY
 INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED
 ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT
 METHOD OF FIRE CONTROL : 4700 COMBINATIONS OF 38/42MM (1 1/2"/1 3/4"), 65MM (2 1/2"), 7
 FIRE ORIGIN, LEVEL : 0000 CANNOT BE DETERMINED
 FIRE ORIGIN, AREA : 0000 CANNOT BE DETERMINED
 EXTENT OF FIRE : 6000 EXTENDED BEYOND PROPERTY OF ORIGIN
 EXTENT OF DAMAGE : 6000 EXTENDED BEYOND BUILDING OF ORIGIN
 IGNITING OBJECT : 0000 CANNOT BE DETERMINED
 FUEL OR ENERGY : 0000 CANNOT BE DETERMINED
 FORM OF HEAT : 0000 CANNOT BE DETERMINED
 MATERIAL FIRST IGNITED : 0000 CANNOT BE DETERMINED
 ACT OR OMISSION : 0000 CANNOT BE DETERMINED

Investigating Officer	LAFC Badge #	Telephone	ReportDate
CRAIG, DENNIS	1969	250-767-2841	2019-04-24

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **DPE 2019 04 20 13 01**

Remarks:

THE STRUCTURE WAS FULLY INVOLVED AND ALREADY VENTED THROUGH THE ROOF UPON ARRIVAL. ALL THREE FLOORS OF THE STRUCTURE (TWO BELOW GRADE LEVELS) WERE COMPLETELY CONSUMED WITH FIRE OUT EVERY WINDOW WITH A PARTIAL COLLAPSE. THE FIRE HAD SPREAD TO THE GRASSY HILLSIDE, CANDLING A TREE AND DAMAGING THE NEIGHBOURING HOUSE. ONE OCCUPANT WAS HOME AT THE TIME AND ESCAPED UNINJURED,
s.22

Investigating Officer	LAFC Badge #	Telephone	ReportDate
CRAIG, DENNIS	1969	250-767-2841	2019-04-24

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)INCIDENT NUMBER: **DPE 2019 04 20 13 01**

Name no. : 1
Name : **s.22**
Address : 5843 SOMERSET
PEACHLAND BRITISH COLUMBIA V0H 1X4

Name Status : OWNER
Phone : **s.22**

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : **s.22** Content Loss : **s.22** Total Loss : **s.22**

REMARKS:

HOUSE WAS A COMPLETE LOSS. **s.22**

Name no. : 2
Name : **s.22**
Address : 5843 SOMERSET AVE
PEACHLAND BRITISH COLUMBIA V0H1X4

Name Status : OCCUPANT
Phone : **s.22**

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0 Content Loss : **s.22** Total Loss : **s.22**

REMARKS:

WAS THE TENANT LIVING UPSTAIRS. **s.22**

Investigating Officer LAFC Badge #
CRAIG, DENNIS 1969

Telephone ReportDate
250-767-2841 2019-04-24

