

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE**INCIDENT NUMBER: **CSY 2014 07 30 03 01**

Location of Incident: **15321 111 AVE
SURREY BC**

of Occupants (At time of fire): **0** # of Injured: **3** # of Deaths: **0** Total Dollar Loss Estimate: **\$22**

Related to Wildland Interface Fire: **NO** Property Value: **\$22** Content Value: **\$22** Total Value at Risk: **\$22**

Code Name : Code Description

PROPERTY COMPLEX : 3400 RESIDENTIAL - SINGLE DETACHED
PROPERTY CLASSIFICATION : 3110 YEAR-ROUND USE DWELLING - 1-FAMILY
GENERAL CONSTRUCTION : 2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST
BUILDING HEIGHT : 0020 2 STORIES ABOVE GRADE
GROUND FLOOR AREA : 1000 1 TO 100M2 (1 - 1076FT2)
YEAR OF CONSTRUCTION : 2001 2001
MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION
OUTSIDE FIRE PROTECTION : 1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
SPRINKLER PROTECTION : 7000 NO SPRINKLER PROTECTION
AUTOMATIC FIRE ALARM SYSTE : 1000 NO FIRE ALARM SYSTEM
SMOKE ALARM OPERATION : 1000 ALARM ACTIVATED - ASSISTED OCCUPANT(S) IN EVACUATING
INITIAL DETECTION : 1000 SMOKE ALARM DEVICE
TRANSMISSION OF ALARM : 1000 911
FIRE SERVICE : 3000 COMPOSITE - CAREER & VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT
INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT
METHOD OF FIRE CONTROL : 4500 65MM/77MM (2 1/2"/3") HOSE -2 OR MORE HAND LINES
FIRE ORIGIN, LEVEL : 3000 GROUND FLOOR, GRADE LEVEL OR GRADE TO 3M (10FT)
FIRE ORIGIN, AREA : 4700 VEHICLE STORAGE - INCLUDES GARAGE, CARPORT. (EXCLUDES OUTSID
EXTENT OF FIRE : 6000 EXTENDED BEYOND PROPERTY OF ORIGIN
EXTENT OF DAMAGE : 6000 EXTENDED BEYOND BUILDING OF ORIGIN
IGNITING OBJECT : 5400 PANEL BOARD, SWITCHBOARD - INCLUDES FUSE, CIRCUIT BREAKER
FUEL OR ENERGY : 6000 ELECTRICITY
FORM OF HEAT : 2000 SPARK, ELECTRICAL - INCLUDES ARC, DISCHARGE. (EXCLUDES STATI
MATERIAL FIRST IGNITED : 1200 INTERIOR WALL COVERING, SURFACE MATERIAL - PLASTIC
ACT OR OMISSION : 4900 MECHANICAL/ELECTRICAL FAILURE/MALFUNCTION - UNCLASSIFIED (DE

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **CSY 2014 07 30 03 01**

Remarks:

FIRE STARTED IN ELECTRICAL PANEL.

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)INCIDENT NUMBER: **CSY 2014 07 30 03 01**

Name no. : 1
Name : s.22
Address : 0

Name Status : OWNER
Phone :

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : s.22

Content Loss : s.22

Total Loss : s.22

REMARKS:

Name no. : 2
Name : s.22
Address : 0 15321 11 AVE
SURREY BRITISH COLUMBIA

Name Status : OWNER
Phone : s.22

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

Investigating Officer : LAFB Badge #
SHEEL, DANIEL : 1810

Telephone :
604-543-6700

ReportDate :
2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)INCIDENT NUMBER: **CSY 2014 07 30 03 01**

Name no. : 3
Name : s.22
Address : 0 15321 111 AVE

Name Status : OWNER
Phone : s.22

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

Name no. : 4
Name : s.22
Address : 0 15321 111 AVE

Name Status : OCCUPANT
Phone :

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : \$0

Total Loss : \$0

REMARKS:

Investigating Officer : LAFC Badge #
SHEEL, DANIEL : 1810

Telephone :
604-543-6700

ReportDate :
2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (CASUALTY)

INCIDENT NUMBER: **CSY 2014 07 30 03 01**

CASUALTY NO : 1
NAME : s.22
ADDRESS : 0 15321 11 AVE
SURREY BRITISH COLUMBIA

AGE : s.22
GENDER :
STATUS :
DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 002 - LIGHT INJURY (HOSP. 1-2 DAYS AND/OR OFF WORK 1-15 DAYS)
CONDITION OF CASUALTY : 014 - AWAKE OR NO PHYSICAL OR MENTAL IMPAIRMENT AT TIME OF FI
ACTION OF CASUALTY : 023 - VOLUNTARILY ENTERED OR REMAINED FOR RESCUE PURPOSE
IGNITION OF CLOTHING : 033 - UNDERCLOTHING
TYPE OF FABRIC IGNITED : 046 - MIXTURE OF FIBRES
CAUSE OF FAILURE TO ESCAPE : 051 - TRAPPED BY RAPID SPREADING OF FIRE/SMOKE THROUGH VERTIC
CAUSE OF INJURY/DEATH : 101 - BURNS RESULTING FROM FIRE AND FLAMES

CASUALTY NO : 2
NAME : s.22
ADDRESS : 0 15321 111 AVE

AGE : s.22
GENDER :
STATUS :
DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 002 - LIGHT INJURY (HOSP. 1-2 DAYS AND/OR OFF WORK 1-15 DAYS)
CONDITION OF CASUALTY : 014 - AWAKE OR NO PHYSICAL OR MENTAL IMPAIRMENT AT TIME OF FI
ACTION OF CASUALTY : 023 - VOLUNTARILY ENTERED OR REMAINED FOR RESCUE PURPOSE
IGNITION OF CLOTHING : 033 - UNDERCLOTHING
TYPE OF FABRIC IGNITED : 046 - MIXTURE OF FIBRES
CAUSE OF FAILURE TO ESCAPE : 051 - TRAPPED BY RAPID SPREADING OF FIRE/SMOKE THROUGH VERTIC
CAUSE OF INJURY/DEATH : 101 - BURNS RESULTING FROM FIRE AND FLAMES

Investigating Officer	LAFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (CASUALTY)

INCIDENT NUMBER: **CSY 2014 07 30 03 01**

CASUALTY NO : 3
NAME : s.22
ADDRESS : 0 15321 111 AVE

AGE : s.22
GENDER :
STATUS :
DATE OF DEATH :

Code Name : Code Description

NATURE OF CASUALTY : 002 - LIGHT INJURY (HOSP. 1-2 DAYS AND/OR OFF WORK 1-15 DAYS)
CONDITION OF CASUALTY : 014 - AWAKE OR NO PHYSICAL OR MENTAL IMPAIRMENT AT TIME OF FI
ACTION OF CASUALTY : 023 - VOLUNTARILY ENTERED OR REMAINED FOR RESCUE PURPOSE
IGNITION OF CLOTHING : 033 - UNDERCLOTHING
TYPE OF FABRIC IGNITED : 046 - MIXTURE OF FIBRES
CAUSE OF FAILURE TO ESCAPE : 051 - TRAPPED BY RAPID SPREADING OF FIRE/SMOKE THROUGH VERTIC
CAUSE OF INJURY/DEATH : 100 - SMOKE INHALATION

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE**INCIDENT NUMBER: **CSY 2014 07 30 03 04**

Location of Incident: **15321 111 AVE
SURREY BC**

of Occupants (At time of fire): **0** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate ^{s.22}

Related to Wildland Interface Fire: **NO** Property Value: **\$0** Content Value: ^{s.22} Total Value at Risk: ^{s.22}

Code Name : Code Description

PROPERTY CLASSIFICATION : 8610 AUTOMOBILE - INCLUDES CARS, LIGHT TRUCKS AND VANS, SINGLE BO

MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION

TRANSMISSION OF ALARM : 1000 911

FIRE SERVICE : 3000 COMPOSITE - CAREER & VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT

INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED

ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT

METHOD OF FIRE CONTROL : 4300 38MM/42MM (1 1/2"/1 3/4") HOSE - 2 OR MORE HAND LINES

FIRE ORIGIN, AREA : 8500 VEHICLE - PASSENGER AREA

EXTENT OF FIRE : 6000 EXTENDED BEYOND PROPERTY OF ORIGIN

IGNITING OBJECT : 8900 EXPOSURE - UNCLASSIFIED (DESCRIBE)

FUEL OR ENERGY : 8000 EXPOSURE FIRE

FORM OF HEAT : 6000 HOT OBJECT - DIRECT HEAT BY CONDUCTION OR RADIATION, NO DIRE

MATERIAL FIRST IGNITED : 9000 BUILDING COMPONENT - WALL. (EXCLUDES EXTERIOR WALL CLASSIFIE

ACT OR OMISSION : 4900 MECHANICAL/ELECTRICAL FAILURE/MALFUNCTION - UNCLASSIFIED (DE

Investigating Officer
SHEEL, DANIEL

LAFC Badge #
1810

Telephone
604-543-6700

ReportDate
2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE**
(PRODUCT/EQUIPMENT)
INCIDENT NUMBER: **CSY 2014 07 30 03 04**

LOG #	: 170682		
ITEM TYPE	: NOT GIVEN		
ITEM DESCRIPTION	:		
MAKE	: NISSAN	CERT. AGENCY1	:
MODEL	: SENTRA	CERT. AGENCY2	:
YEAR	:	CERT. AGENCY3	:
LICENSE NO.	: s.22	CERT. AGENCY4	:
SERIAL NO.	:	CERT. AGENCY5	:
MAKE	: NISSAN		

COMMENTS :

Investigating Officer	LAFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE** (NARRATIVE)

INCIDENT NUMBER: **CSY 2014 07 30 03 04**

Remarks:

FIRE FROM HOUSE.

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE** (NAMES)

INCIDENT NUMBER: **CSY 2014 07 30 03 04**

Name no. : 1
Name : s.22
Address : 0

Name Status : OWNER
Phone :

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : s.22

Total Loss : s.22

REMARKS:

Investigating Officer : LAFC Badge #
SHEEL, DANIEL : 1810

Telephone : ReportDate
604-543-6700 : 2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE**INCIDENT NUMBER: **CSY 2014 07 30 03 05**

Location of Incident: **15321 111 AVE
SURREY BC**

of Occupants (At time of fire): **0** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: **s.22**

Related to Wildland Interface Fire: **NO** Property Value: **\$0** Content Value: **s.22** Total Value at Risk: **s.22**

Code Name : Code Description

PROPERTY CLASSIFICATION : 8610 AUTOMOBILE - INCLUDES CARS, LIGHT TRUCKS AND VANS, SINGLE BO

MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION

TRANSMISSION OF ALARM : 1000 911

FIRE SERVICE : 3000 COMPOSITE - CAREER & VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT

INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED

ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT

METHOD OF FIRE CONTROL : 4300 38MM/42MM (1 1/2"/1 3/4") HOSE - 2 OR MORE HAND LINES

FIRE ORIGIN, AREA : 8500 VEHICLE - PASSENGER AREA

EXTENT OF FIRE : 6000 EXTENDED BEYOND PROPERTY OF ORIGIN

IGNITING OBJECT : 8900 EXPOSURE - UNCLASSIFIED (DESCRIBE)

FUEL OR ENERGY : 8000 EXPOSURE FIRE

FORM OF HEAT : 6000 HOT OBJECT - DIRECT HEAT BY CONDUCTION OR RADIATION, NO DIRE

MATERIAL FIRST IGNITED : 9000 BUILDING COMPONENT - WALL. (EXCLUDES EXTERIOR WALL CLASSIFIE

ACT OR OMISSION : 4900 MECHANICAL/ELECTRICAL FAILURE/MALFUNCTION - UNCLASSIFIED (DE

Investigating Officer
SHEEL, DANIEL

LAFC Badge #
1810

Telephone
604-543-6700

ReportDate
2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE**
(PRODUCT/EQUIPMENT)
INCIDENT NUMBER: **CSY 2014 07 30 03 05**

LOG #	: 170681		
ITEM TYPE	: NOT GIVEN		
ITEM DESCRIPTION	:		
MAKE	: HONDA	CERT. AGENCY1	:
MODEL	: CRV	CERT. AGENCY2	:
YEAR	:	CERT. AGENCY3	:
LICENSE NO.	s.22	CERT. AGENCY4	:
SERIAL NO.	:	CERT. AGENCY5	:
MAKE	: HONDA		

COMMENTS :

Investigating Officer	LAFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE** (NARRATIVE)

INCIDENT NUMBER: **CSY 2014 07 30 03 05**

Remarks:

EXPOSURE FIRE FROM HOUSE.

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **VEHICLE** (NAMES)

INCIDENT NUMBER: **CSY 2014 07 30 03 05**

Name no. : 1
Name : s.22
Address : 0

Name Status : OWNER
Phone :

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : \$0

Content Loss : s.22

Total Loss : s.22

REMARKS:

Investigating Officer : LAFC Badge #
SHEEL, DANIEL : 1810

Telephone : ReportDate
604-543-6700 : 2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE**INCIDENT NUMBER: **CSY 2014 07 30 03 06**

Location of Incident: **15317 111 AVE
SURREY BC**

of Occupants (At time of fire): **0** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: **\$22**

Related to Wildland Interface Fire: **NO** Property Value: **\$22** Content Value: **\$22** Total Value at Risk: **\$22**

Code Name : Code Description

PROPERTY COMPLEX : 3400 RESIDENTIAL - SINGLE DETACHED
PROPERTY CLASSIFICATION : 3110 YEAR-ROUND USE DWELLING - 1-FAMILY
GENERAL CONSTRUCTION : 2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST
BUILDING HEIGHT : 0020 2 STORIES ABOVE GRADE
GROUND FLOOR AREA : 2000 101 TO 500M2 (1077 - 5382FT2)
YEAR OF CONSTRUCTION : 2000 2000
MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION
OUTSIDE FIRE PROTECTION : 1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
SPRINKLER PROTECTION : 7000 NO SPRINKLER PROTECTION
AUTOMATIC FIRE ALARM SYSTE : 1000 NO FIRE ALARM SYSTEM
SMOKE ALARM OPERATION : 1000 ALARM ACTIVATED - ASSISTED OCCUPANT(S) IN EVACUATING
INITIAL DETECTION : 7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
TRANSMISSION OF ALARM : 1000 911
FIRE SERVICE : 3000 COMPOSITE - CAREER & VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT
INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT
METHOD OF FIRE CONTROL : 4200 38MM OR 42MM (1 1/2" OR 1 3/4") HOSE - 1 HAND LINE
FIRE ORIGIN, LEVEL : 3000 GROUND FLOOR, GRADE LEVEL OR GRADE TO 3M (10FT)
FIRE ORIGIN, AREA : 7900 STRUCTURAL AREA - UNCLASSIFIED (DESCRIBE)
EXTENT OF FIRE : 6000 EXTENDED BEYOND PROPERTY OF ORIGIN
EXTENT OF DAMAGE : 6000 EXTENDED BEYOND BUILDING OF ORIGIN
IGNITING OBJECT : 8900 EXPOSURE - UNCLASSIFIED (DESCRIBE)
FUEL OR ENERGY : 8000 EXPOSURE FIRE
FORM OF HEAT : 6000 HOT OBJECT - DIRECT HEAT BY CONDUCTION OR RADIATION, NO DIRE
MATERIAL FIRST IGNITED : 9000 BUILDING COMPONENT - WALL. (EXCLUDES EXTERIOR WALL CLASSIFIE
ACT OR OMISSION : 5900 CONSTRUCTION, DESIGN OR INSTALLATION DEFICIENCY - UNCLASSIFI

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **CSY 2014 07 30 03 06**

Remarks:

FIRE FROM ADJACENT HOUSE

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **CSY 2014 07 30 03 06**

Name no. : 1
Name : s.22
Address : 0 15317 11 AVE

Name Status : OWNER
Phone :

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : s.22

Content Loss : \$0

Total Loss : s.22

REMARKS:

Investigating Officer : LAFC Badge #
SHEEL, DANIEL : 1810

Telephone :
604-543-6700
ReportDate :
2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE**INCIDENT NUMBER: **CSY 2014 07 30 03 07**

Location of Incident: **15321 111 AVE
SURREY BC**

of Occupants (At time of fire): **0** # of Injured: **0** # of Deaths: **0** Total Dollar Loss Estimate: **\$22**

Related to Wildland Interface Fire: **NO** Property Value: **\$22** Content Value: **\$22** Total Value at Risk: **\$22**

Code Name : Code Description

PROPERTY COMPLEX : 3400 RESIDENTIAL - SINGLE DETACHED
PROPERTY CLASSIFICATION : 3110 YEAR-ROUND USE DWELLING - 1-FAMILY
GENERAL CONSTRUCTION : 2000 PROTECTED COMBUSTIBLE CONSTRUCTION - WOOD PROTECTED BY PLAST
BUILDING HEIGHT : 0020 2 STORIES ABOVE GRADE
GROUND FLOOR AREA : 2000 101 TO 500M2 (1077 - 5382FT2)
YEAR OF CONSTRUCTION : 2000 2000
MANUAL FIRE PROTECTION : 7000 NO MANUAL FIRE PROTECTION
OUTSIDE FIRE PROTECTION : 1000 PUBLIC HYDRANT PROTECTION & FIRE DEPARTMENT
SPRINKLER PROTECTION : 7000 NO SPRINKLER PROTECTION
AUTOMATIC FIRE ALARM SYSTE : 1000 NO FIRE ALARM SYSTEM
SMOKE ALARM OPERATION : 1000 ALARM ACTIVATED - ASSISTED OCCUPANT(S) IN EVACUATING
INITIAL DETECTION : 7000 VISUAL SIGHTING OR OTHER MEANS OF PERSONAL DETECTION (E.G. S
TRANSMISSION OF ALARM : 1000 911
FIRE SERVICE : 3000 COMPOSITE - CAREER & VOLUNTEER/PAID-ON-CALL FIRE DEPARTMENT
INCIDENT : 1000 FIRE - FIRE DEPARTMENT ATTENDED
ACTION TAKEN : 3000 EXTINGUISHED BY FIRE DEPARTMENT
METHOD OF FIRE CONTROL : 4200 38MM OR 42MM (1 1/2" OR 1 3/4") HOSE - 1 HAND LINE
FIRE ORIGIN, LEVEL : 3000 GROUND FLOOR, GRADE LEVEL OR GRADE TO 3M (10FT)
FIRE ORIGIN, AREA : 7900 STRUCTURAL AREA - UNCLASSIFIED (DESCRIBE)
EXTENT OF FIRE : 6000 EXTENDED BEYOND PROPERTY OF ORIGIN
EXTENT OF DAMAGE : 6000 EXTENDED BEYOND BUILDING OF ORIGIN
IGNITING OBJECT : 8900 EXPOSURE - UNCLASSIFIED (DESCRIBE)
FUEL OR ENERGY : 8000 EXPOSURE FIRE
FORM OF HEAT : 6000 HOT OBJECT - DIRECT HEAT BY CONDUCTION OR RADIATION, NO DIRE
MATERIAL FIRST IGNITED : 9000 BUILDING COMPONENT - WALL. (EXCLUDES EXTERIOR WALL CLASSIFIE
ACT OR OMISSION : 5900 CONSTRUCTION, DESIGN OR INSTALLATION DEFICIENCY - UNCLASSIFI

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NARRATIVE)

INCIDENT NUMBER: **CSY 2014 07 30 03 07**

Remarks:

FIRE SPREAD FROM HOUSE FIRE.

Investigating Officer	L AFC Badge #	Telephone	ReportDate
SHEEL, DANIEL	1810	604-543-6700	2014-08-12

PROVINCE OF BRITISH COLUMBIA
Ministry of Justice
Emergency Management BC / Office of the Fire Commissioner

FIRE REPORT - **STRUCTURE** (NAMES)

INCIDENT NUMBER: **CSY 2014 07 30 03 07**

Name no. : 1
Name : s.22
Address : 0

Name Status : OWNER
Phone :

Claims Adjuster Name :
Claims Adjuster Firm :
Claim Number :
Insurance Company :
Policy Number :

LOSS ESTIMATES:

Property Loss : s.22

Content Loss : \$0

Total Loss : s.22

REMARKS:

Investigating Officer : LAFC Badge #
SHEEL, DANIEL : 1810

Telephone : ReportDate
604-543-6700 : 2014-08-12

